

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61

E7

1896.

LIBRARY RECEIVED
CULTURAL
INVEST



SUPERLATIVE RASPBERRY.

Wm. Ellwanger & Barry Co.
ROCHESTER, N.Y.

GENERAL CATALOGUE

FRUIT AND
ORNAMENTAL TREES,
ROSES,
ETC.

ELLWANGER & BARRY,

MOUNT HOPE NURSERIES.

ROCHESTER, N.Y.

For New and Rare Fruits, and Ornamental Trees and Shrubs,
see Index pages 149 and 150.

Also the list of Meritorious Novelties printed on tinted paper

TABLE OF CONTENTS.

Advice to Correspondents.....	6
Articles by mail.....	6
Brief suggestions to Planters.....	47
Bulbs, Miscellaneous.....	129
Bulbs, Summer and Autumn Flowering.....	128
Business Announcement.....	4
Cannas.....	130
Catalogues.....	151
Clematis.....	106
Climbing and Trailing Shrubs.....	106
Coniferae.....	75
Dahlias.....	129
Deciduous Trees.....	49
" " flowering.....	74
" " having bright colored bark in winter.....	74
" " possessing remarkable characteristics of foliage.....	73
" " producing ornamental fruit.....	74
" " select assortments at reduced prices.....	74
" " Weeping.....	72
Deciduous Shrubs.....	81
" " producing ornamental fruit.....	103
" " select assortment at reduced prices.....	103
" " with variegated foliage.....	102
Esulent Roots.....	45
Evergreen Shrubs.....	105
Evergreen Trees.....	75
Fruit Department.....	7
Hardy Herbaceous Flowering Plants.....	114
Hedge Plants.....	109
Hints on Transplanting.....	7
Hollyhocks.....	114
Index, General.....	150
Index to New and Rare Trees and Shrubs, <i>to which especial attention is requested</i>	148
Miscellaneous Fruits.....	45
Ornamental Department.....	47
Packing Season.....	6
Pæonies, Herbaceous.....	110
" Tree.....	110
Phloxes.....	113
Rose Department.....	130

Special attention is invited to our select assortments of Deciduous Trees and Shrubs at reduced prices, pages 74 and 103.

NOTE: *The illustrations in this Catalogue are mostly from specimens in our collection, and are reduced from natural size.*

Additional Novelties.

For the convenience of our customers, we append a list of novelties which are at present being offered, but which we have not yet tried sufficiently to justify us in describing them, or in venturing an opinion as to their value.

The descriptions are those of the originators, and the plants which will be supplied are not of our own growing, but have been procured from the originators or disseminators. We hope and expect that many, if not most, of these novelties will, after trial, prove to be meritorious.

Bismarck Apple.

Introduced from New Zealand. Very large, remarkably handsome and showy; flesh yellow, tender, juicy; quality good; extremely hardy and prolific and bears early. Season, November to February. Small trees, 50c.

Eliot's Early Pear.

Originated by James Dougall, Canada. Medium size, pyriform; skin yellowish green striped with red; handsome; flesh juicy, vinous, excellent; tree a strong grower. A handsome and good early pear, recommended by Mr. Carman of the *Rural New-Yorker*, who has fruited it. Top-worked trees, \$1.00.

Koonce Pear.

Originated in Illinois. Medium to large, very handsome; spicy, juicy, sweet, very good. Season very early. Tree vigorous, free from blight, and a better grower than Kieffer. \$1.00.

Vermont Beauty Pear.

Originated in Northern Vermont. Medium size; yellow, covered on sunny side with bright carmine red; rich, juicy, sub-acid. Ripens immediately after Seckel. Very hardy. \$1.00.

Giant Prune.

Raised by Mr. Luther Burbank, of California. Of immense size, as its name implies; firm, rich, sweet, delicious; produced in great profusion. Tree a strong, handsome grower. A limited stock of top-grafted trees; \$2.00 each.

Wickson Plum.

Another of Mr. Burbank's celebrated hybrids, and considered by him one of the finest. Very large, glowing carmine with a heavy white bloom; flesh firm, sugary, delicious, stone small. Remarkable for its long-keeping qualities. Tree of vigorous, upright growth. One-year-old trees, ready in fall 1896, \$2.00 each.

Willard Plum.

Of Japanese origin. Medium size, dark red, freestone, quality fair. Tree a strong grower, hardy and productive. Claimed to be the earliest plum to ripen. One year branched, 50c.

White Imperial Currant.

A white currant, valuable for table use. One year, 25c each.

Wilder Currant.

A red currant, said to be very profitable for market. One year, 25c each.

Golden Prolific Gooseberry.

A fine large yellow variety of the English type. 50c.

Red Jacket Gooseberry.

A new red gooseberry of the American type, and which is highly recommended. 25c.

Spineless Gooseberries.

Novelties in the way of gooseberries, said to be without thorns, have recently been introduced from Europe. We can furnish four varieties; viz., *Souvenir de Billard*, *Ed. Lefort*, *Mme. Lefort*, and *Belle de Meaux*. \$1.00 each.

Gault Perpetual Raspberry (Black Cap).

Very large and firm; fine rich flavor. Plant a vigorous grower and extremely hardy. Said to be a true perpetual. 35c. each.

Logan Berry.

A decided novelty, being a hybrid between a blackberry and a raspberry. Fruit as large as the blackberry and of same shape; color dark red when fully ripe; partakes of the flavor of the blackberry and raspberry; pleasant, mild, vinous. 50c. each.

Numbo, Paragon, and Ridgely Chestnuts.

All produce large edible fruit. \$1.00 each.

Caryopteris Mastacanthus (Blue Spiræa,)

A pretty autumn-blooming shrubby plant, producing clusters of beautiful blue fragrant flowers in great profusion from September until frost. Dies to the ground here in winter. 50c.

Hypericum Moserianum.

A charming shrub of dwarf habit, producing large single yellow flowers in great profusion during the summer. 75c.

Spiræa Anthony Waterer.

A fine new dwarf Spiræa with dark crimson flowers, darker than Spiræa Bumalda. 50c.

New Rose Princess Bonnie.

A new rose which comes highly recommended. Described as flowers large, semi-double, outside petals rich solid crimson more vivid than Jacqueminot, while the inner side of the center ones at the base is streaked with white; possesses a rich fragrance. Plant vigorous, and blooms all the time, even surpassing Clothilde Soupert, both in doors and out of doors. Every shoot produces several perfect flowers, which frequently come in bouquet-like clusters of seven or eight. Small plants, 50c.

New Irish Roses.

(Dickson's Latest Productions.)

SMALL PLANTS READY APRIL FIRST.

Helen Keller—(Hybrid Perpetual.) Flowers large, of most perfect form, and fragrant. Color brilliant rosy cerise. A vigorous grower and very free bloomer. A most distinct and lovely rose. \$1.00.

Mavourneen—(Hybrid Perpetual.) Flowers large, full, and perfectly formed; color delicate silvery flesh white, shaded rose at base of petals. In every respect a lovely rose. \$1.00.

Marjorie—(Hybrid Tea.) Flowers medium size, exquisite form. Color white, suffused with salmon pink; flowers full and freely produced throughout the season. A charming variety. \$1.00.

New Rose, Pink Soupert.

A new rose described as identical with the famous Clothilde Soupert, its progenitor, with the exception of color of flower, which is a deep pink similar to Hermosa. It is a continuous bloomer; each branch terminates with a cluster of flowers. Single plants when but six months old under ordinary treatment often produce fifty perfect flowers. Succeeds splendidly in open ground and is hardier than Clothilde Soupert. 50c.

New Double White Rugosa Rose, Blanc Double de Courbet.

A variety of Rugosa Alba with double white flowers, possessing a delightful fragrance. Small plants in April. \$1.00.

Lord Penzance's Hybrid Sweet Briars.

(Latest Additions.)

Small plants ready in April. \$1.50 each. The set of seven varieties for \$9.00.

Catharine Seyton—Rosy pink.

Jeanie Deans—Scarlet crimson.

Edith Bellenden—Pale rose.

Julia Mannering—Porcelain pink.

Green Mantle—Bright pink.

Lucy Bertram—Deep crimson.

Minna—Pure white.

Bruant's New Rugosa Rose, Belle Poitevine.

A new Hybrid Rugosa rose of a deep rose color, raised by M. Bruant who produced the very popular White Hybrid Rugosa, Mme. G. Bruant. Small plants in April. \$1.00.

Ellwanger & Barry,

Mount Hope Nurseries,

Fifty-sixth Year.

Rochester, N. Y.

RARE VARIETIES OF APPLES.

Arabskoe (Arabian Apple)—Origin, Russian. Large; three inches in diameter, roundish, inclining to conical; greenish yellow ground, mostly covered with purplish red and a light bloom; flesh fine grained, white, juicy, sub-acid; a moderate grower; foliage very large, over four inches long, with long stalks; a beautiful apple. Ripe here in October, but will keep later. 50c.

McIntosh Red—Large, roundish, skin mostly covered with bright red; flesh white, tender, sub-acid, sprightly, very good. A handsome apple of fine quality. Tree vigorous and hardy. November to February. 50c.

Red Bietigheimer—A rare and valuable German variety. Fruit large to very large; roundish, inclining to conical; skin pale, cream-colored ground, mostly covered with purplish crimson; flesh white, firm, sub-acid, with a brisk, pleasant flavor. Tree a free grower and abundant bearer. This is one of the largest and handsomest apples, and worthy of extensive cultivation. Early fall. 50c.

Sutton Beauty—Fruit medium to large, roundish, handsome; skin waxen yellow, striped with crimson; flesh whitish, tender, juicy, sub-acid; quality very good; a long keeper. Tree a free, handsome grower, and productive. One of the most valuable market varieties in Western New York. Dec. and Mar. 25c.

Titovka (Titus Apple)—Origin, Russian. Large; roundish; color greenish yellow ground, striped and marbled with light red in the sun; when fully ripe, the ground is yellow, and the red, deep and dark, mostly covering the fruit, and usually a light bloom; flesh rather coarse; tender, juicy, very mild acid; quality not high, but good. Tree a free grower and very productive. Foliage very large. Ripe in September. 50c.

Yellow Transparent—A Russian apple, medium size, roundish oblate, slightly conical; skin pale yellow when fully mature; flesh tender, juicy, sprightly sub-acid; good; a free grower. August. 50c.

PAUL'S IMPERIAL CRAB APPLE.

A cross between the Red Astrachan Apple and Siberian Crab. Fruit about one and one-half inches in diameter; skin yellow, almost wholly covered with bright red; firm, tender and moderately juicy, with a fresh acidity. Tree a vigorous grower. It ripens early. 50c.

PEARS OF SPECIAL MERIT.

Anjou (Beurre d'Anjou)—A large, handsome pear, buttery and melting, with sprightly vinous flavor of best quality; keeps into mid-winter. Tree a vigorous grower and good bearer. We have no hesitation in pronouncing it to be the most valuable pear in the catalogue. Does equally well as a standard or a dwarf. Keeps until the winter holidays, when it commands very high prices in the market. We have been pressing the claims of this pear many years, and only now is it becoming appreciated by planters. 50c.



DISH OF ANJOU PEARS.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.


The Editor of the "*Rural New Yorker*" says in regard to this famous variety in issue of December 17, 1892 :

"The writer received a box of Anjou pears a few days since from Ellwanger & Barry, the noted Rochester nurserymen. I wish some of the fruit growers who complain of the prices they receive for their fruit, and who growl at the net results of their fruit growing, could have seen this box. It held about half a bushel of pears. Each was separately wrapped in paper and there was not a gnarly, wormy, or unsound pear in the box. A half bushel of such fruit would sell for more cash in our New York markets than a barrel full of fruit as we generally see it. The specimens were all large and handsome, and the quality superb. If the members of the firm could have seen the delighted faces of the office force, as each one received a specimen, they would have had an added pleasure—a pleasure we assumed as their proxy."

The Editor of "*Farm Journal*" says of this pear in issue of Jan, 1893 :

"Sound, large, fair, delicious, fit for a queen to eat. It is a noble pear and ought to be represented in the family orchard."

Angouleme (Duchesse d'Angouleme)—One of the largest and showiest of all our good autumn pears. Succeeds well as a standard, but it attains its highest perfection as a dwarf, and is one of the most profitable market pears grown in the latter way. October and November. 50c.



DISH OF ANGOULEME PEARS.

- Bon Chretien Fred Baudry** (New)—A large handsome, fine flavored, late winter pear. Size medium to large ; oblong pyriform ; color yellow, with occasional blotches of russet ; flesh yellow, tender, buttery, juicy, slightly gritty at core, solid and no evidence of rot ; quality very good to best, a distinct flavor. Ripe a little after Josephine of Malines. A valuable late winter pear. \$1.00.
- Bosc** (Beurre Bosc)—A large and beautiful russet pear ; very distinct, with a long neck ; melting, or nearly so, high flavored and delicious. A moderate grower and rather irregular ; bears well. We top graft in order to get good standard trees. It does not succeed on the quince, and in order to obtain dwarf trees it must be double worked. September to October. 75c.
- B. S. Fox**—One of Fox's Seedlings from California. May be compared as to texture and quality with Anjou, but ripening in October. Stem short ; color a beautiful yellow russet when ripe ; flesh fine grained, very juicy, vinous ; sound to the core. One of the most valuable introductions of recent years. \$1.00.
- Col. Wilder**—Another of Fox's Seedlings from California, and one of the longest keeping pears. Large, pyriform, oblong, inclining to oval ; skin yellow, profusely dotted and marbled with russet ; flesh melting, full of juice, sweet ; a delicious pear ; keeps till March. A fair grower. See cut. \$1.00.
- Clairgeau** (Beurre Clairgeau)—Very large ; pyriform ; yellow and red ; handsome and attractive ; flesh yellowish, nearly melting ; keeps sound a long time after being gathered. Tree a free grower and an early, abundant bearer ; a magnificent and valuable market fruit ; always commanding the highest price on account of its size and appearance. See cut. 50c.
- Duhamel du Monceau**—Large, long, pyriform ; skin rather rough, nearly covered with brownish russet ; flesh melting, juicy, with the flavor of Winter Nelis ; a delicious midwinter pear ; one of the recent pears, which deserves wider recognition. Tree a moderate grower. Ripens in December. 75c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

Frederick Clapp

—Size above medium; form generally obovate; skin thin, smooth, clear lemon-yellow; flesh fine grained, very juicy and melting, flavor sprightly, acidulous, rich and aromatic; season October 15th to November 1st; quality *very good to best*; one of the best autumn pears. Tree a *vigorous* or *free* grower and somewhat spiny. 75c.

Idaho—A very promising new pear raised from seed at Lewiston, Idaho. Size very large, form nearly round, resembling Easter Beurre; skin yellow with brownish red on sunny side, with a surface like that of Bartlett; flesh melting, juicy, slightly vinous, quality best. Wood and foliage resemble Bartlett; season of maturity, September, in Idaho. The disseminators say it is very hardy, vigorous and prolific. \$1.00

Lucy Duke—Received a few years ago from North Carolina. Large, pyriform, rather obtuse; stalk set obliquely without depression; calyx open, small, in a moderate cavity; skin of a cinnamon russet, surface uneven; flesh melting, juicy, sweet, excellent. Tree a vigorous grower. October. \$1.00.

Margaret—(Petite Marguerite) Medium size; skin greenish yellow, with brownish red cheek, and covered with greenish dots. Flesh fine, melting, juicy, vinous, and of *first quality*. Tree a *vigorous*, upright grower, and an early and abundant bearer. Succeeds admirably as a standard or dwarf. The finest pear of its season and worthy of special attention. Ripens latter part of August. 75c.

Madame Hemminway—(New) A handsome and showy new American pear, skin entirely covered with a dull russet; flesh melting, moderately juicy and flavor good, rather sweet. A promising variety. Ripens middle of September. \$1.00.

Olivier des Serres—(New) A valuable late keeping winter pear ripening about same time as the Josephine of Malines, and perhaps keeping longer, say till first of March. The fruit is of good size, roundish, averaging larger than Josephine. Flesh tender, juicy, melting, flavor distinct, excellent. In quality it ranks as very good to best. As the number of late keeping, high flavored pears is not large, this variety will be received favorably. \$1.00.


P. Barry—Another of the long-keeping Fox Seedlings. Large pyriform; skin orange yellow, covered with russet dots and blotches; flesh very juicy, buttery, fine grained; flavor sprightly, rich, excellent. The best late winter pear. Resembles *Anjou* in texture of flesh and *Winter Nelis* in color of skin and juiciness of flesh. Tree a poor grower and must be top grafted. Ripe in April. Have had them in good condition until the latter part of May. (See cut.) \$1.00.

Souvenir du Congrès—Very large, larger than Bartlett or Clapp's Favorite, to which it bears a strong resemblance (we have had specimens which weighed 27 ounces and which measured 14 inches in circumference); skin smooth, bright yellow when the fruit is fully matured, with the parts



CLAIRGEAU PEAR—DWARF TREE.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



COL. WILDER.

P. BARRY.

exposed to the sun brilliant red or carmine. The flesh, while it is like that of the Bartlett, is free from its strong musky aroma, and is firm to the core. It commences to ripen in August, a little before the Bartlett, and extends into September. The tree is a *moderate* grower, and to obtain good standard and dwarf trees we are obliged to work it upon strong growing sorts. On account of its size, quality and earliness, it is entitled to a place among the best pears and it deserves more attention than it has hitherto received. 75c.

✓ **Winter Nelis**—One of the best and most valuable early winter pears; medium size; dull russet; melting and buttery, with a rich, sprightly flavor. Tree a *slender straggling*, but free grower. Bears heavy crops regularly. It must be top grafted to obtain good trees. 75c.

✓ THE WINDSOR CHERRY.

One of our introductions, and a variety which cannot be commended too highly. It is large, black, very firm, and of fine quality, ripening late. We consider this one of the best fruits we have brought to notice. 50c.

✓ THE GRAND DUKE PLUM.

A great acquisition to the list of valuable plums. The fruit is of the largest size, purple, handsome, and flavor excellent. It ripens late, after most other kinds, and has a particular value on that account. Besides it does not seem inclined to rot. This variety on account of its large size and handsome appearance, and time of ripening, will be welcomed by fruit growers as a valuable sort to extend the plum season. \$1.00.

Other rare varieties of plums worthy of special mention are :

✓ **Dunlap**—A beautiful, large, yellow plum, resembling the Yellow Egg, but ripening early; flesh cling, juicy, sweet, very good. 75c.

✓ **Lafayette**—Medium to large, roundish, purple, quality good, valuable on account of its lateness 75c.

✓ **Reine Claude Violette**—Medium size, purple, delicious flavor; strongly recommended for the table. 75c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

APRICOTS.

Of this delicious fruit, we have a large collection of the choicest varieties—price 35c. each.

THE GÆRTNER GRAPE—(Rogers' No. 14).

Not a new variety, but unquestionably the handsomest grape in cultivation and one which deserves to be better known and more extensively cultivated. Bunch large; berry very large, round; skin thick; color a beautiful light red with bloom; fruit almost transparent; pulp tender, sweet, pleasant, rich. Vine vigorous and productive. 25c.

THE MILLS GRAPE.

Raised by Mr. Mills, of Ontario, by crossing Muscat Hamburg with Creveling. Bunch very large, compact, shouldered, some clusters weighing over twelve ounces. Berry large, round, jet black, covered with a thick bloom; flesh firm, meaty, juicy, breaking with a rich, sprightly flavor. Skin thick; berries adhere firmly to the peduncle. Vine vigorous and productive; foliage large and healthy. Ripens about with the Concord, or a little later, and is a long keeper. \$1.00.

One of our customers in N. J., under date of September 1, 1892 writes as follows:

"Mills Grape now ripening; immense crop, fine fruit; vine the most vigorous I have ever had. The vines bought of you April 30, 1889, now cover a trellis 25 feet long and ten feet high. It is the grape of the future for this country."


THE DIAMOND OR MOORE'S DIAMOND GRAPE.

A pure native; bunch large, compact; berry medium size; color greenish white with a yellow tinge when fully ripe; flesh juicy and almost without pulp; quality very good; vine vigorous and productive. Very promising. 50c.

THE WINCHELL GRAPE.

The earliest white grape (*identical with Green Mountain*). This new white grape has been thoroughly tested for several years in our vineyard, and it has proved so satisfactory in all respects that we can recommend it with the utmost confidence to our customers. It combines hardiness, fruitfulness, vigor, good size and excellent quality.

Though not the largest, yet, both berry and cluster are of good size, and the flavor is excellent, ranking in this respect as a grape of the first-class. In time of ripening it may be described as very early, being the first white grape to ripen, and maturing about the same time as Champion or about a week earlier than the Hartford. This qualification insures its ripening even in the worst of seasons, a consideration which will be appreciated by all planters. Its habit of growth is vigorous and the foliage clean and healthy, while its bearing quality is all that can be desired. It can be said to be a most valuable white grape either for the amateur or professional grower,



WINCHELL—NATURAL SIZE.


For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

and there is every reason to believe that it is destined to wide-spread popularity. We think from what we have seen of it in the past six years, that it is one of the few grapes adapted to general cultivation, and of especial value for the amateur, while its earliness, productiveness and vigor, combined with fine quality, in our opinion render it also very desirable for market. Price, 1 year, 75c each ; 2 years, \$1.00 each.

Other standard varieties which should have a place in every garden: **Barry**—(ROGERS' No. 43). Black. Very large, handsome, 25c ; **Brighton**—Reddish purple. Very good, 25c ; **Duchess**—Very desirable, white, 25c ; **Geneva**—(New). White. Quite promising, \$1.00 ; **Herbert**—(ROGERS' No. 44). Very large and handsome, black, 25c ; **Jefferson**—Red, fine quality, late, 25c ; **Rochester**—Raised in our nurseries. Reddish purple, bunch large and very compact, a first-class variety, early, 75c ; **Ulster Prolific**—Red, quality good. One of the most promising of recently introduced sorts, 25c ; **Worden**—Black, large, handsome. Ripens earlier than Concord, and is superior to it in quality. 25c.

THE COLUMBUS GOOSEBERRY.

Introduced by Ellwanger & Barry. This is a new variety which we have tested thoroughly and which we can recommend with the greatest confidence. The fruit is large, handsome, of a greenish yellow color, and the quality is excellent. The plant is vigorous, and productive, and does not mildew. It merits a place in every garden. 50c each ; \$4.00 per dozen.



COLUMBUS GOOSEBERRY—NATURAL SIZE.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

THE INDUSTRY GOOSEBERRY.

This fine English variety fully justifies the claims made for it, when it was sent out a few years ago. It has grown in popular favor and its size and quality render it particularly desirable for the garden and market. The plant is healthy, vigorous and remarkably productive. 25c each; \$2.50 per dozen.

THE CHAMPLAIN RASPBERRY.

A fine new yellow variety which originated from seed of White Antwerp. It resembles its parent in color and size, but is a stronger grower and more prolific. In quality it ranks as best, and is superior to Caroline or Golden Queen. Particularly valuable for the amateur. 25c each; \$2.50 per dozen.



SUPERLATIVE RASPBERRY—NATURAL SIZE—NEW.

THE SUPERLATIVE RASPBERRY.

A new foreign red Raspberry, very large and of best quality. Its size, appearance and flavor commend it to all who desire the largest, handsomest, and choicest fruit; highly commended. 50c. each; \$4.00 per dozen.

THE VICTORIA CURRANT.

Although not a new variety, it is comparatively little known. It is a valuable variety for the home-garden and is deserving of extensive culture for market on account of its erect habit, productiveness and lateness in ripening. Fruit large, bright red; bunches very long. \$1.00 per dozen.

MULBERRIES.

The fruit is large, ranging from an inch to two inches in length; pleasant to the taste, and is produced abundantly from July till September. Planters should place a higher value on this fruit than they do. It should no longer be neglected. Large trees will produce ten bushels of fruit in a season. The following are the best:

Downing, New American, Thorburn and Trowbridge—50c. each.

NEW STRAWBERRIES.

The following have been thoroughly tested by us, and we pronounce them additions of value. **Beder Wood, Lovett's Early, Parker Earle.** No collection is complete without them. We have many others.

**RARE ORNAMENTAL TREES AND
FLOWERING SHRUBS.**

Collected from all parts of the Globe. Our assortments embrace the rarest and choicest for Public and Private Grounds, Gardens, Parks, Cemeteries, etc. We have an immense stock and can supply the smallest order or the largest, on the most favorable terms. All who have places which they desire to improve and ornament are solicited, if possible, to inspect our stock.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

WIER'S CUT-LEAVED SILVER MAPLE.

The finest ornamental tree of recent years ; of rapid vigorous growth, and graceful habit, with beautiful cut foliage ; it presents a combination of excellent qualities rarely found in a single tree. See cut on last page of cover. 75c each.

REITENBACH'S NORWAY MAPLE.

A very handsome purple-leaved variety of the Norway Maple which retains its color through the season. \$1.00.



LEAVES OF JAPAN MAPLE— $\frac{1}{2}$ NATURAL SIZE.

habit, the foliage of the second growth is of a brilliant crimson, which, contrasted with the rich green of the older foliage, produces a charming effect. \$1.50

RED-FLOWERED HORSE CHESTNUT.

One of the finest trees in cultivation ; form round ; flowers showy red ; blooms a little later than the white, and the leaves are of a deeper green. One of the most valuable ornamental trees. \$1.00.

CUT-LEAVED WEEPING BIRCH.

Beyond question one of the most popular of all weeping or pendulous trees. Its tall, slender, yet vigorous growth, graceful drooping branches, silvery-white bark, and delicately cut foliage, present a combination of attractive characteristics rarely met with in a single tree. \$1.00.

JAPAN WEEPING ROSE-FLOWERED CHERRY.

Brought from Japan by Von Siebold, and is certainly one of the finest pendulous trees for lawns or small grounds. The branches are slender, and fall gracefully to the ground, and the flowers are rose-colored, appearing before the leaves. Undoubtedly one of the finest weeping trees. \$1.50.



CHERRY, LARGE DOUBLE-FLOWERING— $\frac{1}{2}$ NATURAL SIZE.

SCHWEDLER'S NORWAY MAPLE.

A beautiful variety with the young shoots and leaves of a bright purplish and crimson color, which change to purplish green in the older leaves. \$1.00.

CUT-LEAVED PURPLE JAPAN MAPLE.

One of the most striking and handsome varieties of the Japanese Maples. Form dwarf and weeping. The leaves are of a beautiful rose color when young, and change to a deep and constant purple, as they become older. They are also deeply and delicately cut, giving them an elegant, fern-like appearance. The young growth is long, slender, and pendulous, and like the leaves, has a deep, crimson hue. Besides being an elegant and attractive lawn tree, it is also very useful for conservatory decoration in spring.—2 feet plants. \$2.00.

BLOOD-LEAVED JAPAN MAPLE.

Of dwarf habit and rounded form ; foliage five lobed and serrated ; reddish crimson in June. A charming variety and one of the best of the Japanese Maples. 2 feet plants. \$2.00

MONUMENTAL SUGAR MAPLE—New.

(*Acer saccharinum monumentalis*.)

A fine variety of the Sugar Maple of pyramidal compact

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

LARGE DOUBLE-FLOWERING CHERRY.

At the period of flowering in May, a remarkably beautiful and attractive tree. The flowers are so numerous as to conceal the branches, and present to the eye nothing but a mass of bloom, each flower resembling a miniature rose. A valuable variety, deserving of wide dissemination. (See cut). 50c.

JUDAS TREE OR RED BUD.

A very ornamental native tree, of medium size, irregular rounded form, with perfect heart shaped leaves of a pure green color. The tree derives the name of Red Bud from the profusion of delicate reddish purple flowers with which it is covered before the foliage appears. Flowering at the same time with the Chinese Magnolias, it may be planted among them in groups with fine effect. Grown as single specimens they are also beautiful and attractive, and deserve to be classed among our *finest ornamental trees*. 50c.

DOUBLE-FLOWERING THORNS.

The Thorns justly deserve to be classed among the most beautiful flowering trees. They are generally dense, low growers, occupying comparatively little space and well adapted to beautify small grounds. They flower in May and June.


Double Scarlet Thorn—A tree of fine habit, with rich, luxuriant foliage. Flowers unusually large, of a deep crimson color, with scarlet shade, and very double. A charming variety. \$1.00.

Paul's Double Scarlet Thorn—Flowers bright carmine red. Superior to any of its color. \$1.00.

Double White Thorn—Has small, double, white flowers. A highly ornamental variety, on account of both foliage and flowers. Makes a striking contrast when planted with the double scarlet. \$1.00.

PURPLE LEAVED BEECH (Major).

An erect, rapid grower; leaves large, shining and very dark purple. A superior variety. \$2.00.



FLOWERS OF DOUBLE-FLOWERING THORN.

SILVER MARGINED-LEAVED ASH.

A medium sized tree with elegantly variegated foliage. The inner portions of the leaves are a deep green, while the margins are silvery white. \$1.00.

AUCUBA-LEAVED ASH.

A beautiful variety, with gold-blotched leaves like the Japan Aucuba. As the variegation is permanent, the tree is valuable for grouping with purple-leaved trees. \$1.00.

KÆLREUTERIA PANICULATA.

From China. A hardy, small, round-headed tree, with fine lobed leaves and large panicles of showy golden yellow flowers, in the latter end of July; leaves change in autumn to a fine yellow. One of the most desirable trees, particularly valuable for its brilliant, golden blossoms, which are produced so late in the season when few, if any, trees are in bloom. \$1.00.



LEAVES OF THE AUCUBA-LEAVED ASH— $\frac{1}{4}$ NATURAL SIZE.

blossoms, which are produced so late in the season when few, if any, trees are in bloom. \$1.00.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

VARIEGATED-LEAVED TULIP TREE.

A striking and beautiful tree, the margins of the broad, glossy leaves are variegated with a very light green, giving the tree a unique appearance. \$1.00.

CHINESE MAGNOLIAS.

MAGNOLIA FLOWERS.

Their superior stateliness of form and splendor of growth, the size and richness of their foliage and lavish yield of fragrant flowers, all tend to place them in the foremost rank among hardy ornamental trees and shrubs. Their proper place is on the lawn, where they show to fine advantage in contrast to the green; or they may be planted effectively on the borders of lawns, with an evergreen in the back ground to heighten the contrast. Planted in groups, they yield to no rival, and their effect in the early spring is grand beyond description, illuminating the whole landscape and filling the atmosphere with their rich perfume.

To insure success in their transplanting, they should be moved in the spring, never in the fall. Great care should be exercised in their removal, the fibrous roots being preserved as nearly as possible, and carefully guarded from any exposure to wind or sun. While almost any good soil is sufficient to insure their growth, they succeed best in a soil which is warm, rich and dry.

We have a great collection. Fine plants from pots with ball, which ensures safety in transplanting. For descriptions and prices see General Catalogue.

WEeping RUSSIAN MULBERRY.

Forms a perfect umbrella shaped head, with long, slender branches drooping to the ground, parallel to the stem; very hardy. A new weeper destined

to become very popular when better known. \$1.50.

DOUBLE FLOWERING PEACHES.

The double flowering varieties are distinguished for their showy and beautiful bloom. At the blossoming season every branchlet is covered with a mass of beautifully formed, highly colored flowers, rendering the trees most interesting objects and attracting notice from a distance. The *double red*, *double rose*, and *double white* varieties planted in a group, produce a charming effect. We cannot too highly recommend these superb flowering trees which are now sadly neglected. Price 50c each.

CAROLINA POPLAR.

A remarkably rapid luxuriant grower; leaves large, glossy, pale to deep green. Valuable as a street or shade tree when shade is desired quickly. It will also be found useful for planting as a screen to hide unsightly buildings, etc. 50c.

VAN GEERT'S GOLDEN POPLAR.

Beautiful golden yellow foliage, retaining its brilliancy throughout the season; effective in masses, or planted with purple leaved trees. 75c.

GOLDEN-LEAVED OAK.

With orange yellow leaves, which retain their golden tint throughout the season; one of the finest golden-leaved trees. The effect produced by planting with purple leaved trees is very striking. \$1.50.

ROSEMARY-LEAVED WILLOW.

One of the prettiest round-headed small trees, branches feathery, foliage silvery. Deserving of more attention than it has hitherto received. 75c.

RUSSIAN GOLDEN WILLOW.

A rare and valuable variety, particularly attractive in winter on account of its bright golden bark. 75c.

SIEBOLD'S WILLOW.

A tree of elegant habit with long graceful branches, and narrow deep green leaves. 50c.

RED FERN-LEAVED LINDEN.

An elegant tree of pyramidal compact habit. Bark on young wood rose colored, and foliage deeply cut. One of the finest trees for the lawn. \$1.00.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

LINDEN, DASYSTYLA.

A rare and choice variety with dark green glossy leaves, and bright yellow bark in winter. \$1.00.

DAMPIERRE'S GOLDEN ELM (NEW)

A charming novelty, foliage of a bright golden color, center of the leaf yellowish green; very pretty and attractive. \$1.50.

ELM, LOUIS VAN HOUTTE (NEW).

Another new variety with golden foliage, similar to the above, but foliage a brighter golden. \$1.50.

PURPLE FILBERT-LEAVED ELM.

A rare and beautiful ornamental tree, with leaves resembling those of the purple Filbert. \$1.00.

PURPLE MYRTLE-LEAVED ELM.

Small, elegant foliage of beautiful purple color. \$1.00.

RARE EVERGREENS.

CONICAL SPRUCE.

A dwarf variety of compact conical habit; becomes perfectly symmetrical without pruning. One of the choicest evergreens. \$1.50.

COLORADO BLUE SPRUCE.

One of the hardiest and most beautiful of all the Spruces; in form and habit similar to the White Spruce; foliage of a rich blue or sage color. \$3.00.

NORDMANN'S SILVER FIR.

This majestic Fir, from the Crimean Mountains, is of symmetrical form, vigorous and quite hardy. Its foliage is massive, dark green, shining above and slightly glaucous below, rendering it a very handsome tree throughout the year. Considered here and in Europe as one of the finest of the Silver Firs. \$1.00 to \$3.00.

JUNIPER, VENUSTA.

A rapid grower, of erect habit and fine silvery foliage. Very ornamental and perfectly hardy. \$1.00.

GOLDEN VARIEGATED RED CEDAR.

Pyramidal in form like the common Red Cedar, but the growth is finer. Golden variegation throughout the year; very attractive and showy; probably the best golden variegated evergreen. \$1.00.

SWISS STONE PINE (P. Cembra.)

A handsome and distinct European species, of compact conical form; foliage short and silvery. Grows slowly when young. \$1.00 to \$2.00.

ERECT YEW.


An erect dense growing variety, with small, dark, shining leaves, thickly set on the branches. One of the hardiest and finest. 50c. to \$1.00.

COMPACT ARBOR VITÆ.

Of dwarf compact form, and deep green foliage; fine for small lawns. 50c.

GLOBE-HEADED ARBOR VITÆ.

A very desirable evergreen, of dwarf habit forming a dense round shrub. 50c.



NORDMANN'S SILVER FIR.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

HOVEY'S GOLDEN ARBOR VITÆ.

Of dwarf habit, globular outline and bright green foliage. Fine and hardy. 50c.

PYRAMIDAL ARBOR VITÆ.

One of the best of the Arbor Vita. Of upright compact growth, and as its name implies pyramidal in form, resembling in this respect an Irish Juniper. \$1.00.

BEAUTIFUL FLOWERING SHRUBS.**THUNBERG'S BARBERRY.**

A pretty species from Japan, of round, drooping habit; foliage small, changing to a beautiful red in autumn; branches covered with scarlet crimson berries, which hang until spring; a beautiful and effective shrub. 50c.

CALYCANTHUS OR SWEET SCENTED SHRUB.

The Calycanthus is one of the most desirable shrubs. The wood is fragrant; foliage rich; flowers of a rare chocolate color, having a peculiar, agreeable color. It blossoms in June, and at intervals afterwards. 35c.

VARIEGATED LEAVED RED BRANCHED DOGWOOD.

One of the finest variegated shrubs; of rapid growth; the leaves are broadly margined with white, while some are entirely white; very conspicuous in winter, with its bright red bark. 50c.

SPÆTH'S GOLDEN VARIEGATED DOGWOOD.

Similar in foliage to the above, except that in this variety the variegation is of a pale yellow. One of the finest of recently introduced shrubs. 75c.

DEUTZIA PRIDE OF ROCHESTER.

A variety raised by us from *Deutzia crenata flore pleno*, and producing large double white flowers; the back of the petals being slightly tinted with rose. It excels all of the older sorts in size of flower, length of panicle, profuseness of bloom and vigorous habit; blooms nearly a week earlier than *Deutzia crenata flore pleno*. 35c.

ROUGH-LEAVED DEUTZIA.

A pretty shrub of dwarf habit; flowers white, bell-shaped in small bunches; foliage oval, very rough underneath. 50c.

JAPANESE QUINCE.

The flowering varieties of the Japan Quince rank among our choicest shrubs. Although of straggling growth, they bear the knife well, and with proper pruning may be grown in any form. As single shrubs on the lawn they are very attractive, and for the edges of borders or groups of trees they are specially adapted. Their large, brilliant flowers are among the first blossoms in spring, and they appear in great profusion, covering every branch, branchlet and twig, before the leaves are developed. Their foliage is bright green and glossy, and retains its color the entire summer, which renders the plants very ornamental. Special attention is invited to this plant for ornamental hedges. It is sufficiently thorny to form a defense, and at the same time makes one of the most beautiful flowering hedges. The varieties generally grown are Scarlet, Blush, Rose color. Price 35c. each. See General Catalogue for price of Hedge Plants.



WEIGELA FLOWERS.

FLOWERS OF JAPAN QUINCE.
REDUCED.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

WEIGELA, DESBOISII.

A beautiful variety, with deep rose-colored flowers, resembling rosea, but flowers much darker. One of the best. 35c.

WEIGELA, A. CARRIERE.

One of the newer varieties with bright, clear rose-colored flowers ; a choice sort. 50c.

WEIGELA, P. DUCHARTRE.

A valuable sort with erect branches and flowers of a clear amaranth. 50c.

ELÆAGNUS EDULIS.

This is a remarkably beautiful new shrub from Japan. In July the plant is covered with bright red berries of large size and edible, the flavor being pungent and agreeable. Laden with fruit the bush is highly ornamental, and the fact that its leaves remain fresh till late in the autumn gives it additional value for garden decoration.

We regard it as the coming shrub, destined to wide-spread popularity as soon as known. 75c each.

ERECT EUROPEAN EUONYMUS.

A compact, upright growing variety, of dwarf habit, resembling in form an Irish Juniper. 50c.

EXOCHORDA GRANDIFLORA.

A rare shrub, producing in remarkable profusion large white flowers in May. *One of the finest shrubs of its season.* Difficult to propagate and always scarce. \$1.00.

FORSYTHIA INTERMEDIA.

A valuable new variety ; flowers bright golden ; foliage glossy green like viridissima, but hardier than that variety. 35c.



ELÆAGNUS EDULIS.

SNOWDROP TREE OR SILVER BELL.

A unique and beautiful large shrub, with pretty white, bell-shaped flowers in May. It is distinguished by the four-winged fruit, which is from one to two inches long. One of the most desirable shrubs. \$1.00.

HYDRANGEA RED BRANCHED.

Introduced by us. A very free bloomer, producing large and magnificently-formed trusses of deep rose-colored flowers from every shoot, half-hardy. The best variety for forcing and pot culture. 50c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



FORSYTHIA.

PURPLE-LEAVED PLUM.

The finest purple-leaved small tree or shrub of recent introduction. The young branches are a very dark purple; the leaves when young are lustrous crimson, changing to a dark purple, and retain this beautiful tint till they drop late in autumn; no other purple-leaved tree or shrub retains its color till late in the fall like this. It transplants easily and is worthy of wide dissemination. Flowers small, white, single, covering the tree. A recently introduced shrub of great merit. 50c.

DOUBLE-FLOWERING PLUM.

A highly interesting and desirable addition to hardy shrubs; flowers double, of a delicate pink, upwards of an inch in diameter, thickly set on the long slender branches; flowers in May. (See cut). 50c.

GOLDEN-LEAVED HOP TREE.

A charming novelty. Beautiful glossy golden foliage, holds its color well. \$1.00.

CUT-LEAVED SUMACH.

A very striking plant, of moderate size, with deeply cut leaves resembling fern leaves; dark green above, glaucous below, and turning to a rich red in autumn. Rare and valuable. 75c.

HYDRANGEA PANICULATA GRANDIFLORA.

A fine shrub, growing from 8 to 10 feet high; flowers white, in great pyramidal panicles a foot long, and produced in August and September, when very few shrubs are in flower; one of the finest autumn flowering shrubs, and perfectly hardy. 50c.

HYDRANGEA WHITE FRINGED.

Large, pure white flowers, with the edge of the petals beautifully fringed. For culture in pots or tubs. Not hardy. 50c.

LARGE-FLOWERING TARTARIAN HONEYSUCKLE.

A beautiful shrub of fine habit, very vigorous, and producing large, bright red flowers, striped with white in June. 35c.

LARGE FLOWERED SYRINGA OR MOCK ORANGE.

Has very showy, large flowers, slightly fragrant. One of the best varieties. 35c.

GOLDEN LEAVED SYRINGA OR MOCK ORANGE.

A very pretty plant of medium size with golden yellow foliage. It keeps its color the entire season, and will be found invaluable for creating pleasing and striking contrasts with purple-leaved shrubs. 50c.

DWARF DOUBLE-FLOWERING ALMONDS.

Small shrubs, producing in great profusion beautiful double white and double rose-colored flowers like Carnations and closely set upon the twigs. Charming shrubs. 50c.



FLOWERS OF THE SYRINGA OR MOCK ORANGE.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

CUT-LEAVED ELDER.

A valuable variety, with elegantly divided leaves; one of the best cut-leaved shrubs. Vigorous and rapid growing. 50c.

FERN LEAVED ELDER.

Luxuriant in growth, with deep and delicately cut foliage. 50c.

GOLDEN ELDER.

A handsome, vigorous rapid growing variety, with golden yellow foliage, the brilliancy of which is retained throughout the season. A valuable plant for enlivening shrubberies. 50c.

FORTUNE'S DWARF WHITE SPIRÆA.

Of dwarf, bushy symmetrical form. Keeps in flower all summer. A valuable small shrub. 35c.

HAWTHORN-LEAVED SPIRÆA.

A very desirable variety, flowers large, white, completely covering the plant in June; very hardy. 35c.

GOLDEN-LEAVED SPIRÆA.

An interesting variety, with golden yellow tinted foliage, and double white flowers in June. Very conspicuous. 35c.

SPIRÆA VAN HOUTTEI.

One of the finest flowering shrubs; flowers large, white, appearing in great profusion in spring. Its ability to endure extremes of cold, together with its beauty of flower and remarkable freedom of bloom, commend it to all planters. (See cut). 35c. each.

NEW LILACS—LEMOINE'S GREAT NOVELTIES.

Double flowered and single flowered, the latest introductions of the celebrated French raiser Lemoine. We have taken great pains to secure the choicest of his collection, and can now offer fine plants of these great novelties. We advise every one of our patrons to secure these acquisitions, the most remarkable and valuable additions to the list of hardy flowering shrubs made in many years.

Attention is particularly directed to the three new and distinct varieties described below. (See cuts).

Frau Dammann—(Spæth). Pure white; very large panicle; unquestionably the finest white lilac. \$1.00.

Ludwig Spæth—(Spæth). Very dark purplish red, distinct, large panicle; the finest of its color. \$1.00.

President Grevy—Beautiful blue; double; very large panicle; a magnificent sort. \$1.00.

For complete collection embracing upwards of 80 varieties, see general catalogue mailed free on application.



FLOWER OF DOUBLE-FLOWERING PLUM.



CUT LEAVED ELDER.



FERN-LEAVED ELDER.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



SPIRÆA VAN HOUTTEI.

JAPAN SNOWBALL.

Of moderate growth ; handsome, plicated leaves, globular heads of pure white neutral flowers early in June. It surpasses the common variety in several respects. Its habit is better, foliage much handsomer, flowers whiter and more delicate. One of the most valuable flowering shrubs. (See cut). 75c.

PIPE VINE OR DUTCHMAN'S PIPE.

A native species of climbing habit and rapid growth, with magnificent light green foliage, 10 to 12 inches in diameter, and curious pipe-shaped, yellowish brown flowers. 75c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



SUPERB NEW WHITE LILAC—FRAU DAMMANN—A SINGLE PANICLE.

HALL'S JAPAN CLIMBING HONEYSUCKLE.

A strong, vigorous, almost evergreen sort, with pure white flowers, changing to yellow. Very fragrant, and covered with flowers from July to December; holds its leaves till January. The best bloomer of all for verandas, etc. 35c.



HALL'S JAPAN HONEYSUCKLE.

CLEMATIS PANICULATA.

A rare and beautiful variety of Japanese origin; flowers small, pure white, sweet scented, produced in masses and borne in long panicles in August. A rapid climber and quite hardy. Destined to become very popular. \$1.00.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



SUPERB NEW DARK PURPLE LILAC—LUDWIG SPÆTH.

CLEMATIS HENRYII.

A grand hybrid variety; flowers very large, five to six inches across, creamy white, of fine form, a free grower and good bloomer. The best white flowering kind. \$1.00.

CLEMATIS JACKMANNI.


Flowers large, five to six inches across, intense violet purple, remarkable for their velvety richness; free in growth and an abundant and successional bloomer. Has proved to be the best of all purple kinds. 75c.

HERBACEOUS PÆONIES.

It is surprising that so noble a flower, almost rivaling the Rose in brilliancy of color and perfection of bloom, and the Rhododendron in stately growth, should be so neglected. Amateurs seem to have lost sight of the many improved varieties introduced within the last few years, and our finest gardens, perfect in other respects, are singularly deficient in specimens of the newer kinds. The first point in their favor is hardiness. It may be truly said of them that they are "hardy as an oak." In the severest climate the plants require no other protection than that which they afford themselves. Then their vigorous habit and healthy growth, freedom from all diseases and insects are important arguments in favor of their cultivation. Growers of roses know well that their flowers are obtained by great vigilance and care. Not so with the Pæony, which, when once planted, all is done. Each succeeding year adds to their size and beauty. The foliage is rich and glossy and of a beautiful deep green color, thus rendering the plants very ornamental, even when out of flower. The newer varieties produce very large, handsome, regularly formed cupped blooms resembling large roses. No other flower is so well adapted for large showy bouquets. The Pæony may be planted either singly on the lawn, or in borders. Where the lawn is extensive a large bed makes a grand show, surpassing a bed of Rhododendrons. It is really a flower for the million.

We have a grand collection, descriptions of which will be found in the General Catalogue. 50c. each. \$4.00 per doz.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



JAPAN SNOWBALL.

HARDY PHLOX.

This, when properly grown, is unquestionably one of the finest autumn flowers—like the Pæony, a flower for the million. It is of vigorous habit, easy culture, and produces in great profusion during a long season, flowers of fine form and substance, and of bright and varied colors. Just as the Roses are fading, the Phlox puts forth her first flowers, producing a fine succession of bloom, and prolonging an interesting season at least six weeks. As regards their culture, it may be briefly stated that they succeed in any good garden soil, but they are greatly improved by being liberally manured, and an occasional supply of liquid manure during the growing season will greatly increase the size of their trusses. When in flower they should be freely watered every evening. The Phlox usually flowers in July and August, and in order to render it autumnal flowering, it is necessary to pinch the shoots about the first of June, and again in July. The plants will then flower in September. For early flowers some of the plants may be left unpinched. When two years old the finest trusses are produced. The third year the plants flower tolerably well, but they will not keep thrifty and healthy after that. The old plants should then be lifted in the fall, divided and transplanted. But the better plan is to keep up a succession of young plants by securing a fresh collection every year. We annually introduce all new and desirable varieties of home and foreign production.

Our collection embraces the best and most distinct varieties, including the latest introductions of the celebrated French raiser Lemoine. See General Catalogue for descriptions. 25c. each \$2.00 per doz.

CHOICE ROSES.

Rose culture is a specialty with us and we propagate immense quantities, both hardy and tender, on their own roots and budded on the Manetti.

ROSES ON THE MANETTI STOCK.

"Considering that the Manetti has held its own for nearly half a century, there can be no question of its merit or value as a stock. It was the Manetti that brought new life to the Rose, and with it began a new era in Rose growing. We are indebted to this stock for the enormous increase in the cultivation of the Rose, and the commercial industry it has brought about. Amateurs who formerly grew only a few dozen Roses soon began to grow thousands."—JOHN CRANSTON, in *The Garden*, June 11, 1892.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

TEN ACRES OF ROSES.

"Ten acres of Roses in bloom is a sight not often met with, but that is what may be seen at the nurseries of Messrs. Ellwanger & Barry, Rochester, N. Y., every June. In lieu of an opportunity to enjoy such a sight, we present nerewith an engraving from a photograph of a part of the field. But the engraving, lacking color, gives a very faint idea of its beauty."—*American Florist*, Aug. 11, 1892.



VIEW IN THE FIELD OF ROSES AT ELLWANGER & BARRY'S NURSERIES.

SUPERB WELL-TESTED HARDY HYBRID PERPETUAL ROSES.

OF RECENT INTRODUCTION :

Earl of Dufferin, Marshall P. Wilder, Mrs. John Laing.

All perfect Roses, combining beauty of form, intensity of color, delightful fragrance, with vigorous habit and freedom of bloom. These varieties show in the most conclusive manner the great progress being made in the improvement of the Rose. Attention is directed to the handsome colored plate of the three varieties in the front of this catalogue.

EARL OF DUFFERIN.

One of the finest Roses of recent years. Rich, brilliant, velvety crimson, shaded with dark maroon; large, full, finely formed; delightful fragrance. A vigorous grower. One of the finest dark roses. It should be in every collection. Budded plants. (See cut). 75c.

MARSHALL P. WILDER.

Raised from *Gen. Jacqueminot*. It is of vigorous growth, with healthy foliage; flowers large, semi-globular, full, well-formed; color beautiful cherry-carmine; very fragrant. In wood, foliage, and form of flower, it resembles *Alfred Colomb*, but the seedling excels that famous variety in vigor, hardiness and freedom of bloom. It continues to bloom profusely long after the other Remontants are out of flower. In brief, it may be described as an improved *Alfred Colomb*, and as good a rose as has been raised by any one. It is undoubtedly the finest of its color. Budded and on own roots. (See cut). 50c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

MRS. JOHN LAING.

A seedling from *Francois Michelin*; soft pink, large and of fine form, produced on strong stems; exceedingly fragrant: one of the most valuable varieties for forcing, and flowers continuously in the open ground. *The most beautiful Rose of recent introduction.* Budded plants. (See cut). 75c.

Attention is also directed to the Hybrid Japan Rose, Madame G. Bruant, and the new French Hybrid Perpetual Rose, Gustave Piganeau, also to the beautiful trailing Rose, Rosa Wichuraiana, all of which are new and possess more than ordinary merit.

Promising New and Recently Introduced Roses.

The following have been selected from the many kinds offered as the most promising. Some of them have not been tested sufficiently to enable us to give a decided opinion of their merits, and in such cases we append the description of the originator. We consider all worthy of careful trial.

American Belle—(New). (Hybrid Remontant) A sport from American Beauty described as possessing all the good qualities of the parent, and flowers the loveliest shade of light pink. Small plants ready in April. \$1.00.

Bridesmaid or Hugh—(Tea) A sport of Catharine Mermet, but of deeper color and yet a clear, bright pink under all circumstances. In all other respects it is a counterpart of its parent. An acquisition. 75c.

Caroline d'Arden—(Hybrid Remontant) Very large, full, pure soft rose color, of delightful fragrance; petals of great substance; a variety of merit. 75c

Clothilde Soupert—(Polyantha). Medium size, very double and beautifully imbricated like an aster: produced in clusters; pearly white, with rosy lake centers, liable to vary, producing often red and white flowers on the same plant. Valuable for florists for designs, or as market pot plants, being a remarkably free and constant bloomer, and easy of culture. One of the most remarkable roses of recent introduction 50c.

Dawson—A vigorous and hardy plant with a tendency to climb high. Flowers are clustered like those of the *Rosa multiflora*. They are quite full, and of a deep pink color and very fragrant. \$1.00.



HERBACEOUS PEONIES.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

Earl of Pembroke—(Hybrid Remontant). Bright crimson, a beautiful clear shade. Very fragrant. 75c.

Empress (Kaiserin) Augusta Victoria—(New) (Tea). Described as an extra fine white variety faintly blended with cream color; very large, full and double, almost perfect in form and it continues beautiful even when fully expanded. Its fragrance is a combination of tea and magnolia, and is very delightful and distinct from that of any other variety. Beautiful glossy foliage; a vigorous grower and very free flowering, blooming at every shoot. Will undoubtedly prove very valuable for forcing. This variety was the winner of the \$50 silver cup at the New York Chrysanthemum and Rose show this year for the best and most promising forcing rose of recent introduction never before exhibited at a New York show. Small plants, 75c.

Francois Levet—(Hybrid Remontant). Not a new variety, but one which cannot fail to do well, even with the most careless cultivator; it is of robust habit and a remarkably free bloomer; flowers good size, of a beautiful cherry red; it should be in every garden. (See cut). 50c.

Gloire de Margottin—(Hybrid Remontant). Brilliant scarlet; large, semi-double, gobular, of good shape, elongated bud; fragrant; vigorous and free flowering. Probably the brightest rose yet raised. Valuable for forcing, and for culture out of doors. Budded plants, 75c.

Golden Gate—(Tea). Large, double, bud long and pointed; creamy white, base of petals golden yellow, tinged pink. Free bloomer and promising. 50c.

Gustave Piganeau—(Hybrid Remontant). Large, equaling *Paul Neyron* in size; full and cupped; brilliant carmine lake; buds long. 75c.

“Awarded silver medal by National Rose Society of England. A flower which thus early takes such conspicuous position must be of much merit. Very large, rivaling Ulrich Brunner or Paul Neyron in this respect, but notwithstanding this distinctive trait, it is wholly free from coarseness. Rich crimson, full, intense and delightful. Another point in its favor is the sweet fragrance, a precious trait in the rose.”—*Gardener's Magazine*, July 2, 1892.



TYPES OF RUGOSA ROSES, SHOWING MME. G. BRUANT ON THE LEFT.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.

Jeannie Dickson—(Hybrid Remontant). Color rosy pink, entire margin of petals edged with silvery pink, base of petals having a pale yellow zone; a new shade. The flowers are large, full, with a very high center which stands up prominently. Growth vigorous. Budded plants, 75c.

Lady Arthur Hill—(Hybrid Remontant). Large, full, symmetrical; lilac rose; distinct and fine. An abundant bloomer. 75c.

Lady Helen Stewart—(Hybrid Remontant). Bright crimson scarlet; large, full and of perfect form, produced on long stiff stems, highly perfumed; distinct and fine. A beautiful and valuable variety. Budded and on own roots. 75c.

La France—Although not a new rose it deserves mention as the sweetest and most useful of all roses. Delicate silvery rose, changing to silvery pink; very large, full, of fine globular form, and a most constant bloomer. The illustration is from a photograph of flowers grown in the open field. (See cut). 50c.

Madame Caroline Testout (Hybrid Tea)—(New.) A beautiful bright, yet clear pink rose, and very much resembles La France, from which it undoubtedly originated. It is of more



EARL OF DUFFERIN



MARSHALL P. WILDER.

sturdy habit, however, and exceedingly floriferous, and the individual blooms are often much larger than those of La France. It maintains its beautiful color at all seasons; handsome foliage; stem stout, fragrance very delicate. 50c.

"Mme. Caroline Testout set every one agog. She lights up better at night, than does any other rose that has ever before been introduced. She was the winner of the \$50 silver cup at the New York show this year, for the best 50 pink roses on long stems."—*Gardening*, Nov. 15, 1892.

Madame G. Bruant (Hybrid Rugosa)—The first of a new race of hybrids, and all things considered, the best new rose of recent years. In the bud state the flowers are long and pointed, when open, semi-double; pure white and fragrant, and produced freely in clusters at intervals throughout the summer; exceptionally hardy and vigorous; forms a handsome bush. Budded plants. 75c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



MRS. JOHN LAING.

Madame Joseph Desbois (Hybrid Remontant)—Flesh white, shaded with salmon rose; very large, well-formed; very vigorous. A superb rose. Budded plants. 75c.

Madame Pierre Guillot (Tea)—A new rose, which is destined to great popularity, partaking of both *Mad. de Watteville* and *W. A. Richardson* in color; flowers large, full, finely formed, pale yellow, tinted with coppery orange at center, becoming paler outwards; edges of petals rosy crimson; a strong grower and free bloomer. 50c.

Marchioness of Lorne (Hybrid Remontant)—Large, full, cup shaped; buds long and handsome, rich and fulgent rose color, shaded with vivid carmine; remarkable for its fine growth and perpetual habit. Budded plants. 75c.

Margaret Dickson (Hybrid Remontant)—Of magnificent form; white, with pale flesh center; petals very large, shell shaped, and of great substance; foliage very large, dark green. Small plants. \$1.50.

"A most valuable addition to our white Perpetuals, probably leaving all other white flowers in the background."—*Journal of Horticulture, London.*

Marion Dingee (Tea)—Deep brilliant crimson; one of the brightest and richest colored Teas. Flowers large, cup-shaped, and borne on long, straight stems. 50c.


Mrs. Paul (Bourbon)—Large open flower, like a Camellia, with very bold thick petals, perfectly arranged, blush white, with rosy peach shading; very distinct; a fine autumnal rose. 75c.

"It is quite certain that *Mrs. Paul* will be welcome in every garden on account of the possession of all important good qualities."—*The Garden.*

Pink Rover (Hybrid Tea)—Flowers very pale pink, deeper in the center, large, full and expanded; exceedingly sweet; buds long, clean and handsome. Of semi-climbing habit. 50c.

Rosa Wichuraiana—A variety from Japan; it is a low trailing species, its stems creeping on the earth almost as closely as the Ivy. The flowers are pure white. It is quite hardy, and has proved valuable as a covering for banks, rockeries, etc., and for use in cemeteries. \$1.00.

Ulrich Brunner (Hybrid Remontant)—Raised from *Paul Neyron*. Brilliant cherry red, a very effective color; flowers of fine form and finish, carried well upon the plant; petals of great substance; plant vigorous, hardy, and resists mildew. One of the best varieties for forcing and open air culture. Budded and on own roots. 50c.



FRANCOIS LEVET.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



LA FRANCE.

Our collection embraces, besides those above described, a very large number of other choice varieties of Roses, for descriptions of which please see our General Catalogue.

HARDY BORDER PLANTS.

We have an immense collection—the following are particularly desirable.

ANEMONE JAPONICA, Red.

A distinct and beautiful species; flowers $2\frac{1}{2}$ inches in diameter; bright purplish rose, with golden yellow centers, borne in great profusion from September to November. Height, $2\frac{1}{2}$ feet; habit neat and compact; very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. 30c.

ANEMONE JAPONICA, White.

A distinct and beautiful variety of the preceding; flowers $2\frac{1}{2}$ inches in diameter; pure white, center golden yellow, borne in great profusion from September to November; very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. 30c.

EULALIAS.

Showy, beautiful, tall and perfectly hardy grasses.

These beautiful hardy grasses are deserving of the highest commendation. For the garden they are invaluable, being very showy and ornamental and of easy cultivation. They should be in every collection.

Japonica. The type; a vigorous grower with large plumes; 3 feet. 50c.

var. gracillima univittata. A new and beautiful ornamental grass with narrow graceful foliage. Very valuable. 50c.

var. variegata. Handsomely variegated leaves; 4 feet. 50c.

PLANTAIN LILIES.

A very interesting and beautiful genus, with luxuriant foliage and handsome lily-like flowers.

HARDY DOUBLE SUNFLOWER.

A blaze of gold in late summer and early autumn, and altogether one of the showiest of hardy Perennials. 50c.

FRAGRANT YELLOW DAY LILY.

One of the finest hardy plants, flowers large in clusters; golden yellow and possessing a delightful fragrance; appearing in July; plant vigorous and of graceful habit. 50c.

For complete list of varieties send for our 160-page General Catalogue, finely illustrated with numerous half-tone and pen engravings, and with a beautiful illuminated cover—mailed free.



IRIS.

Shrubs, Roses, etc. (both new and old), it contains cultural directions and suggestions indispensable to planters.

The catalogue is divided into three parts, all under one cover, as follows :

Fruit Department—Number of varieties offered and described :

114 select varieties	Apples.	64 select varieties	hardy native Grapes.
35 “ “	Cherries.	34 “ “	foreign Grapes.
57 “ “	Peaches.	9 “ “	Gooseberries.
16 “ “	Nectarines.	55 “ “	Strawberries.
74 “ “	Pears.	14 “ “	Currants.
63 “ “	Plums.	39 “ “	Raspberries.
23 “ “	Apricots.	44 “ “	Miscellaneous Fruit.
6 “ “	Quinces.	18 “ “	Blackberries.

Ornamental Department—Number of varieties offered and described :

396 varieties	Deciduous Trees, upright and drooping.	34 varieties	Phlox.
103 “	Evergreens.	97 “	Pæonies.
376 “	Ornamental Shrubs.	376 “	Hardy Border Plants.
14 “	Hedge Plants.	22 “	Miscellaneous Bulbs.

Rose Department—306 select varieties, including the newest varieties of home and foreign production.

The expense of publishing such a catalogue is necessarily large, but to all who are interested, we will send it *free* on application.

We consider this to be the best catalogue we have issued, and superior to any of its kind.

GERMAN AND JAPAN IRIS.

Of these superb Perennials we have a very choice collection; no garden is complete without them. Price for German Iris 25c each. Price for Japan Iris 50c each.

YUCCA OR SPANISH BAYONET.

Has a fine appearance; the stem is two feet above the ground, covered with large, creamy-white, bell-shaped flowers on laterals, forming a perfect pyramid; valuable for rockwork. 50c.

Our general collection of hardy Perennials is one of the largest in this country and contains over 400 species and varieties. Those desiring a choice assortment will do well to leave the selection of varieties to us; we make up these assortments so as to give a succession of flowers from early spring until frost.

GENERAL CATALOGUE, PUBLISHED JAN., 1892.

Attention is directed to our General Catalogue and Planters' Guide, issued spring, 1892. The book now consists of 160 pages, printed on fine paper and embellished with numerous engravings of the most popular Trees, Shrubs, etc., many of them being from photographs of specimens in our collection.

Besides giving accurate and trustworthy descriptions of the best Fruit and Ornamental Trees,

MERITORIOUS NOVELTIES

Which we strongly recommend.

Besides the extensive collections of general nursery stock which we offer, we have a number of new trees and plants which seem to have merit and which we take pleasure in bringing to the notice of our patrons. We consider all worthy of careful trial.

NOTE THE REDUCTION IN PRICES.

New Seedling Apple, Barry.

We take great pleasure in offering this fine new seedling apple. It was raised in our nurseries several years ago and has been thoroughly tested, so that we have no hesitation in recommending it to our customers as a novelty of sterling merit. Fruit oblate conical, yellow ground marbled with carmine on sunny side; flesh firm, crisp, acid; quality good. A great keeper, lasting in perfection till June. Tree a vigorous grower. \$1.00.




NEW SEEDLING APPLE, BARRY. (Reduced.)

New Fall Pear, Lady Clapp.

A seedling raised by the late Lemuel Clapp. A large, very handsome pear. Clean, smooth skin, beautiful yellow when ripe; flesh very juicy, melting, vinous; quality first rate. Ripens from middle to end of September, following the Bartlett, and a good sort to succeed that variety on account of its size and fine color, which is the same as Bartlett. A splendid pear and a decided acquisition to the list of varieties ripening at that season. Tree a good grower. \$1.00.

New Fall Pear, Madame Hemminway.

A handsome and showy new American pear, skin entirely covered with a dull russet; flesh melting, moderately juicy and flavor good, rather sweet. A promising variety. Ripens middle of September. \$1.00.



NEW FALL PEAR, LADY CLAPP. (Reduced.)

New Winter Pear, Dorset.

Another seedling raised by the late Lemuel Clapp. It is a very handsome and showy late-keeping pear. Large, golden yellow ground, with bright red on sunny side; flesh juicy, melting, sweet, of good quality. Keeps and ships well and is a valuable late pear. Ripe in February, but keeps in perfection till May. We exhibited beautiful specimens of it at the World's Fair in May, 1893. Tree a vigorous grower. \$1.00.

New Winter Pear, Fred Baudry.

A large, handsome, fine-flavored, late winter pear. Size medium to large; oblong pyriform; color yellow, with occasional blotches of russet; flesh yellow, tender, buttery, juicy, slightly gritty at core, solid and no evidence of rot; quality very good to best, a distinct flavor. Ripe a little after Josephine of Malines. A valuable late winter pear. \$1.00.

New Winter Pear, Olivier Des Serres.

A valuable late-keeping winter pear, ripening about the same time as the Josephine of Malines, and perhaps keeping longer, say till first of March. The fruit is of good size, roundish, averaging larger than Josephine. Flesh tender, juicy, melting; flavor distinct, excellent. In quality it ranks as very good to best. As the number of late-keeping, high-flavored pears is not large, this variety will be received favorably. \$1.00.

New Winter Pear, P. Barry.

One of the long-keeping Fox seedlings. Large, pyriform; skin orange yellow, covered with russet dots and blotches; flesh very juicy, buttery, fine grained; flavor sprightly, rich, excellent. The best late winter pear. Resembles Anjou in texture of flesh and Winter Nelis in color of skin and juiciness of flesh. Tree a poor grower and must be top-grafted. Ripe in April. We also exhibited fine specimens of this pear at the World's Fair latter part of May. This variety was offered for sale on fruit stands in New York city as late as June last year. \$1.00.

The Santa Cruz *Surf*, published in Santa Cruz, Cal., speaking of late winter pears, says that the Easter Beurre which up to this time has been regarded as the most valuable late pear, is to be superseded by the new pear P. Barry, named after the late Rochester pomologist. The Barry is the longest keeping pear of good quality that is known at present. It is fit to eat as late as May, and keeps till that time with ordinary care, its fine quality unimpaired.

The Abundance Plum.

Of Japanese origin. Fruit large and beautiful; amber, turning to a rich bright cherry; flesh light yellow, juicy, tender, sweet; exceedingly productive. Season very early. 75c.

The Burbank Plum.

Also of Japanese origin. Large and beautiful; clear cherry red; an abundant bearer, valuable market variety. Ripens early in September. 75c.

The Dunlap Plum.

A beautiful, large yellow plum, resembling the Yellow Egg, but ripening early; cling, juicy, sweet, very good. 75c.


The La Fayette Plum.

A valuable late variety, medium to large, roundish, purple, quality good. Ripens last of September. 75c.

The Purple Reine Claude Plum.

(Reine Claude Violette.)

Medium size, purple, delicious flavor; highly recommended for the table. Ripens middle of September. 75c.



NEW WINTER PEAR, DORSET. (Reduced.)

The Youngken's Golden Cherry Plum.

This is the earliest plum to ripen here; small, round, greenish yellow, handsome, very slender stalk, half an inch long, sweet and juicy; cling; valuable on account of its earliness. 75c.

The Champion Peach.

A new early peach described as large, handsome, creamy white with red cheek; sweet, rich, juicy; freestone; a good shipper. Hardy and productive. 25c.

The Crosby Peach.

A new variety which comes highly recommended, especially for its hardiness. Fruit medium roundish, slightly flattened, bright orange-yellow, splashed with streaks of carmine on sunny side; good in quality. Ripens between Crawford's Early and Late. 25c.

The Elberta Peach.

This variety originated in Georgia some years ago, and has proved to be one of the most valuable for that region. It is also highly spoken of in other parts of the country. Here in New York State it has done remarkably well, and is considered highly promising. Large, yellow; quality good. Ripens about with Crawford's Late here. 25c.

The Columbus Gooseberry.

This is one of the most valuable introductions of recent years in small fruits, and it fully sustains the high opinion first formed of it, as will be seen from the reports given below from high and competent authority. It was introduced by us a few years ago. The fruit is of largest size, handsome, of a greenish yellow color, and the quality is excellent. The plant is vigorous and productive and does not mildew. It merits a place in every garden. 50 cents each, \$4 per doz.

The editor of the *Rural New-Yorker* says: "It is the best variety yet introduced and seems close to a perfect Gooseberry for our climate."

Again, in the issue of the same paper, July 21, 1894, he says: "There seems little to be said that has not already been said respecting Gooseberries at the Rural Grounds. Columbus is, this season, all that it was last. We have three bushes all laden—overladen—with large, smooth berries, as large as the average foreign kinds. There is not a trace of mildew upon either fruit or foliage, and the Columbus seems to us this year, as last, the best variety in the market for those with whom the foreign kinds do not thrive."

THE COLUMBUS IN CANADA.

From the *Canadian Horticulturist*, January, 1895. A correspondent writes: "I planted this variety in the spring of 1893. They fruited that year, just enough to show the form and quality. This year the bushes were heavily loaded, and the fruit was of the best quality, very large in size, oval in shape, quite smooth, and greenish yellow in color. It is greatly superior to the Industry. No trace of mildew, and a most abundant bearer."



THE WINCHELL GRAPE. (Reduced.)

The Winchell Grape.

The earliest white grape (*identical with Green Mountain*). This white grape has been thoroughly tested for several years in our vineyard, and it has proved so satisfactory in all respects that we can recommend it with the utmost confidence to our customers. It combines hardiness, fruitfulness, vigor, good size, and excellent quality.

Though not the largest, yet both berry and cluster are of good size, and the flavor is excellent, ranking in this respect as a grape of the first class. In time of ripening it may be described as very

Stand at the head of the Nursery business in this country.—*Michigan Farmer.*

early, being the first white grape to ripen, and maturing about the same time as Champion, or about a week earlier than the Hartford. This qualification insures its ripening even in the worst of seasons, a consideration which will be appreciated by all planters. Its habit of growth is vigorous and the foliage clean and healthy, while its bearing quality is all that can be desired. It can be said to be a most valuable white grape, either for the amateur or professional grower, and there is every reason to believe that it is destined to widespread popularity. We think that it is one of the few grapes adapted to general cultivation, and of especial value for the amateur, while its earliness productiveness and vigor, combined with fine quality, in our opinion render it also very desirable for market. 1 year, 50c. each; 2 years, 75c. each.

The Early King Blackberry.

Fruit of medium size and good quality, plant hardy and productive. The first variety to ripen here, and particularly valuable on that account. 75c. per doz.

The Eldorado Blackberry.

A very promising new variety; fruit medium size, jet black, melting, sweet and rich; plant hardy and very productive. 75c. per doz.

The Columbian Raspberry.

Fruit very large, dark red, bordering on purple; plant a very strong, robust grower, hardy and wonderfully productive. 50c. each, \$5 per doz.

The Eureka Raspberry (Black Cap).

A comparatively new variety; very large, glossy black, juicy, rich; hardy and very productive. We regard it as valuable. A very early variety. 50c. per doz.

The Kansas Raspberry (Black Cap).

A splendid new variety; very large, handsome, firm, and of excellent quality; early, very hardy and productive. One of the best Black Caps. 50c. per doz.

New Red Raspberry, Loudon.

A new red raspberry which originated at Janesville, Wis. Described as follows: "Said to be a seedling of the Turner crossed with Cuthbert. Large, broadly conical, beautiful red. Ripens about with Cuthbert, continuing later, and in quality fully as good as that variety." 40c. each, \$3.25 per doz.

New Red Raspberry, Miller.

A variety from New Jersey which comes highly recommended. Described as follows: "Berry as large as Cuthbert, round, bright red, does not fade; very firm, flavor rich. Begins to ripen with the earliest. Very prolific and perfectly hardy. 25c. each, \$2.50 per doz.

New Red Raspberry, Superlative.

A splendid new foreign red raspberry. Very large, fine color, firm and of best quality. We have tested it in our grounds, and commend it to all who desire the *largest, handsomest, and choicest fruit*. One of the best novelties in this line. Particularly valuable on account of its hardiness, having withstood the severest winters here without injury. One of our customers in Russia informs us that of all the European varieties he has tested the Superlative has proved to be the best. 25c. each, \$2.50 per doz.

The Marshall Strawberry (New).

Very large, roundish, dark, rich crimson; quality very good, firm; plant vigorous, productive; season medium to late. This seems to us to be the most promising among the newer kinds, and therefore deserves careful trial. 50c. per doz., \$1.50 per 100.

One of our customers writes June 11, 1895: "The Marshall Strawberry plants you furnished me last year were more than a success; they are much the best very large berry I have ever fruited. The fruits were immense in size and held it until the end in a remarkable degree."

New and Rare Ornamental Trees.

Acer—Circinatum.

(Round-leaved or Vine Maple.)

A rare and pretty species from Oregon of slow growth; forms a low round-headed branching tree; Resembles the Japanese varieties. The autumn coloring is fine. \$1.00.

Acer—Heldreichii.

A fine new species of upright growth. Foliage large, dark green and deeply lobed. We regard it as a valuable introduction. \$1.00.

Acer—Platanoides integrilobum.

A new variety of the Norway Maple, of rapid growth. The foliage is large, deep green, changing to bright yellow in autumn, distinct and handsome. \$1.00.



Prunus Pissardi. *Clump of Magnolias.*

A CORNER IN THE GROUNDS OF THE MT. HOPE NURSERIES.

Acer—Platanoides O. Stoll.

A variety of the Norway Maple, of upright growth; foliage large, round, dark bronze, hanging downward on very long stalks. One of the finest new trees. \$1.00.

Acer—Platanoides undulatum.

A new variety of the Norway Maple, of erect habit and vigorous growth. Foliage very dark green, the edges curiously cut and curled. A distinct and beautiful tree. \$1.00.

Acer—Pseudo platanus foliis purpureis, Prince Handjery.

A dwarf growing variety of the Sycamore Maple. Foliage purplish, deeply lobed. distinct and fine. \$1.00.

Acer—Pseudo platanus, Simon Louis Freres.

A charming variety of the Sycamore Maple. Foliage large, green, distinctly marked with white; leaf stalks reddish. Very distinct and beautiful. \$1.00.

Acer—Rubrum Drummondii.

A variety of the Scarlet Maple, of dwarf habit, but a strong, compact grower; foliage very large, reddish above, silvery beneath. \$1.00.

Acer—Saccharinum monumentalis.

(*Monumental Sugar Maple.*)

A fine variety of the Sugar Maple, of pyramidal, compact habit, the foliage of the second growth is of a brilliant crimson, which, contrasted with the rich green of the older foliage, produces a charming effect. Distinct and handsome. \$1.00.

Aesculus—Hippocastanum rubicunda pendula.

A weeping variety of the Red-flowered Horse Chestnut. \$1.50.

Aesculus—Schirenhaferi.

This is a new species of Horse Chestnut from Germany, said to produce double red flowers. \$1.00.

Amygdalus—Davidiana alba.

(*White-flowered Almond.*)

Flowers single white, and appearing as they do before the leaves, are very showy. The first tree to flower in spring, and hence particularly desirable on that account. 50c.

Amygdalus—Orientalis.

A pretty tree of dwarf habit. Silvery foliage and very showy. 50c.

Betula—Alba nana pendula.

(*Dwarf Weeping White Birch*)

A very desirable tree, forming a round head when young; the branches take on a drooping habit as the tree grows older, eventually touching the ground in graceful festoons. \$1.00.

Betula—Cunninghamii pendula.*(Cunningham's Weeping Birch.)*

A pendulous form of our common White Birch, which promises to be of more graceful habit than Young's Weeping. \$1.00.

Crataegus—Oxyacantha coccinea pendula.*(Weeping Single Scarlet Thorn.)*

A variety of the Scarlet Thorn, with drooping branches. An acquisition. \$1.50.

Fagus—Sylvatica purpurea major.*(Dark Purple-leaved Beech.)*

An erect, rapid grower; leaves large, shining and very dark purple. A stronger grower than Rivers'. A superior variety. \$2.00.

Fagus—Sylvatica purpurea rosea marginata.*(Rose-margined Purple-leaved Beech.)*

A charming variety of the Purple-leaved Beech, with beautiful rose-margined leaves. A distinct and fine novelty; but the foliage burns. Small trees. \$2.00.

**DARK PURPLE-LEAVED BEECH.***(Fagus purpurea major.)*

A great Nursery, standing as it does at the head of all other establishments of the kind in this country.—*Vick's Magazine.*

Juglans — Ailanthifolia.*(Ailanthus-leaved Walnut.)*

A valuable Walnut, producing excellent fruit. Foliage long, very ornamental. Bears when quite young. 75c.

Liriodendron — Tulipifera fastigiata.*(Pyramidal Tulip Tree)*

A distinct and handsome variety of the Tulip Tree; of erect pyramidal growth. Promises to be a great acquisition. \$1.00.



WEeping RUSSIAN MULBERRY.

Liriodendron — Tulipifera panache.*(Variegated-leaved Tulip Tree.)*

A striking and beautiful tree, the margins of the broad, glossy leaves are variegated with yellow, giving the tree a unique appearance. \$1.00.

Morus — Tartarica pendula.*(Weeping Russian Mulberry)*

A beautiful new weeping tree. Forms a perfect umbrella-shaped head, with long, slender branches drooping gracefully to the ground, parallel to the stem. Remarkable for its rapid growth, thus becoming an effective tree the first year after being planted. A very desirable ornamental tree for grounds of small extent. \$1.00.

These famous Nurseries, the most complete in this country.—*Modern Cemetery.*

Bechtel's Double-flowered American Crab.*(Pyrus angustifolia.)*

One of the most beautiful of the many fine varieties of flowering Crab Apples. Tree of medium size, covered in early spring with large beautiful double fragrant flowers of a delicate pink color. From a distance the flowers have the appearance of Roses. A great acquisition, and certain to become very popular as soon as known. Blooms when quite young. \$1.50.

Salix — Babylonica ramulis aureis.*(Golden-barked Babylonian Willow.)*

A novel and distinct variety of the well-known Babylonian Willow, with bright golden bark in winter. Habit same as the type. \$1.00.

Tilia — Mandshurica.

A new species of Linden, with large green leaves margined with yellow, the edges of leaves lobed or cut; young growth reddish; a vigorous grower. \$1.00.

Ulmus — Americana nana.*(Dwarf American Elm.)*

Like the American, but very dwarf and compact. \$1.00.

Ulmus — Campestris Koopmanni.

A variety of the English Elm, of dense pyramidal form, with small green leaves. \$1.00.

Ulmus — fulva Heyderi.

A variety of the Slippery Elm. Foliage very large, light green. Distinct. \$1.00.

Ulmus — Montana nana.*(Dwarf Scotch Elm.)*

A dwarf variety of Scotch Elm. Habit very dwarf. \$1.00.

Ulmus — Parvifolia.

A Japanese species. Foliage small, dense, dark green, edges cut. \$1.50.

New and Rare Evergreen Trees.

Abies (Picea) Concolor.*(Silver Fir of Colorado.)*

Without doubt the finest of the Rocky Mountain evergreens. Tree of graceful habit; broad handsome foliage, bluish above, silvery beneath. A grand tree, very distinct and exceedingly rare as yet. We have a limited number of transplanted trees about 18 inches in height. \$3.00.

Juniperus — Alpina nana aurea.

Of spreading growth like the type, with bright golden foliage throughout the year; a distinct and charming novelty. \$1.00.

Juniperus — Virginiana elegantissima.

A distinct and beautiful variety of the Red Cedar, with golden bronze foliage, particularly attractive in winter, when the golden bronze of the young growth is contrasted with the dark green of the older. Small plants, \$1.00.

New and Rare Ornamental Shrubs.

Aralia — Spinosa.*(Hercules Club.)*

This is a native plant, difficult to get true, hence is offered here. 50c.

Corylus — Avellana aurea.*(Golden-leaved Filbert.)*

A rare and beautiful shrub. Foliage large, bright golden color. Appears to fine advantage planted with the Purple-leaved Filbert. \$1.00.

Deutzia — Parviflora.

From Northern China. A stout shrub with upright stems covered in early June with creamy white flowers, prettily arranged in large corymbs. One of the most beautiful of all the Deutzias. 50c.

Elæagnus Longipes.*(A rare and beautiful Japanese shrub.)*

This is a remarkably beautiful new shrub from Japan. In July the plant is covered with bright red berries of large size and edible, the flavor being pungent and agreeable. Laden with fruit the bush is highly ornamental, and the fact that its leaves remain fresh till late in the autumn gives it additional value for garden decoration. We regard it as the coming shrub, destined to wide-spread popularity as soon as known. 50c.



ELÆAGNUS LONGIPES—SPRAY OF FRUIT.

Hibiscus Syriacus—Jeanne d'Arc*(Double White Althæa.)*

This is one of the best new shrubs. Flowers pure white, double; plant a strong grower. Will be found valuable for florists' work. 50c.

Ligustrum, or Privet—Ibota.

A valuable new shrub, native of China and Japan. Flowers large, white, very fragrant, produced in great profusion; leaves long and shining; one of the hardiest of the Privets and distinct. A charming shrub which will be prized for its fragrant flowers, as well as for its handsome foliage. 50c.

Lonicera—Tartarica Splendens.

A fine variety of the Tartarian Honeysuckle; flowers large, dark rose, with darker center. A variety of merit. 50c.

Sambucus—Nigra Rotundifolia.*(Round-leaved Elder.)*

A distinct variety with round, dark green foliage. 50c.

The plants arrived in excellent order. They were remarkably well packed.—C. M. S., Philadelphia.

New Lilacs—Lemoine's Great Novelties.

Double-flowered and single-flowered, the latest introductions of the celebrated French raiser, Lemoine. We have taken great pains to secure the choicest of his collection, and can now offer fine plants of these great novelties. We advise every one of our patrons to secure these acquisitions, the most remarkable and valuable additions to the list of hardy flowering shrubs made in many years. See General Catalogue. Our general collection of Lilacs is undoubtedly the largest in this country and contains upwards of ninety varieties.

The following are some of the latest introductions :

Syringa — Madame Lemoine.

Truss large and compact, covered with very large *double* flowers of a beautiful pure white. A grand novelty. \$1.



JAPAN TREE LILAC.

Syringa — President Carnot.

Truss conical. Flowers erect, *double*, of very fine finish; color a pretty lilac tint, marked in center with white. Freest bloomer of all the Double Lilacs. \$1.

Syringa — Linne.

Truss very long, covered with large *double* flowers of a reddish lilac, with darker center. \$1.

I enclose my check for \$151.40. The general character of the stock sent me is very satisfactory. The care with which it had been taken up and packed does your management great credit.—G. B. D., Bar Harbor, Me.

Syringa—Belle de Nancy.

Very large truss; flowers double, brilliant satiny rose with white center. \$1.

Syringa—Josikæa Rubra.

Similar to the old variety except that the flowers are a deep shade of red. \$1.

Spiræa Mongolica.

A fine new variety. White flowers in May; small foliage; distinct. 75c.

Japan Tree Lilac.

(*Syringa Japonica.*)

A remarkable new species from Japan, becoming a good-sized tree. Foliage dark green, glossy and leathery. Flowers small, feathery, in great panicles; light straw color, odorless. Blooms a month later than other Lilacs. \$1.

New Clematis—Madame Edward Andre.

A grand novelty. Flowers large, of a beautiful bright velvety red, very free flowering, and continuing all summer. \$1.50

Bignonia Grandiflora.

(*Large-flowered Trumpet Creeper.*)

A rare and beautiful variety of Trumpet flower. Flowers very large, salmon color, center yellow, striped red; fine. 75c.



GRASS WALK AT THE MT. HOPE NURSERIES SHOWING HERBACEOUS PLANTS IN FLOWER.

New Hardy Herbaceous Plants.

The additions of merit which we make are not many. We have a large number of new species and varieties on trial, some of which we hope will prove valuable.

Achillea—The Pearl.

(*Yarrow.*)

Small double, white flowers, covering the plant in July. Invaluable for borders. One of the prettiest flowering plants and should be in every garden. 25c.

Nothing more satisfactory ever reached me, and it was packed in fine shape.—R. B. V., Rockford, Ill.

Alyssum — Saxatile compactum.*(Mad-wort.)*

A pretty plant of compact growth, with small yellow flowers in April. 25c.

Anemone — Whirlwind.

A fine new variety, producing *double* white flowers. Hardy and free-flowering. An acquisition. 30c.

Hibiscus — Incanus.*(Rose Mallow.)*

A valuable plant with large pale yellow flowers, with crimson center. September. 25c.

Iris — Kämpferi.*(Japan Iris.)*

Among Hardy Perennials none are more beautiful than the different varieties of Japan Iris. They embrace a wonderful variety of color, and the flowers are produced in great profusion, following those of the German. We have a superb collection of double and single varieties. 25c.

Lychnis — Chalcedonica alba.*(Lamp Flower.)*

A variety of the common Scarlet Lychnis with white flowers in July. An acquisition. 25c.

Monarda — Didyma alba.*(Oswego Tea.)*

A charming variety of the common Monarda, with large, showy white flowers in July. 25c.

Ranunculus — Speciosus, fl. pl.*(Bachelor's Button.)*

Flowers very large, double golden yellow; in bloom all summer. 25c.

Spiræa — Astilboides.

A new species from Japan, A very dwarf grower, with large plumes of pure white flowers, late in spring. A charming novelty. 25c.

Spiræa — Astilboides floribunda.

Similar to the above, but the panicles are much larger. 25c.

New Phloxes.

Of the large number of varieties annually introduced we have selected the best, which will be found described under the proper head in the General Catalogue. We received Honorable Mention for collection of Phloxes at the Convention of Society of American Florists, 1895, and First Premium at the Western New York Fair.

New Roses.

Hybrid Tea Rose — Belle Siebrecht.

A new rose, which comes highly recommended. Described as follows: "Color a solid pink of the richest shade; a rare color; flowers large, beautifully formed and long, tapering shape, with high center, and when half blown the petals reflex in a graceful manner; sweetly perfumed. A vigorous grower, with large glossy foliage of leathery texture. It is predicted by eminent rose growers that it will be the best forcing and the best selling rose that has ever been introduced. \$1.00.

Hybrid Bourbon — Champion of the World.

This valuable rose originated in Vermont and is a cross between Hermosa and Magna Charta. The flowers are large, double, of a rich deep rosy pink and very fragrant. It is a vigorous grower and free bloomer, quite as hardy as Hermosa and other roses of that class. An acquisition for bedding out for summer flowers. 50c.

The Wonderful New Japanese Rose — Crimson Rambler.

By far the most important and valuable acquisition of recent years.

HEADQUARTERS FOR THIS GREAT NOVELTY.

When we ascertained the value of this novelty, we immediately set about propagating it on a most extensive scale, so that we are now prepared to furnish good plants, either by express or mail, at a very low price, considering the great novelty that it is. The Crimson Rambler is unquestionably an acquisition, a novelty of high order, and most distinct in its characteristics. It is a running or climbing rose of vigorous habit, strong and rapid growth, with handsome shining foliage, and produces in marvelous abundance clusters of the brightest crimson semi-double roses. Its clustered form, its

I only regret that I had not ordered everything I have set out this season from your firm, on account of your promptness and courtesy and the quick despatch of goods and the good order of the plants and trees, and packing.—Very truly yours,
J. B. B., Shelter Island Heights, N. Y.

brilliancy, the abundance of its bloom, and the great length of time the flowers remain on the plant without falling or losing their brilliancy, are qualities which will make this new claimant for admiration an assured favorite. For verandas, walls, pillars, and fences it is a most suitable plant. If grown in beds and pegged down it produces marvelous heads of bloom, or it can be grown in bush form and thus become a most striking object. We planted this rose out doors, along with Hybrid Perpetuals and other hardy roses, and the plants came through the winter, even better than many of the hardy varieties, remaining fresh and green to the very tips. But it is not only for out-door use that it is valuable; it can also be employed most satisfactorily for decorating in-doors when grown in pots. We have had plants in flower in our houses and have exhibited them in bloom; wherever shown they have



NEW ROSE, CRIMSON RAMBLER. (A Group of Plants in Flower in our Greenhouses.)

not failed to excite admiration. We are satisfied that this is the greatest rose novelty of recent years, and we have therefore made arrangements to propagate it on the largest scale, hoping to place it in the hands of everyone who has a garden. The low price that we send the plants for—**20c. each, 6 for \$1.00**, by mail postpaid—enables everyone in the country to get plants upon the most favorable terms. Purchasers of this novelty in quantities will receive prices upon application.

One of our customers writes (April 23, '95) as follows: "It may interest you to know that the small plants (2½-inch pots) I got from you last fall have stood the severe winter, and are making a nice growth. I planted them out in the open border, without any mulching or care of any sort. The thermometer has been as low as six degrees below zero, and with the alternate freezing and thawing, it shows well for the hardiness of Crimson Rambler."

A correspondent of the *Garden and Forest* (April 24, '95) says: "A remarkably handsome specimen of Crimson Rambler Rose is now in bloom in one of the greenhouses belonging to H. H. Hunnewell, Esq., Wellesley.

The trees arrived in fine shape, and my gardener says they are the finest lot he ever saw; they certainly are much unlike any I ever bought before, and I therefore can with safety voice his sentiments. Thanking you for your promptness—S. M. D., Matteawan, N. Y.

Mass. There can be no doubt that this Rose is a decided acquisition. It has been thoroughly tested during the long and severe winter just past, and it has come through in even better condition than the majority of hybrids. It is a Rose of exceptional value as a pot-plant, judging from the specimen grown here. It is trained in pyramidal form and is completely covered with handsome clusters of deep crimson flowers.'

Queen Victoria inspects the Crimson Rambler.—On July 15th, Her Majesty the Queen honored the Royal Nurseries, Slough, with a visit for the purpose of inspecting the plants and hedges of Crimson Rambler Rose, and graciously expressed her great pleasure at the marvelous quantity of bloom on the plants and their gorgeous appearance.

Orders can be filled at any time, as plants are growing in pots. Price, 20c. each; 6 for \$1, by mail postpaid. We can also furnish dormant plants. 50c. each.

Tea Rose, Maman Cochet.

A new Tea Rose which has proved to be an acquisition. Flowers large, full, clear carmine rose, shaded with salmon yellow. Plant very vigorous and free flowering. One of the best Tea Roses of recent introduction. 50c.



NEW ROSE, MARCHIONESS OF LONDONDERRY. (Reduced.)

White H. P. Rose, Marchioness of Londonderry.

A new White Hybrid Perpetual, and one of the late introductions of the Messrs. Dickson & Sons, of Newtownards, Ireland, who have given us such beautiful roses as Earl of Dufferin, Margaret Dickson, etc. Flowers of great size, measuring five inches across, perfectly formed, and carried on stout stems. Color ivory white; petals of great substance, shell-shaped and reflexed; free flowering; highly perfumed; growth vigorous and foliage very handsome. Undoubtedly one of the finest roses raised by this firm. Awarded the gold medal of the National Rose Society of England. We have had this variety in flower, and regard it as a decided acquisition to the list of hardy white roses. \$1.

Hybrid Tea Rose, Mrs. W. C. Whitney.

A new American seedling rose. Color beautiful shade of clear, deep pink, with a fragrance distinct from any known variety. A strong, vigorous grower, producing large, full flowers; very free flowering. Awarded the "Mrs. Whitney Cup" at Madison Square Garden, New York, in 1892. 50c.

Rosa Wichuriaiana (syn. Rosa Luciae).

(The Japan Trailing Rose.)

This pretty novelty is a native of Japan, and is a most valuable plant for covering embankments, rockeries, etc., and particularly for use in cemeteries. It is a low, trailing species, its stems creeping

Package of grape vines and clematis received in excellent condition, as your stock always comes to hand.—F. H., New Bedford, Mass.

on the ground almost as closely as the Ivy. Foliage small, very dark green and lustrous; the flowers, which are produced in July, are small single, pure white, and very fragrant. A great acquisition. 50c.

Its remarkable habit, its hardiness, the brilliancy of its lustrous foliage, and the beauty of its flowers, which appear when most shrubs are out of bloom, certainly recommend it to the attention of the lovers of hardy plants.
—*Garden and Forest.*

New Tea Rose, Mrs. Pierpont Morgan.

Raised by Mr. John N. May, of Summit, N. J. Described as follows: "A sport from Madame Cusin and in every way superior to that variety. Flowers large and very double; color intensely bright cerise or rose pink, petals broad and massive; very free flowering. It has received special certificates of merit wherever exhibited." \$1.

New H. P. Rose, Mrs. R. G. Sharman Crawford.

Raised by Dickson & Sons, of Newtownards, Ireland. Color deep, rosy pink, outer petals shaded with pale flesh, white at base of petals; flowers large, of perfect imbricated form, and freely produced, flowering from early summer until late in autumn. Growth vigorous. Awarded gold medal of the National Rose Society of England and many first-class certificates. \$1.

New H. P. Rose, Marchioness of Downshire.

Another of Dickson's roses. Color beautiful satin pink shaded with rose; flowers large and full; petals of great substance; of vigorous growth and free-flowering. Awarded first-class certificates in England. \$1.

New White H. P. Rose, Margaret Dickson.

We have had this superb rose growing in our nurseries for several seasons, and from what we have seen of it there seems to be no doubt that it will be one of the best white hardy roses. Of magnificent form; white, with pale flesh center; petals very large, shell-shaped, and of great substance; fragrant; foliage very large, dark green; a very strong, vigorous grower. 50c.

New H. P. Rose, Clio.

Raised by Wm. Paul & Son, the celebrated English rose growers. Flowers large, of fine globular form, flesh color shaded in the center with rosy pink; growth vigorous; handsome foliage. \$1.

New Bourbon Rose, Lorna Doone.

Another new rose raised by Wm. Paul & Son. Large, full and globular; color magenta carmine, shaded with scarlet; handsome and very sweet; of vigorous growth. A valuable addition to late-flowering roses. 75c.

Rosa Setigera.

(*The Michigan or Prairie Rose.*)

This is not a new rose by any means, but it seems to have been lost sight of for a number of years. Now that single roses are so popular, this variety will be much sought after. It is a climber and when trained over a veranda makes a beautiful display. Large single flowers; deep rose color. 50c.

One of the handsomest of single roses.—*Garden and Forest.*

Lord Penzance's Hybrid Sweet Briars.

We offer these lovely hybrids for the first time. Apart from their extreme beauty they are most interesting, being crosses between the common Sweet Briar and various other roses. It is certain they are a great acquisition. Like their parent, the common Sweet Briar, the foliage is deliciously scented. The flowers are single and of the most beautiful tints. \$1 each, the set of nine for \$8.

Amy Robsart—Lovely deep rose.

Anne of Geierstein—Dark crimson.

Brenda—Maiden's blush or peach.

Flora M'Ivor—Pure white blushed rose.

Lucy Ashton—Pretty white blooms with pink edges.

Lady Penzance—Beautiful soft tint of copper.

Lord Penzance—Soft shade of fawn or ecru.

Meg Merrilies—Crimson.

Rose Bradwardine—Beautiful clear rose.

TO WHOM IT MAY CONCERN:

In the spring of this year I planted an orchard for Mr. J. Pitcairn, of Philadelphia. We set out 2819 trees and 26,000 hedge plants, bought from seven different nursery firms. Ellwanger & Barry, of the Mount Hope Nurseries, Rochester, furnished 1323 trees and 15,000 Osage Orange plants. The trees and hedge plants were all good and healthy, and very carefully packed, arriving here in good condition, and I did not lose one of them, which is more success than I had with those from any other firm, as I lost some of all the others but one, and that was a comparatively small one. The order was shipped promptly, and I take great pleasure in giving Messrs. Ellwanger & Barry my best recommendations.

HUNTINGDON VALLEY, September 20, 1894.

P. P., Supt. for J. Pitcairn, Esq.

GENERAL CATALOGUE

OF

FRUIT AND ORNAMENTAL TREES,

SHRUBS, ROSES, PÆONIES,

HARDY BORDER PLANTS, ETC.,

IN THREE PARTS :

PART I.—FRUITS AND SMALL FRUITS.

PART II.—ORNAMENTAL TREES, SHRUBS, PÆONIES, HARDY BORDER PLANTS, ETC.

PART III.—ROSES.

CULTIVATED AND FOR SALE AT THE

MOUNT HOPE NURSERIES,

ROCHESTER, N. Y.

ELLWANGER & BARRY,

PROPRIETORS.

ESTABLISHED 1840.

Entered according to Act of Congress, in the year 1896, by
ELLWANGER & BARRY,
In the office of the Librarian of Congress, at Washington, D. C.

PREFACE

TO THE

FOURTH EDITION OF OUR GENERAL CATALOGUE.

We take pleasure in presenting herewith the fourth edition of our General Catalogue, with revised and complete descriptions. The simple and systematic arrangement which has been adopted, combined with a complete index, renders the publication very convenient for reference, and of great assistance to our patrons in making up their orders.

We have taken special pains to secure a correct nomenclature and classification, and to make the descriptions as accurate and intelligible as possible. Several new illustrations from photographs of specimens on our grounds, have been added, and we think the present edition will serve, not merely as a catalogue or descriptive priced list, but as a useful handbook and manual, containing valuable cultural directions, and other important hints, indispensable to planters.

In both the Fruit and Ornamental, as well as in the Rose Departments, our Nurseries are kept fully up to the times. We endeavor to procure, as soon as introduced, every novelty at home and abroad that promises to be worthy of dissemination; our trial grounds are maintained at large expense, but we feel amply repaid for the expenditure by the valuable information we obtain in this manner.

The immense stock which we cultivate, embracing great and varied collections suited to different soils and climates, and the large force of skilled nursery assistants which we have in our employ, in addition to exceptional facilities for lifting, handling, packing and shipping, place us in a position to promise to our patrons the careful execution of all orders, large or small, that may be entrusted to us.

It is our aim and intention to supply only the best stock at the lowest prices consistent with the quality of the goods offered, and all intending purchasers will find it to their advantage to give us an opportunity to furnish estimates upon their lists.

We are grateful for the liberal patronage which we have enjoyed for more than half a century, and solicit a continuance of the same.

ELLWANGER & BARRY.

January, 1896.

BUSINESS ANNOUNCEMENT
MADE ON THE
FIFTIETH ANNIVERSARY
OF THE ESTABLISHMENT OF THE
MOUNT HOPE NURSERIES.

We take especial pleasure in addressing our patrons at this time, for this year we celebrate the fiftieth anniversary of the establishment of our Nursery. Beginning with a few acres and no capital except industry, perseverance and a determination to succeed, we made progress slowly at first. On two occasions fire destroyed all of our buildings and hail ruined our stock, and so very discouraging was the outlook that we were on the point of giving up the business; but, after carefully considering the matter, we resolved to make another attempt, and starting anew, put forth all our energies, and from that time, success crowned our efforts. Space will not permit or we could give many interesting facts and experiences which would show conclusively that success was only achieved by years of hard labor, mental and physical; but being young, strong and ambitious, we did not take into account labor, so long as we accomplished what we set out to do.

The history of the progress and development of the business cannot be shown in any better way than by quoting from our catalogues issued at different times, as the demands of our business required. In the preface to our catalogue issued in 1846, six years after starting, the following statement is made:

“Our Nursery grounds are quite extensive. We at present occupy FIFTEEN acres and are prepared to plant six more the ensuing autumn. Our purpose is, and has been since the formation of our establishment, to make here in Western New York, a collection of fruits unsurpassed by any in the country, embracing every valuable variety of either native or foreign origin, adapted to our soil and climate; with this end in view, we have been gathering from time to time from every quarter, such varieties as we have found to be held in high estimation in their respective localities. Two years hence we shall have a superb list of American fruits; our extensive personal acquaintance with the principal fruit growers and nurserymen in England and on the continent has enabled us to make arrangements to receive annually any new and valuable fruits that may be brought to notice. Our practice is to plant a specimen tree of every variety cultivated in order to test it under our own observation; our specimen grounds now contain upwards of two hundred varieties of apples, one hundred and fifty of pears, sixty of cherries, fifty of plums, &c.”

We invite particular attention to this reference to our experimental orchard, which, as will be seen, was commenced early in the history of our establishment. This experimental orchard has been a conspicuous feature of our business. No other similar attempt on so broad a scale has been made in this country, either by individuals or the government. From the moment we started, to the present, we have spared no time, labor nor expense to maintain this orchard, in such a manner as to derive from it the greatest amount of good; and now after so many years of experience we can testify that nothing in connection with our business has been productive of such satisfactory results as the important information we have acquired from the tests in those grounds. It has enabled us to determine by our own observations the fruits best adapted to this country, and the lists of varieties now published give evidence of the careful labor performed.

In addition to the grounds devoted to the trial of fruit, we have always given much space to specimen ornamental trees, shrubs, &c. Our collections embrace everything that has been found suitable for planting in this and similar climates; and we annually add every novelty which appears to have merit. These collections have always been well cared for, correctly labeled, and open to the inspection of the public.

In the preface to our catalogue published in 1847 it was stated we had enlarged our Nurseries to a considerable extent, in order to be the more fully prepared to meet the increasing demands of the public for nursery productions. “They cover at present twenty-three acres of land, and ten acres more, now in complete readiness, will be planted the ensuing fall and spring. We state these facts to show that we are earnestly endeavoring to carry out our designs of making this the largest, most correct and complete in the Union.”

Twenty years later Mr. John J. Thomas, then, as now, editor of the "Country Gentleman," made the following statement in the "Register," concerning this establishment :

"This Nursery was established in 1840 by Messrs. Ellwanger & Barry, in the southerly part of Rochester, since which time it has been so enlarged that it now covers five hundred acres, probably the most extensive Nursery in the world. The wide celebrity of this great establishment, its extent of business, and the interest generally felt to know its operations, require a notice of corresponding fullness :—

"The fruit department occupies 350 acres, in about the following proportion of the different kinds: Standard apples, 72 acres; dwarf apples, 31 acres; standard pears, 69 acres; dwarf pears, 57 acres; standard and dwarf cherries, 25 acres; standard and dwarf plums, 20 acres; and 82 acres of other fruit trees, seedling stocks, &c., &c.

"The ornamental department occupies 90 acres, about as follows: 24 acres of evergreen trees; 50 acres of hardy deciduous trees and shrubs; 8 acres of dahlias, bulbs and herbaceous plants; 5 acres specimen trees, &c.

"The men employed are about 225 to 250 in the season, and about 80 through the winter. Three men are constantly employed in book-keeping, correspondence, &c., in addition to the extensive labor in correspondence performed by the proprietors themselves. They have opened and built a street, which is exclusively occupied by their foremen, head workmen, &c.

"A single season's budding numbers about 700,000 in the fruit department, and 100,000 in the ornamental. To insure complete accuracy, one of the proprietors cuts all the buds, which he immediately passes to a number of hands who accompany him, who remove the leaves, when they are marked and transferred to the foreman of the respective budding companies.

At the commencement of the twenty-first year, the following reference to our prosperous growth was made in a new catalogue issued at that time :

"We give this brief history of our progress, not in the spirit of boasting, but simply to show our friends and patrons how their generous encouragement has aided us in extending and perfecting our culture, and in carrying on the plan of a large Nursery, upon which we started twenty years ago, and which was then considered a youthful chimera by almost everybody but ourselves."

"During the period of seven years that have elapsed since our last edition was issued, fruit culture has made a greater progress in this country than it ever did before in the same period of time. Not only have fruit trees been planted to an extent altogether unequalled, but numerous societies have been vigorously prosecuting the work, in all parts of the country, of eliciting and collecting information regarding the best modes of propagation, culture, and general management of fruit trees, the best varieties for the various soils and climates of the country, and, in fact, upon all that concerns fruits and fruit-tree culture. The information which has by these means been placed within our reach, added to the results of our own experience and close and constant observation, enables us to correct many errors which unavoidably existed before. We have given much attention to the work of testing varieties. Our experimental grounds have cost us much, in both money and labor; but we are well pleased with the investment, for it enables us to carry forward our work with a degree of intelligence that is in a measure satisfactory to ourselves, and gives to our patrons a reasonable guarantee of our accuracy."

The editor of the American Rural Home, in writing recently of the Nurseries, said :

"We think that we are speaking within bounds when we say that the Mount Hope Nurseries, in this city, founded and perfected by Messrs. Ellwanger & Barry, are the most complete nurseries on the American continent. There are others, doubtless, that cover more acres, devoted to two or three specialties, as apples, pears, etc., but no other in which the various species of fruit and ornamental trees, shrubs, vines and plants are so fully and so well represented. The professional horticulturist, florist and landscape gardener can find a better opportunity of examining specimens and studying their peculiar merits here than elsewhere, and the amateur who wishes to ornament his grounds with the choicest that will grow in our climate, will be more certain to find them here than in any other nursery in our land. The products of this grand nursery have been scattered all over the United States, and have been sent far beyond our borders. Scarcely a city, town or hamlet in this country but has been made more beautiful and enjoyable by its contributions. It must afford the honorable proprietors in this, the afternoon of their lives, a great deal of pleasure, when they reflect how much they have contributed to the physical comfort, the refinement and the moral elevation of their countrymen by a vocation which, while it has conferred such blessings upon our people, has brought a generous return to themselves."

We have thus placed before our patrons in a concise form the history of the origin, progress and development of what has certainly proved to be one of the largest commercial enterprises of the country.

The City of Rochester during the period of her early growth profited largely from the employment of so large a number of men, and the impetus then received contributed greatly to her future prosperity.

At the present writing our Nursery is fully up to the times. The stock is large and complete, both in the fruit and ornamental departments, and embraces, besides all the old standard varieties, a number of novelties which seem to have merit.

We have recently erected a new storage house of large capacity, which makes the third of these houses that we have built. All are filled with choice fruit and ornamental trees, shrubs, roses, small fruits, grapes, pæonies and plants, forming a complete assortment. We are therefore prepared to fill orders all winter for early planting.

We retain our large force of skilled nursery assistants and are unusually well equipped to execute all orders, large or small, promptly and correctly, and upon the most favorable terms.

ELLWANGER & BARRY.

ADVICE TO CORRESPONDENTS.

[Please read before making out order.]

CORRESPONDENTS will greatly oblige by observing, as far as possible, the following regulations :

1st. All orders should be sent in as early as possible to insure prompt attention ; it is our rule to execute them in the order in which they come to hand ; hence we cannot, except for extraordinary reasons, delay orders, received first, for those coming late in the season and requiring attention at once. *In every case where possible it is advisable to forward goods early. If ground is not in condition to plant, they can be left in the boxes, or taken out and the roots covered with earth.*

2d. All orders should be legibly written out on the order sheet herein enclosed ; this will save us much trouble, and at the same time prevent mistakes.

3d. In ordering fruit trees, it should in all cases be stated whether *standard* trees are wanted for orchards, or *dwarfs* for gardens.

4th. Where particular varieties are ordered, and particular *ages* and *sizes of trees*, *kinds of stock*, etc., it should be stated whether, and to what extent, other varieties, sizes, ages, etc., may be substituted, in case the order cannot be filled to the letter, as happens occasionally in all establishments. Our rule is not to substitute in any case without being expressly requested to do so.

5th. All trees and plants are carefully labeled and packed in the best manner for any part of the United States, Canada or Europe, for which a moderate charge is made ; but no charge is made for the delivery of packages at the railroad.

6th. *It is requested that post-office address, as well as explicit directions for marking and shipping packages, accompany each order.* When it is left to us to choose the mode of conveyance, we will exercise our best judgment. We pack in such a manner that fruit trees and small fruits (excepting strawberries) ornamental trees, shrubs, evergreens, and hardy border plants, go safely as freight. Tea roses and other plants from pots should always be sent by express. In all cases the articles are at the risk of the purchaser after being shipped, and if delay or loss occurs, the forwarder alone must be held responsible. Ladies are requested to sign themselves Miss or Mrs. as the case may be.

7th. For shipment abroad, we pack in the best manner, in close boxes. Our consignments to all parts of the world have generally been received in good condition, and parties who favor us with their orders, may rely upon the same having careful attention. Shipments of this kind can usually be made to the best advantage in the months of October and November.

8th. All orders from unknown correspondents must be accompanied with a draft on some of the principal cities, or post-office or express money order for the amount. If neither can be had, enclose currency in registered letter. By a recent ruling of the Rochester Clearing House, only checks on New York, Philadelphia, Boston, and Albany, will be accepted without exchange being added.

9th. Our customers are requested to notify us instantly of any errors that may be committed in filling their orders, so that we may at once make ample amends, as we desire to conduct our business in all respects satisfactorily to those who favor us with their confidence.

ARTICLES BY MAIL.

For the convenience of those who cannot be reached by railroad or express, packages of *small* articles will be sent by mail prepaid, such articles to be charged **at full retail prices.**

LOW EXPRESS RATES ON TREES AND PLANTS.

The express companies now carry trees and plants in boxes to any part of the country at a reduction of *20 per cent. from regular merchandise rates.*

THE PACKING SEASON.

The Spring packing and shipping season usually opens here about the first of April, and continues into the month of May. The planting season is not regulated by any particular month or day, nor by the state of vegetation where the planting is to be done, but *by the condition of the trees to be planted.* Hence, trees can be sent with safety from Rochester to localities several degrees South, even if they do not arrive until the ordinary transplanting season in that locality is passed. In the autumn, we usually commence digging and packing the first week in October and continue until the freezing of the ground, say middle to end of November.

FALL PLANTING.

The Spring planting season is often of such short duration that much intended work is necessarily omitted or postponed. In the fall there is abundance of time to plan and plant, and the work therefore can frequently be done as satisfactorily as in the Spring.

The once prevalent notion that Fall planting is not advantageous, has proved to be erroneous, and with the exception of evergreens, almost everything called hardy can be planted successfully in the autumn, except in some regions where the winters are extremely severe, or in exposed situations, in which cases Spring planting is absolutely necessary.

PART I.

FRUIT DEPARTMENT.

HINTS ON TRANSPLANTING, ETC.

WE cannot attempt to give complete directions on all points connected with Tree Planting, but simply a few hints on the more important operations. Every man who purchases a bill of trees should put himself in possession of "THE FRUIT GARDEN," or some other treatise on tree culture, that will furnish him with full and reliable instructions on the routine of management. Transplanting is to be considered under the following heads:

1st. THE PREPARATION OF THE SOIL.—For fruit trees the soil should be *dry*, either natural or made so by thorough drainage, as they will not live or thrive on a soil constantly saturated with stagnant moisture. It should also be well prepared by twice plowing, at least, beforehand, using the subsoil plow after the common one at the second plowing. On new, fresh lands, manuring will be unnecessary; but on lands exhausted by cropping, fertilizers must be applied, either by turning in heavy crops of clover, or well decomposed manure or compost. To ensure a good growth of fruit trees, land should be in as good condition as for a crop of wheat, corn or potatoes.

2d. THE PREPARATION OF THE TREES.—In regard to this important operation, there are more fatal errors committed than in any other. As a general thing, trees are planted in the ground precisely as they are sent from the Nursery. In removing a tree, no matter how carefully it may be done, a portion of the roots are broken and destroyed, and consequently the balance that existed in the structure of the tree is deranged. This must be restored by a proper pruning, adapted to the size, form and condition of the tree, as follows:

STANDARD ORCHARD TREES.—These, as sent from the Nursery, vary from five to seven feet in height, with naked stems or trunks, and a number of branches at the top forming a head. These branches should all be cut back to within three or four buds of their base. This lessens the demand upon the roots, and enables the remaining buds to push with vigor. Cut off smoothly all bruised or broken roots up to the sound wood. In case of older trees, of extra size, the pruning must be in proportion; as a general thing it will be safe to shorten all the previous year's shoots to three or four buds at their base, and where the branches are very numerous some may be cut out entirely.

DWARF OR PYRAMIDAL TREES, if of two or three years' growth, with a number of side branches, will require to be pruned with a two-fold object in view, viz.: The growth of the tree and the desired form. The branches must be cut into the form of a pyramid by shortening the lower ones, say one-half, those above them shorter, and the upper ones around the leading shoots to within two or three buds of their base. The leader itself must be shortened back one-half or more. When trees have been dried or injured much by exposure, the pruning must be closer than if in good order.

YEARLING TREES INTENDED FOR PYRAMIDS.—Some of these may have a few side branches, the smallest of which should be cut clean away, reserving only the strongest and the best placed. In other respects they should be pruned as directed for trees of two years' growth. Those having no *side branches* should be cut back so far as to insure the production of a tier of branches within twelve inches of the ground. A strong yearling, four to six feet, may be cut back about half, and the weaker ones more than that. It is better to cut too low than not low enough, for if the first tier of branches be not low enough the pyramidal form cannot afterwards be perfected.

3d. PLANTING.—Dig holes in the first place large enough to admit the roots of the tree to spread out in their natural position; then, having the tree pruned as before directed, let one person hold it in an upright position, and the other shovel in the earth, carefully putting the finest and the best from the surface in among the roots, filling every interstice, and bringing every root in contact with the soil.

When the earth is nearly filled in, a pail of water may be thrown on to settle and wash in the earth around the roots; then fill in the remainder and tread gently with the foot. The use of water is seldom necessary, except in dry weather early in fall or late in spring. Guard against planting *too deep*; the trees, after the ground settles, should stand in this respect as they did in the nursery. Trees on dwarf stock should stand so that *all the stock* be under the ground, and *no more*. In very dry, gravelly ground the holes should be dug twice the usual size and depth, and filled in with good loamy soil.

4th. STAKING.—If trees are tall and much exposed to winds, a stake should be planted with the tree, to which it should be tied in such a manner as to avoid chafing. A piece of matting or cloth may be put between the tree and the stake.

5th. MULCHING. When the tree is planted throw around it as far as the roots extend, and a foot beyond, five or six inches deep of rough manure or litter. This is particularly necessary in dry ground, and is highly advantageous everywhere both in spring and fall planting. It prevents the ground from baking or cracking, and maintains an equal temperature about the roots.

6th. AFTER-CULTURE.—The grass should not be allowed to grow around young trees after being planted, as it stunts their growth. The ground should be kept clean and loose around them until, at least, they are of bearing size.

TREATMENT OF TREES THAT HAVE BEEN FROZEN IN THE PACKAGES OR RECEIVED DURING FROSTY WEATHER.—Place the packages, unopened, in a cellar or some such place, cool, but free from frost, until perfectly thawed, when they can be unpacked, and either planted or placed in a trench until convenient to plant. Treated thus, they will not be injured by the freezing. Trees procured in the fall for spring planting, should be laid in trenches in a slanting position to avoid the winds; the situation should also be sheltered and the soil dry. A mulching on the roots and a few evergreen boughs over the tops will afford good protection.

DISTANCE BETWEEN TREES OR PLANTS IN PLANTATIONS.

STANDARD APPLES, 30 to 40 feet apart each way. In poor soil, 25 feet may be enough.

STANDARD PEARS AND CHERRIES, 20 feet apart each way. Cherries will do at 18 feet, and the dwarf growing sorts, Dukes and Morellos, even at 16 feet.

STANDARD PLUMS, PEACHES, APRICOTS AND NECTARINES, 16 to 18 feet apart each way.

QUINCES, 10 to 12 feet apart each way.

DWARF OR PYRAMIDAL PEARS, CHERRIES AND PLUMS, 10 to 12 feet apart each way. The greater distance is better where land is not scarce.

DWARF APPLES (bushes), 6 feet apart.

CURRANTS, GOOSEBERRIES AND RASPBERRIES, 3 to 4 feet apart.

BLACKBERRIES, 6 to 7 feet apart.


GRAPES, 8 to 10 feet apart.

STRAWBERRIES (see under strawberries).

NUMBER OF TREES OR PLANTS ON AN ACRE AT VARIOUS DISTANCES.

At 4 feet apart each way	2,729
“ 5 “ “	1,742
“ 6 “ “	1,200
“ 8 “ “	680
“ 10 “ “	430
“ 12 “ “	325
“ 15 “ “	200
“ 18 “ “	135
“ 20 “ “	110
“ 25 “ “	70
“ 30 “ “	50

The number of plants required for an acre, at any given distance apart, may be ascertained by dividing the number of square feet in an acre (43,560) by the number of square feet given to each plant, which is obtained by multiplying the distance between *rows* by the distance between the *plants*. Thus, strawberries planted three feet by one foot, gives each plant three square feet, or 14,520 plants to the acre.



HOW TO PREPARE FRUIT TREES FOR PLANTING.

Illustrations showing how they should be pruned before planting. In each case an example is given of an unpruned and pruned tree. No. 1. **Standard**, with stem or trunk three to four feet clear of branches. Standard Apples, Pears, Cherries, and Plums have usually this form. No. 2. **Dwarf Pear**. The usual appearance of trees, two to three years from bud, prepared for training in pyramidal form. No. 3. **Peach Tree**. No. 4. **Quince Tree**. No. 5. **Dwarf Apple**, on Paradise Stock.

TERMS USED IN DESCRIBING THE HABIT OF GROWTH.

Referring to young trees of two to four years' growth.

VIGOROUS.—Being those varieties of strong, rapid growth. **FREE.**—Varieties which rank next to the above in growth. **MODERATE.**—Varieties which make a fair growth, some being slender growers, others slow growers.

SELECT APPLES.

Our principal stock of Apples consists of the following varieties, which have been well proved, and can be recommended as *the best* now in cultivation :

STANDARD TREES of nearly all the varieties described can be supplied.

DWARF TREES, for *Bushes* and *Espaliers*, can be supplied of several sorts on *Paradise* stocks. We propagate only those varieties which produce large, handsome fruit, mostly summer and autumn kinds; *a list of varieties furnished on application*. On the *Paradise* stock the trees are small, prolific, bear early, and are therefore desirable for small gardens or experimental orchards. They can be planted 5 or 6 feet apart, and will bear abundantly the third year after planting.

PRICES OF APPLE TREES.

STANDARD TREES on free stocks for orchards, 5 to 7 feet.

Varieties priced at 25 cents each, \$2.50 per dozen.

“ “ “ 50 “ “ \$4.00 “ “

DWARF TREES on *Paradise* for gardens, 2 to 3 feet.

(Such varieties as we may be able to supply), 50 cents each; \$4.00 per dozen.



GRAVENSTEIN APPLES.


SUMMER APPLES.

Benoni—Medium size, roundish, oblong; red; flesh tender, juicy, rich; valuable for the table. Tree a *moderate*, erect grower; productive. August. 25c.

Carolina June (Red June)—Small or medium; deep red; good; productive, hardy, a *free* grower; popular at the South and West. August. 25c.

Early Harvest—Medium to large size; pale yellow; tender, with a mild, fine flavor. Tree a *moderate*, erect grower and a good bearer; a beautiful and excellent variety for both orchard and garden, being one of the first to ripen. Middle to end of August. 25c.

- Early Strawberry**—Medium size; mostly covered with deep red; tender, almost melting, with a mild, pleasant flavor. Tree a *moderate*, erect grower, and a good bearer. Middle to end of August. 25c.
- Fanny**—Large; deep, rich crimson; tender, juicy, pleasant sub-acid. Tree *vigorous*, spreading, and very productive. An apple of great promise as a market sort. August. 50c.
- Golden Sweet**—Large; yellow; a very fair, fine, sweet apple. Tree a *free* grower, spreading, irregular and productive. August and September. 25c.
- Keswick Codlin**—Large, oblong, pale yellow; pleasant acid; quality fair. Tree erect and very *vigorous*; bears when quite young, and abundantly; excellent for cooking. July to October. 25c.
- Primate**—Medium size; pale yellow, with a blush on the sunny side; tender, fine grained, juicy; fine quality, mild and good; excellent dessert sort. Tree a *moderate* grower and good bearer. August and September. 25c.
- Red Astrachan**—Large, roundish, nearly covered with deep crimson, overspread with a thick bloom; very handsome; juicy, good, though rather acid. The tree is very hardy, a *free* grower, with large foliage, and a good bearer; highly esteemed on account of its fine appearance, earliness and hardness. August. 25c.
- Summer Rose**—Medium size, roundish; pale yellow, with a red cheek; tender and delicious; has a beautiful waxen appearance. A fine dessert fruit. Tree a *slow* grower, but a good bearer. Middle to end of August. 50c.
- Sops of Wine**—Medium size, oblong; dark crimson, flesh stained with red; juicy, sub-acid. Tree a *free* grower, distinct and quite productive. August and September. 25c.
- Sweet Bough (Large Yellow Bough)**—Large; pale yellow; sweet, tender and juicy. Tree a *moderate*, compact grower, and abundant bearer. August. 25c.
- Tetofsky**—A Russian apple; medium size, with a yellow ground, handsomely striped with red, and covered with a whitish bloom; flesh juicy, sprightly, acid and agreeable. Tree a *moderate*, stocky grower; very hardy and productive. July and August. 25c.
- Williams' Favorite**—Large, oblong, red; rich and excellent; a *moderate* grower and good bearer. Very highly esteemed in Massachusetts, especially around Boston, where it originated. A handsome dessert apple. August. 50c.
- Yellow Transparent**—A Russian apple, medium size, roundish, oblate, slightly conical; skin pale yellow when fully mature; flesh tender, juicy, sprightly sub-acid; good; a *free* grower. August. 25c.



OLDENBURG (Natural Size).

AUTUMN APPLES.

- Alexander**—Origin Russian. A very large and beautiful deep red or crimson apple, of medium quality. Tree very hardy, a *moderate* grower and rather a light bearer. September and October. 25c.
- Arabskoe (Arabian Apple)**—Origin Russian. Large; three inches in diameter, roundish, inclining to conical; greenish yellow ground, mostly covered with purplish red and a light bloom; flesh fine grained, white, juicy, sub-acid; a *moderate* grower; foliage very large, over four inches long, with long stalks; a beautiful apple. Ripe here in October, but will keep later. 50c.
- Chenango (Chenango Strawberry, Sherwood's Favorite)**—Large, oblong; red and yellow; very handsome; highly valued as a table or market fruit on account of its handsome appearance and fair quality. Tree a *vigorous* grower and very productive. September. 25c.
- Fall Pippin**—Very large, roundish, oblong; yellow; flesh tender, rich and delicious. Tree a *free* grower, spreading and fine bearer; one of the most valuable varieties for table or market. An admirable baking apple. Extensively grown in Western New York as Holland Pippin. October to December. 25c.

- Fameus** (Snow Apple)—Medium size; deep crimson; flesh snowy white, tender, melting and delicious. Tree *vigorous* with dark wood; *one of the finest dessert fruits*, and valuable for market; succeeds particularly well in the North. November to January. 25c.
- Gravenstein**—A very large, striped, roundish apple, of the *first quality*. Tree remarkably rapid, *vigorous* and erect in growth, and very productive. One of the finest fall apples. September to October. 25c.
- Haas, or Fall Queen**—Origin, St. Louis, Mo. Large, flat, ribbed or quartered; skin yellowish green, streaked and nearly covered with dull, brownish red; flesh white, tender, juicy, sub-acid, good. Tree very hardy and *vigorous*. A variety highly esteemed at the West and Southwest as a profitable market fruit and for family use. September to November. 25c.
- Haskell Sweet**—Medium or above; greenish yellow, sometimes with a blush; tender, juicy, very sweet, rich, aromatic. One of the best. Tree a *moderate* grower. September and October. 50c.
- Hurlbut**—Origin, Winchester, Conn. Fruit medium size, oblate, angular; skin yellow with red stripes, and splashed with red; flesh white, crisp, tender, juicy, sub-acid; quality good to very good. Tree *very vigorous* and a *great bearer*. October to December. 25c.
- Jefferis**—From Pennsylvania; medium to large; striped, mostly red; flesh tender and delicious; one of the finest dessert apples; a *moderate* grower; productive. September and October. 50c.
- Jersey Sweet**—Medium size; striped red and green; tender, juicy and sweet; a *free* grower and good bearer; very popular, both for table and cooking. September and October. 25c.
- Maiden's Blush**—Large, flat; pale yellow with a red cheek; beautiful; tender and pleasant, but not high flavored. Tree an erect, *free* grower, and a good bearer. A valuable market apple. September and October. 25c.
- Munson's Sweet**—Medium to large; pale yellow with a red cheek; tender, juicy and good. Tree a *vigorous* grower and a good bearer. October and November. 25c.
- Oldenburg** (Duchess of Oldenburg)—A large, beautiful Russian apple; roundish; streaked red and yellow; tender, juicy and pleasant. A kitchen apple of best quality, and esteemed by many for the dessert. Tree a *vigorous*, fine grower, and a young and abundant bearer, September. Succeeds well in the Northwest, where most varieties fail. (See cut.) 25c.
- Porter**—Medium to large; oblong; yellow; flesh tender and of excellent flavor. Tree a *poor* grower; very popular in Massachusetts. September. 50c.
- Pumpkin Sweet** (Pumpkin Russet)—A very large, round, yellowish russet apple, very sweet and rich. Tree a *vigorous*, rapid, upright grower; valuable. October and November. 25c.
- Red Bietigheimer**—A rare and valuable German variety. Fruit large to very large; roundish, inclining to conical; skin pale, cream-colored ground, mostly covered with purplish crimson; flesh white, firm, sub-acid, with a brisk, pleasant flavor. Tree a *free* grower and abundant bearer. This is one of the largest and handsomest apples, and worthy of extensive cultivation. Early fall. 50c.
- St. Lawrence**—Large, round; streaked red and greenish yellow; quality moderate; a productive and popular market apple in Canada. Tree hardy and a *free* grower October. 25c.
- Stump**—Originated near Rochester. Fruit medium size, conical; skin yellow, striped and shaded with light red; resembles Chenango; flesh firm, crisp, juicy, tender, sprightly, sub-acid. The fruit, from its uniform size, fine appearance, and mild, pleasant flavor, commands a ready sale at a good price. A *decided acquisition* to the list of profitable market and good garden varieties. Tree of handsome, stocky growth and *very prolific*. September and October. (See cut.) 25c.
- Titovka** (Titus Apple)—Origin, Russian. Large; three and one-quarter to three and a half inches in diameter; roundish, tapering slightly to crown; color greenish yellow ground, striped and marbled with light red in the sun; when fully ripe, the ground is yellow, and the red, deep and dark, mostly covering the fruit, and usually a light bloom; flesh rather coarse, tender, juicy, very mild acid; quality not high, but good. Tree a *free* grower and very productive. Foliage very large. Ripe in September. 50c.



STUMP APPLE.

[Showing the remarkably productive quality of the tree.]

- Washington Strawberry**—Large; yellow, shaded, splashed and mottled with rich red; crisp, tender, juicy, brisk sub-acid; a hardy, *vigorous* grower, and an early and abundant bearer. September and October. 50c.
- Wealthy**—Originated near St. Paul, Minn. Fruit medium, roundish; skin smooth, oily, mostly covered with dark red; flesh white, fine, juicy, vinous, sub-acid, very good. Tree very hardy, a *free* grower, and productive. An acquisition of much value, on account of its great hardiness and good quality. October. 25c.

WINTER APPLES.

- Baldwin**—Large, bright red, crisp, juicy and rich. Tree *vigorous*, upright and productive. In New England, New York, Ontario and Michigan, this is one of the most popular and profitable sorts for either table or market. December to March. 25c.
- Belle de Boskoop**—Large, bright yellow, washed with light red on sunny side, and sometimes with a sprinkling of russet, flesh crisp, firm, juicy, sprightly, sub-acid; quality very good; a late keeper. Tree a *vigorous* grower. 50c.
- Ben Davis** (New York Pippin, Kentucky Streak, &c.)—A large, handsome, striped apple, of good quality. Tree very hardy, *vigorous* and productive; a late keeper; highly esteemed in the West and Southwest. 25c.
- Canada Reinette**—Very large, flattened, ribbed; dull yellow; flesh firm, juicy and rich. Tree a *free* grower, spreading and a good bearer. In France it is considered the largest and best apple, and proves excellent here. November to March. 25c.
- Cooper's Market** (Cooper's Redling)—Medium size, conical; red, handsome; quality good; *one of the latest keepers*, and therefore very valuable. Tree hardy; a *slender* grower and productive. December to May. 25c.
- Dominie** (Wells of Ohio)—A large, fine striped apple, resembling the Rambo; a *vigorous* grower and a profuse bearer; succeeds very well in nearly all the Western States; attains a great size, in Illinois and Iowa. December to April. 25c.
- Esopus Spitzenburg**—Large, deep red with gray spots, and delicately coated with bloom; flesh yellow, crisp, rich and excellent. Tree rather a *feeble*, slow grower and moderate bearer; esteemed in this State as one of the very best. November to April. 50c.
- Fallwater** (Fornwalder, Tulpehocken, Pound, &c.)—A very large and handsome apple from Pennsylvania; quality good. Tree *vigorous*, bears young and abundantly. November to March. 25c.
- Golden Russet**—Medium size, dull russet, with a tinge of red on the exposed side; flesh greenish, crisp, juicy and high flavored. Tree a *vigorous* grower, with light-colored speckled shoots, by which it is easily known; hardy, bears well; popular and extensively grown in Western New York and Wisconsin. November to April. 25c.
- Grimes' Golden** (Grimes' Golden Pippin)—Medium to large size; skin golden yellow sprinkled with gray dots; flesh crisp, tender, juicy, sprightly; very good to best. Tree hardy, *vigorous*, productive; originally from Virginia; grown in Southern Ohio. January to April. 25c.
- Hubbardston** (Hubbardston Nonsuch)—Large; striped yellow and red; tender, juicy and fine; a *free* grower and great bearer. Native of Massachusetts. November to January. 25c.
- Jonathan**—Medium size; red and yellow; flesh tender, juicy and rich; a *moderate* grower; shoots light-colored, slender and spreading; very productive. One of the best varieties either for table or market. November to March. 50c.
- Lady Apple** (Pomme d' Api)—A beautiful little dessert fruit; flat, pale yellow with a brilliant red cheek; flesh crisp, juicy and pleasant. The tree is a *moderate* grower, forms a dense, erect head, and bears large crops of fruit in clusters; the fruit sells for the highest price in New York and Philadelphia. November to May. 50c.
- Lady's Sweet**—Large, roundish, green and red; nearly quite red in the sun; sweet, sprightly and perfumed; shoots slender but erect; a *moderate* grower and good bearer, originated in Newburgh, N. Y. *One of the best winter sweet apples*. Keeps well. November to May. 50c.
- Lyman's Pumpkin Sweet** (Pound Sweet)—A very large, round, greenish apple, excellent for baking. Tree a *free* grower and productive. October to December. 25c.
- Mann**—Medium to large, deep yellow, often with a shade of brownish red where exposed; juicy, mild, pleasant, sub-acid. Tree hardy, and an upright grower; an early and annual bearer and a late keeper. January to April. 25c.
- McIntosh Red**—Large, roundish, skin mostly covered with bright red; flesh white, tender, sub-acid, sprightly, very good. A handsome apple of fine quality. Tree *vigorous* and hardy. November to February. 50c.
- Monmouth Pippin** (Red Cheek Pippin)—Large, greenish yellow, with a fine red cheek; juicy, tender and good. Tree a *free* grower and productive. Keeps well till March or April. 25c.
- Mother**—Large, red; flesh very tender, rich and aromatic. Tree a *moderate* grower and good bearer. Succeeds well in the North. Supposed to have originated in Worcester County, Mass. *One of the best dessert apples*. November to January. 25c.
- Newtown Pippin**—One of the most celebrated of American apples, on account of its long keeping and excellent qualities, and the high price it commands abroad; but its success is confined to certain districts and soils. It attains its greatest perfection on Long Island and the Hudson. In Western New York and New England it rarely succeeds well. It requires rich and high culture, and it makes such a slow, *feeble* growth, that it has to be top grafted upon a strong growing variety. November to June. 50c.
- New York Pippin**—See Ben Davis.
- Northern Spy**—Large, striped, and quite covered on the sunny side with dark crimson, and delicately coated with bloom. Flesh juicy, rich, highly aromatic, retaining its freshness of appearance and flavor till July. The tree is a remarkably *rapid*, *erect* grower, and a great bearer. Like all trees of the same habit, it requires good culture and occasional thinning out of the branches, to admit the sun and air fully to the fruit. Both leaf and blossom buds open a week later than other varieties. *One of the finest late keeping apples*. 25c.
- Peck's Pleasant**—Large; pale yellow, with brown cheek; very smooth and fair; flesh firm and rich, approaching the flavor of a Newtown Pippin. Keeps well. Tree a *moderate*, erect grower and good bearer. November to April. 50c.

- Pewaukee**—Origin, Pewaukee, Wis. Raised from the seed of Oldenburg. Fruit medium to large, roundish, oblate; skin bright yellow, striped and splashed with dark red; flesh white, tender, juicy, sub-acid. *Esteemed especially for cold climates, on account of its hardiness.* Tree *vigorous.* January to May. 25c.
- Pomme Grise**—Small, grayish russet; very rich and highly flavored. Tree a *moderate* grower and good bearer; very valuable in the North. November to April. 50c.
- Rambo**—Medium size; streaked and mottled yellow and red; tender, juicy, mild flavored. Tree a *vigorous* grower and good bearer. A widely cultivated and esteemed old variety. Autumn in the South. October to January in the North. 25c.
- Rawle's Genet** (Rawle's Janet, Never Fail, etc.)—Medium to large size; yellow striped with red; crisp, juicy rich; a *free* grower, prolific bearer. One of the most popular winter apples in the South and Southwest. 25c.
- Red Canada** (Old Nonsuch of Massachusetts) —Medium size; red with white dots; flesh rich, sub-acid and delicious. Tree a *moderate*, slender grower. A superior fruit for table or market. November to May. 50c.
- Red Russet**—Fruit large, roundish conic; shaded with dull red in the sun, and with light russet on most of the surface; flesh yellow, solid, crisp, tender, with a fine, rich, sub-acid flavor. Tree *vigorous* and productive. A great keeper. January to April. 50c.
- Rhode Island Greening**—Everywhere well known and popular; tree spreading and *vigorous*; always more or less crooked in the nursery; a great and constant bearer in nearly all soils and situations; fruit rather acid, but excellent for dessert and cooking. Toward the South it ripens in the fall, but in the North keeps well until March or April. 25c.
- Rome Beauty**—Large; yellow and bright red; handsome; medium quality; a *moderate* grower; good bearer. December to May. 25c.
- Roxbury Russet**—Medium to large; surface rough; greenish covered with russet. Tree a *free* grower, spreading, and a great bearer; keeps till June. Its great popularity is owing to its productiveness and long keeping. 25c.
- Shiawassee Beauty**—Said to be a seedling of Fameuse. Medium; whitish shaded, marbled, splashed and striped with rich red; flesh firm and very white, tender, juicy, brisk, refreshing, sub-acid. Tree *vigorous*, very productive. October to January. 25c.
- Smith's Cider**—Large, handsome, red and yellow; juicy, acid; quality medium; a *moderate* grower and good bearer; succeeds well in the South and West—not so well here. November to February. 25c.
- Sutton Beauty**—Fruit medium to large, roundish, handsome; skin waxen yellow, striped with crimson; flesh whitish, tender, juicy, sub-acid; quality very good; keeps remarkably well. Tree a *free*, handsome grower, and productive. One of the most valuable market varieties in Western New York. 25c.
- Swaar**—Large, pale lemon yellow, with dark dots; flesh tender, rich and spicy. Tree a *moderate* grower with dark shoots and large gray buds; with good culture it is one of the very best of apples. November to May. 50c.
- Tolman's Sweet**—Medium size; pale, whitish yellow, slightly tinged with red; flesh firm, rich and very sweet; excellent for cooking. Tree a *free* grower, upright and very productive. November to April. 25c.
- Tompkins King** (King of Tompkins County)—A superb red apple of the largest size and finest quality. Tree a *vigorous* grower and good bearer; hardy. November to January. 25c.
- Twenty-Ounce**—A very large, showy, striped apple, of fair quality. Tree a *free*, spreading grower, and fine bearer; excellent for baking, and of pleasant flavor, though not rich; very popular in the markets. October to January. 25c.
- Vandevere** (Newtown Spitzenburg of the West)—Medium size; yellow, striped with red, and becoming deep crimson next the sun; flesh yellow, rich and fine. Tree a *free* grower and good bearer; succeeds best on light, warm, dry soils. October to March. 50c.
- Wagener**—Medium to large size; deep red in the sun; flesh firm, sub-acid and excellent. Tree a *vigorous*, handsome, upright grower, and very productive; an excellent variety. December to May. 25c.
- Westfield Seek-no-Further**—Medium to large; striped with dull red and slightly russeted; flesh tender, rich and excellent. Tree a *free* grower and fruit always fair. November to February. 50c.
- Walbridge** (Edgar Red Streak)—Medium size, oblate, regular; skin pale yellow shaded with red; flesh crisp, tender, juicy. *Esteemed especially in cold climates, for its hardiness and productiveness;* a late keeper. Tree *very vigorous.* January to May. 25c.
- White Pippin**—A fine apple resembling the Newtown Pippin. Much grown and highly esteemed in some parts of Ohio and other Western States. Tree a *vigorous* grower and good bearer. January to March. 25c.
- Wine Sap**—Large; roundish; deep red; medium quality; keeps well. Tree a *moderate* grower and good bearer; succeeds well in the West, and is there valuable and popular. Not grown here in orchards. December to May. 25c.
- Yellow Bellflower**—Large; yellow with a tinge of red on the sunny side; flesh crisp, juicy, with a sprightly, aromatic flavor; a beautiful and excellent fruit. Valuable for baking. The tree is a *free* grower and good bearer. November to April. 25c.
- York Imperial**—Medium; whitish shaded with crimson in the sun; firm, crisp, juicy, pleasant, mild sub-acid. Tree moderately vigorous and productive. A popular Pennsylvania variety. November to February. 50c.

CRAB APPLES.

FOR ORNAMENT OR PRESERVING.

- Currant**—Fruit the size of currants and borne in clusters. Ornamental in its flowers and fruits. Tree a *slow* grower, and bears when two years old. 25c.
- Dartmouth**—Fruit one and one-half inches in diameter; a great bearer; fine for cooking and preserves, or for cider; color very handsome, dark crimson and orange, with bloom. September to December. Tree a *free* grower, forming a compact head. 25c.

- Hyslop's**—Almost as large as the Early Strawberry Apple; deep crimson; very popular at the West on account of its large size, beauty and hardiness. October. Tree remarkably *vigorous*. 25c.
- Lady**—Fruit beautiful, resembling the Lady Apple. Flesh yellowish, moderately juicy, mild sub-acid. Tree a *vigorous*, upright grower, and very productive. November to December. 25c.
- Large Red Siberian**—Nearly twice as large as the Red Siberian, but similar in appearance and quality. Tree a *free* grower. September and October. 25c.
- Large Yellow**—Large pale yellow, with a tint of red in the sun. Sept. and Oct. Tree a *vigorous*, rapid grower. 25c.
- Montreal Beauty**—One of the most beautiful of the Crabs; fruit large, bright yellow, shaded with red; flesh yellowish, firm, acid. Tree a *free* grower. September and October. 25c.
- Oblong**—Very distinct; oblong in form; dark crimson; the most beautiful of all the Crabs. September and October. Tree *vigorous*. 25c.
- Paul's Imperial**—A cross between the Red Astrachan and Siberian Crab. Fruit about one and one-half inches in diameter; skin yellow, almost wholly covered with bright red; firm, tender and moderately juicy, with a fresh acidity. Tree a *vigorous* grower. It ripens early. 50c.
- Picta Striata**—Fruit very handsome and late; a *free* grower. 25c.
- Queen's Choice**—Medium size, roundish; color a beautiful crimson; very attractive and showy, flesh whitish, pleasant flavor. Tree *vigorous* and very prolific. Remarkably handsome both in flower and fruit. 50c.
- Red Siberian**—Fruit small, about an inch in diameter; yellow, with scarlet cheek; beautiful. Tree an erect, *free* grower; bears when two or three years old. September and October. 25c.
- Transcendent**—A beautiful variety of the Siberian Crab; red and yellow. Tree a remarkably *strong* grower. September. 25c.
- Van Wyck**—A seedling which originated in Dutchess County, N. Y. Large, handsome; skin mottled with bright red; flesh white, firm, sweet. Tree a *free*, upright grower. 25c.
- Whitney**—Large, averaging one and a half to two inches in diameter; skin smooth, glossy green, striped, splashed with carmine; flesh firm, juicy and flavor very pleasant; ripe latter part of August. Tree a great bearer and very hardy; a *vigorous*, handsome grower, with dark green glossy foliage. 25c.
- Yellow Siberian (Golden Beauty)**—Large, and of a beautiful golden yellow color. Tree *vigorous*. Sept. 25c.
- We have also in stock the following *recently introduced* varieties, price 50 cents each.
- Martha, Minnesota Winter, Orion, Orange, Quaker Beauty, Telfer Sweet.**

ADDITIONAL LIST OF APPLES.

Standard Trees, of ordinary size. Price, **50** cents each.

Aucuba-leaved Reinette.	Jacob's Sweet. *	Palmer Greening.
Blenheim Pippin.	Longfield.	Princess Louise.
Brownlee's Russet.	Lord Suffield.	Small's Admirable.
Cox's Pomona.	Missouri Pippin.	Tuft's Baldwin.
Gano.	Occident.	

NOTE.—Besides the above, we have a large number of other choice kinds in our specimen orchards, including many Russian varieties, scions only of which can be supplied.

PRICE—for two to six scions of one kind, 50 cents.

SELECT PEARS.

The following list includes most of those which have been well tested and prove valuable.

Those designated by a * are of American origin. A special list of those which we find particularly well suited to the Quince stock will be found at the end of the general list.

GATHERING PEARS.—One of the most important points in the management of Pears, is to gather them at the proper time.

Summer Pears should be gathered at least ten days before they are ripe, and Autumn Pears at least a fortnight. Winter varieties, if they will hang so long, may be left until the leaves begin to fall.

THIN THE FRUIT.—We cannot urge too strongly the following suggestion: When pear trees are heavily laden, the fruit should be thinned when about *one-third* grown; else the fruit will be poor and the trees injured.


PRICES OF PEAR TREES.

standard Pears on Pear Stock, 2 to 3 yrs. old. **Dwarf Pears** on Quince Stock, 2 to 3 yrs. old.

Varieties priced at 50 cents each, **\$4.00** per dozen. Varieties priced at 75 cents each, **\$6.00** per dozen.

SUMMER PEARS.

- Andre Desportes**—Medium size; pale green, marbled on sunny side with red. Flesh fine, juicy, melting. A valuable early pear. Tree a *free* grower as a standard or dwarf. Ripe in August. 75c.
- Ansault**—Medium size; light greenish yellow, mostly covered with a thin light russet; melting, juicy and very fine grained; one of the finest in quality of all pears. Tree a *poor* grower; needs top grafting in order to obtain good standard trees. Bears when quite young. September. 75c.
- Bartlett**—One of the most popular pears; large; buttery and melting, with a rich musky flavor. A *vigorous*, erect grower; bears young and abundantly. Middle to last of September. 50c.
- ***Brandywine**—Medium size; yellow and russet; melting, juicy; first-rate. A *free* grower and productive. August. 50c.
- ***Clapp's Favorite**—A splendid pear, resembling the Bartlett and ripening a few days earlier; a cross between that variety and the Flemish Beauty; the tree is hardy and *vigorous* either on the pear or quince. *Care should be taken to pick the fruit at least ten days before it would ripen upon the tree.* 50c.
- ***Dearborn's Seedling**—Rather below medium size; pale yellow; melting and good. Tree a *free* grower, and bears young and profusely. Ripe about the last of August. 50c.
- Giffard** (Beurre Giffard)—A beautiful and excellent variety; ripening middle of August. Tree slender but healthy; hardy; a *moderate* grower and very productive. 50c.
- ***Manning's Elizabeth**—Below medium size; bright yellow, with a lively red cheek, dotted with brown and red dots; flesh juicy and melting. A beautiful desert fruit. Tree a *moderate* grower. 50c.
- Margaret**—(Petite Marguerite). Medium size; skin greenish yellow, with brownish red cheek, and covered with greenish dots. Flesh fine, melting, juicy, vinous, and of *first quality*. Tree a *vigorous*, upright grower, and an early and abundant bearer. Succeeds admirably as a standard or dwarf. The finest pear of its season and worthy of special attention. Ripens latter part of August. (See cut.) 75c.
- Souvenir du Congres**—Large to very large, larger than Bartlett or Clapp's Favorite, to which it bears a strong resemblance (we have had specimens which weighed 27 ounces and which measured 14 inches in circumference); skin smooth, bright yellow when the fruit is fully matured, with the parts exposed to the sun brilliant red or carmine. The flesh, while it is like that of the Bartlett, is free from its strong musky aroma, and is firm to the core. It commences to ripen in August, a little before the Bartlett, and extends into September. The tree is a *moderate* grower, and to obtain good standard and dwarf trees we are obliged to work it upon strong growing sorts. On account of its size, quality and earliness, it is entitled to a place among the best pears. 75c.
- Summer Doyenne** (Doyenne d'Ete)—A beautiful, melting sweet pear, rather small. Tree a *vigorous* grower and good bearer. First of August. 50c.
- ***Tyson**—Rather above medium size; melting, juicy, sweet and pleasant. Tree very *vigorous* and rapid grower; bears abundantly every year; one of the best summer varieties. August. 50c.



MARGARET (Natural Size).

AUTUMN PEARS.

- Angouleme** (Duchesse d'Angouleme)—One of the largest of all our good pears. Succeeds well on the pear, but it attains its highest perfection on the quince; as a dwarf it is one of the most profitable market pears. October and November. 50c.
- Belle Lucrative**—Large; melting and sweet. A *free*, upright grower, and bears early and abundantly. September and October. 50c.
- Bosc** (Beurre Bosc)—A large and beautiful russet pear; very distinct, with a long neck; melting, or nearly so, high flavored and delicious. A *moderate* grower and rather irregular; bears well. We top graft in order to get good standard trees. It does not succeed on the quince, and in order to obtain dwarf trees it must be double worked. September to October. 75c.
- Boussock** (Doyenne Boussock)—A large pear of good quality, resembling the White Doyenne. Tree a very *vigorous*, rapid grower and abundant bearer. This variety is far from being appreciated. *We can recommend it as a valuable market pear.* September. 50c.
- Doyenne White**—A well known and almost universally esteemed variety of the highest excellence. Tree a *vigorous* grower, productive and hardy; succeeds best in most parts of the West. 50c.
- Flemish Beauty**—A large, beautiful, melting, sweet pear. Tree very hardy, *vigorous* and fruitful; succeeds well in most parts of the country. September and October. 50c.



ANGOULEME. (Reduced.)

- Louise Bonne of Jersey**—A large, beautiful, first-rate pear; yellow, with a dark red cheek; melting, vinous, buttery and rich. Tree a *vigorous*, erect grower and most abundant bearer; best on the quince. September and October. 50c.
- *Onondaga** (Swan's Orange)—A large, melting, sprightly, vinous pear. Tree *vigorous*, hardy and extremely productive. October and November. 50c.
- Pitmaston Duchess**—Very large, pyriform, resembling the Angouleme; skin smooth, polished, golden yellow; flesh melting, fine, very juicy, variable in quality, usually would rank as good to very good. Tree is a *free* grower. Does well on the pear or quince. October. 75c.
- *Seckel**—The standard of excellence in the pear; small but of the highest flavor. Tree a stout, *slow*, erect grower. September and October. 50c.
- *Sheldon**—A pear of the very first quality; large, round; russet and red; melting, rich and delicious. Tree *vigorous*, erect and handsome, and bears well when grown on the pear. It must be double worked on the quince. October. Standard trees, 50c. Dwarf trees, 75c.
- Superfin** (Beurre Superfin)—A large, fine pear, very juicy and melting, with a rich, pleasant and sprightly sub-acid flavor; all things considered, one of the best pears known to cultivators. Its valuable qualities are not sufficiently appreciated. Tree *vigorous*. October. 50c.
- Urbaniste**—A large, melting, buttery pear of first quality. Tree a *moderate*, compact, beautiful grower. October to November. 75c.

***Frederick Clapp**—Size above medium; form generally obovate; skin thin, smooth, clear lemon yellow; flesh fine grained, very juicy and melting, flavor sprightly, acidulous, rich and aromatic; season October 15th to November 1st; quality *very good to best*. Tree a *vigorous* or *free* grower and somewhat spiny. 75c.

Hardy (Beurre Hardy)—A large pear; cinnamon russet; melting and fine. Tree a *strong* grower and good bearer. *One of the finest pears*, deserving much more attention than it has hitherto received. October. 50c.

***Howell**—One of the finest American pears; large, handsome; sweet, melting. Tree very *vigorous*, hardy and productive. September and October. 50c.

***Hoosic**—This fine pear is a seedling of Hacon's Incomparable. Fruit large obovate; skin greenish yellow, dotted and marbled with russet. Flesh fine grained, melting, juicy, with a rich almond flavor, in quality ranking as best. Tree an erect *free* grower, very hardy and remarkably prolific. Season October. 75c.

***Kieffer** (Kieffer's Hybrid)—Said to have been raised from seed of the Chinese Sand Pear, accidentally crossed with Bartlett or some other kind. Large; skin rich golden yellow, sprinkled thickly with small dots, and often tinted with red on one side; flesh slightly coarse, juicy, melting, with a pronounced quince flavor. Tree very *vigorous*, and an early and great yielder. October and November. 50c.

LATE AUTUMN AND EARLY WINTER PEARS.

- Anjou** (Beurre d'Anjou)—A large, handsome pear, buttery and melting, with sprightly vinous flavor; keeps into mid-winter. Tree a *vigorous* grower and good bearer. We have no hesitation in pronouncing it to be *the most valuable pear in the catalogue*. Does equally well as a standard or a dwarf. Keeps until the winter holidays, when it commands very high prices in the market. (See cut.) 50c.
- Clairgeau** (Beurre Clairgeau)—Very large; pyriform; yellow and red; handsome and attractive; flesh yellowish, nearly melting; keeps sound a long time after being gathered. Tree a *free* grower and an early, abundant bearer; a magnificent and valuable market fruit. 50c.
- *Dana's Hovey**—Small, but of very fine quality, and keeps well. The tree has much of the habit of the Seckel, and is a *moderate* grower. 75c.
- Duhamel du Monceau**—Large, long, pyriform; skin rather rough, nearly covered with brownish russet; flesh melting, juicy, with the flavor of Winter Nelis; a delicious pear. Tree a *moderate* grower. 75c.
- *Jones** (Jones Seedling)—Medium size; obovate, pyriform; yellow, shaded with russet; flesh buttery, sugary. Tree a *free*, upright grower. 75c.

- *Lawrence**—Size medium to large, obovate; golden yellow; flesh melting, with a pleasant aromatic flavor. Tree a moderate grower and an abundant bearer; one of the most valuable of all our early winter pears. 50c.
- *Reeder (Dr. Reeder)**—Medium size; roundish, ovate; skin yellow, netted with russet and sprinkled with russet dots. Flesh fine, juicy, melting. Tree a slender, irregular grower and an excellent bearer. A delicious pear for amateurs' use. November. 75c.
- Souvenir d'Esperen**—A fine, late autumn pear, resembling the Winter Nelis in appearance and quality. Tree a free, upright grower. 50c.
- Winter Nelis**—One of the best early winter pears; medium size; dull russet; melting and buttery, with a rich, sprightly flavor. Tree a slender, straggling, but free grower. Bears heavy crops regularly. It must be top grafted to obtain good trees. 75c.



ANJOU. (Reduced.)

LATE WINTER PEARS.

- Easter Beurre**—A large, roundish oval fruit, yellow, with a red cheek; melting and rich. Tree a moderate grower and most abundant bearer; best on the quince; keeps all winter. 50c.
- Josephine of Malines**—Medium to large, roundish; pale straw color; flesh rose-colored, melting and delicately perfumed; first quality. Tree a moderate, irregular grower, with small leaves; fruit borne in clusters; succeeds well on the quince, though not a handsome grower. This variety improves as the tree advances in age. One of the most delicious of our long keeping table pears, and it deserves extensive culture. 75c.
- Found**—A monstrous fruit, and very beautiful; yellow, with red cheek. For stewing. Tree a moderate grower and productive. 50c.

SPECIAL COLLECTION OF PEARS.

FOR CULTIVATION ON THE QUINCE.

The following varieties are particularly recommended for cultivation on the quince. All are vigorous and handsome growers, hardy and bear well.

We might add many others which appear to succeed well on the quince with fair treatment. Such are now in our own grounds in a flourishing state, after being thirty years planted. The following, however, cannot fail to make durable and satisfactory trees:

Summer—Andre Desportes, Bartlett, Brandywine, Clapp's Favorite, Margaret.

Autumn—Angouleme, Belle Lucrative, Boussock, Hardy, Howell, Louise Bonne of Jersey, Superfin, Urbaniste, White Doyenne.

Winter—Anjou, Easter Beurre, Lawrence, Josephine of Malines.

PEARS OF RECENT INTRODUCTION.

Price, \$1.00 each. Except where noted.

***B. S. Fox**—One of Fox's seedlings from California. May be compared as to texture and quality with Anjou, but ripening in October. Stem short; color a beautiful yellow russet when ripe; flesh fine grained, very juicy, vinous; sound to the core. One of the most valuable introductions of recent years.



THE P. BARRY PEAR. (Reduced.)

***Col. Wilder**—Another of Fox's seedlings from California, one of the longest keeping pears. Large, pyriform, oblong, inclining to oval; skin yellow, profusely dotted and marbled with russet; flesh melting, full of juice, sweet; a delicious pear; keeps till March. A fair grower.

Directeur Alphande—Very large, yellowish green, dotted with russet; flesh firm, fine, very sugary, with a peculiar flavor of its own. Tree vigorous and a great bearer. February to April.

***Idaho**—A very promising new pear raised from seed at Lewiston, Idaho. Size very large, form nearly round, resembling Easter Beurre; skin yellow with brownish red on sunny side, with a surface like that of Bartlett; flesh melting, juicy, slightly vinous, quality best. Wood and foliage resemble Bartlett; season of maturity, September, in Idaho. The disseminators say it is very hardy, vigorous and prolific. 75c.

- ***Lucy Duke**—Received a few years ago from North Carolina. Large, pyriform, rather obtuse; stalk set obliquely without depression; calyx open, small, in a moderate cavity; skin of a cinnamon russet, surface uneven; flesh melting, juicy, sweet, excellent. Tree a vigorous grower. October.
- ***P. Barry**—Another of the long-keeping Fox Seedlings. Large, pyriform; skin orange yellow, covered with russet dots and blotches; flesh very juicy, buttery, fine grained; flavor sprightly, rich, excellent. The best late winter pear. Resembles Anjou in texture of flesh and Winter Nelis in color of skin and juiciness of flesh. Tree a poor grower and must be top grafted. Ripe in April. We exhibited fine specimens of this pear at the World's Fair latter part of May.
- President Mas**—Large, obovate, or approaching pyriform, irregular; skin yellow, about color of Anjou; flesh melting, juicy, slightly vinous, very good. A handsome pear of fine quality. December and January. A moderate grower, best on the pear.
- ***Wilder Early**—Medium or rather small, regular in form; greenish yellow, with a brownish red cheek; handsome, melting, sweet, pleasant, very good. Tree a vigorous grower and great bearer. First of August. 75c.

ADDITIONAL LIST OF PEARS.

We can also furnish standard, or dwarf trees, of all the following, which are all of excellent quality, though not placed in select list.

Summer.	Autumn.	Winter.
Bar—Seckel, \$1.00.	Belle de Beaufort, 75c.	Anna Nelis, 75c.
Beacon, 75c.	Comice, 75c.	Fortunee Boisselot, 75c.
Beurre de l'Assomption, 75c.	Emile d'Heyst, 75c.	Jacques Molet, 75c.
Brockworth Park, 75c.	Eugene Appert, \$1.00.	Madame Andre Leroy, 75c.
Duchesse Precoce, 75c.	Gansel's Seckel, \$1.00, very fine quality.	Madame Millet, 75c.
Fondante de Bihorel, early, 75c	Madame Treyve, 75c.	Mount Vernon, 75c.
Lawson, 75c.	Maurice Desportes, \$1.00.	President Gilbert, quality very good, 75c.
	Paul Ambre, 75c.	
	Sarah, 75c.	
	Therese Appert, 75c.	

SELECT CHERRIES.

The Cherry succeeds well on dry soils, and is susceptible of being trained in any form that taste or circumstances may require.

For orchards, where there is ample room for large trees, and in climates where it is not subject to the bursting of the bark, standards with four or five feet of clean trunk are preferable.

For door-yards, where shade and ornament are taken into account, standards of the free growing sorts, with erect habit and large foliage, are the most suitable.

For fruit gardens, and particularly those of moderate extent, and in localities where the bark of the trunk is liable to burst, the pyramidal or conical trees, dwarf or low standards, with two or three feet of trunk, and the dwarfs, branching within a foot of the ground, are the most appropriate and profitable.

We now employ the Mahaleb stock extensively, as we find the trees on it more hardy in many cases, and it is adapted to a greater variety of soils.

PRICES OF CHERRY TREES.

Standard Trees, 2 to 3 years. Dwarf Trees, 1 to 2 years.
Varieties priced at 50 cents each, \$4.00 per dozen.

HEART CHERRIES.

Fruit heart shaped, with tender, sweet flesh. Tree of rapid growth, with large, soft, drooping leaves.

- Black Eagle**—Large, black; tender, rich, juicy and high flavored. Tree a moderate grower and productive. Ripe beginning of July. 50c.
- Black Tartarian**—Very large; purplish black; half tender; flavor mild and pleasant. Tree a remarkably vigorous, erect and beautiful grower and an immense bearer. Ripe last of June and beginning of July. One of the most popular varieties in all parts of the country. 50c.
- Coe's Transparent**—Medium size; pale amber; red and mottled next the sun; tender, sweet and fine; one of the best. End of June. Tree vigorous and erect. 50c.
- Downer's Late**—Rather large; light red, tender and juicy; slightly bitter before fully ripe. Tree a vigorous, erect grower, and productive. One of the best late cherries. 50c.
- Early Purple**—Small to medium size; purple; tender, juicy and sweet. Growth free, tender and spreading. First to middle of June. 50c.


- Elton**—Large, pointed; pale yellow, nearly covered with light red; half tender, juicy, rich and delicious. Tree very *vigorous*, spreading and irregular. End of June. 50c.
- Gov. Wood**—The finest of Dr. Kirtland's seedlings, of Ohio; clear, light red, tender and delicious. Tree a *vigorous* grower and most productive. End of June. Hangs well on the tree. 50c.
- Knight's Early**—Large, black; tender, juicy, rich and excellent. Tree a *free* grower and very productive; branches spreading. Ripe a few days before the Black Tartarian. 50c.
- Sparhawk's Honey**—Medium size; roundish, light red, tender, sweet and delicious; stones large. Tree a *vigorous*, pyramidal grower, and very productive. Ripens with Downer's Late, and hangs long on the tree. 50c.

BIGARREAU CHERRIES.

These are chiefly distinguished from the preceding class by their firmer flesh. Their growth is vigorous, branches spreading, and foliage luxuriant, soft and drooping.

Cleveland—Large; clear red and yellow; juicy, sweet and rich. Tree *vigorous*, spreading and productive. Early. 50c.

Kirtland's Mary—Large, light and dark red on yellow ground; rich, juicy, sweet, high flavored. *One of the best.* Tree vigorous. 50c.



WINDSOR (Natural Size).

- Mezel (Monstrueuse de Mezel, Great Bigarreau)**—A French variety; very large, dark brown, firm; tree a *free* grower, spreading, irregular. Middle of July. 50c.
- Napoleon**—A magnificent cherry of the largest size; pale yellow, with a bright red cheek; flesh very firm, juicy and sweet. Tree a *vigorous*, erect grower, and bears enormous crops; ripens late; valuable for canning. 50c.
- Rockport**—Large; pale amber in the shade, light red in the sun; half tender, sweet and good. Tree *vigorous*, erect and beautiful. Ripe same time as Black Tartarian. 50c.
- Tradescant's Black (Elkhorn)**—Very large; black; very firm, juicy and good. Tree *vigorous* and upright, with peculiar gray bark. A great bearer, and so late as to be very valuable. Middle to last of July. 50c.

- Windsor**—A seedling originated at Windsor, Canada, and introduced by us. Fruit large, liver-colored, resembling the Elkhorn, or Tradescant's Black nevertheless quite distinct; ripens three or four days after that variety; flesh *remarkably firm* and of fine quality. Tree hardy and very prolific. *A very valuable late variety* for market and for family use. 50c. (See cut.)
- Yellow Spanish**—Large; pale yellow, with a bright red cheek in the sun; flesh firm, juicy and delicious; one of the best, most beautiful and popular of all light-colored cherries. Tree erect, *vigorous* and productive. End of June. 50c.

DUKE AND MORELLO CHERRIES.

These two classes of cherries are very distinct from the preceding. The trees are of smaller size, and grow more slowly; the leaves are thicker and more erect, and of a deeper green. The fruit is generally round, and in color varying from light red to dark brown.

The Dukes have stout, erect branches usually, and some of them, like *Reine Hortense*, quite sweet fruit; while the Morellos have slender, spreading branches, and acid fruit invariably. These two classes are peculiarly appropriate for dwarfs and pyramids, on the Mahaleb stock, and their hardiness renders them well worthy of attention in localities where the Heart and Bigarreau are too tender.

- Arch Duke**—Large; bright red, but becomes very dark when fully ripe; flesh melting, juicy, rich, sub-acid. Tree rather more *vigorous* and upright than the May Duke; hardy and prolific. Ripe first and second weeks in July. 50c.
- Belle Magnifique**—A magnificent, large, red, late cherry, excellent for cooking and fine for table when fully ripe; rather acid, tender, juicy and rich. Tree a slow grower, but a most profuse bearer; makes a fine dwarf or pyramid on the Mahaleb. Last of July. Very valuable. 50c.
- Early Richmond**—An early red, acid cherry; very valuable for cooking early in the season. Ripens through June. Tree a *free* grower, hardy, healthy and very productive. 50c.
- Empress Eugenie**—Large, dark red; flesh juicy, rich; tree *robust*, and moderately productive. 50c.
- Late Duke**—Large; light red; late and excellent. Tree *robust*, and makes a nice dwarf or pyramid. End of July. Valuable. 50c.
- May Duke**—An old, well-known, excellent variety; large; dark red; juicy, sub-acid, rich. Tree hardy, *vigorous* and fruitful; ripens a long time in succession; fine for dwarfs and pyramids. Middle of June. 50c.
- Montmorency Large Fruited**—Fruit large and one of the finest flavored in this class; tree a *free* grower, hardy and prolific. 50c.
- Montmorency Ordinaire**—A beautiful, large, red, acid cherry; larger and finer than Early Richmond, and fully ten days later, ripening with Tradescants. Being extraordinarily prolific and very hardy, it can be recommended as a variety of great value. Valuable for canning and preserving. Tree a *free* grower. 50c.
- Morello English**—Large; dark red, nearly black; tender, juicy, acid, rich. Tree dwarf and slender; makes a fine bush on the Mahaleb. If trained on a north wall, it may be in use all the month of August. Valuable. 50c.
- Olivet**—Large; very shining, deep red; tender rich and vinous, with a very sweet, sub-acidulous flavor; promising. 50c.
- Reine Hortense**—A French cherry of great excellence; large, bright red; tender, juicy, nearly sweet and delicious. Tree *vigorous* and bears well; makes a beautiful pyramid. 50c.
- Royal Duke**—One of the largest and finest of this class; ripens after May Duke. 50c.

ADDITIONAL VARIETIES OF CHERRIES.

We can also furnish trees of the following new or recently introduced varieties, at 75 cents each.

Ida.	Ostheim.	Schmidt's Bigarreau.
Murdoch's Bigarreau.	Rostraver Bigarreau.	Wragg.

SELECT PLUMS.

STANDARD PLUM TREES.

These are generally five to six feet in height, and, like all the stone fruits, should have heads as low as possible.

DWARF PLUM TREES.

These are adapted to garden culture. The trees furnished by us for this purpose are from two to three feet in height.

DISEASES AND ENEMIES OF THE PLUM.

The prevalence of the disease of the Plum, commonly called the "black knot," and of the insect known as the *curculio*, has of late discouraged people generally from giving to the Plum its merited share of attention. It is not to be denied that these are obstacles of considerable magnitude to indifferent, slovenly cultivators; but we are

satisfied, from actual experience, that nothing more than ordinary industry and perseverance is required to overcome them entirely. Western New York is not exempt from these difficulties any more than other localities; we hear complaints about "knots" and "curculio" all around us. Yet we are able to fruit, in the most successful manner, seventy or eighty varieties of Plums annually, getting not merely a few scattering fruits, but *full crops*, weighing down the branches, as all will acknowledge who have seen our trees.

This success of ours is not due to any extraordinary skill, nor to any peculiarity of soil or climate, but to *reasonably good care and culture*.

Nothing is more favorable to the growth of the black fungus, or knot, than *neglect*. We have seen trees growing in grass in some uncultivated door-yards transformed into a mere mass of black knots, while trees in neighboring gardens, under good cultivation, were entirely exempt. In our specimen Plum Orchard it does occasionally make its appearance, but we instantly remove it. Our preventives and remedies are *good clean culture and prompt amputation*.

As for the curculio, we find no difficulty in protecting the crop from it by merely employing a little extra labor. When the trees blossom, and as the fruit begins to set, we dress the ground about the Plum trees, and make it very clean and smooth. Then, as soon as the curculio commences its operations, we spread a large sheet prepared for the purpose around each tree, and jar it so as to shake down all fruits that have been stung, as well as all the curculios. Both insects and stung fruits are destroyed. This work is performed daily, and ensures a full crop. The work is done quickly; a dozen trees in a garden can be attended to daily in less than half an hour's work of a man. Let those who really desire to grow fine crops of delicious plums try this system, and *follow it up rigidly*, and they will be successful.

PRICES OF PLUM TREES.

Standard Trees.....	5 to 6 feet high.
Dwarf Trees.....	2 to 3 feet high.
Varieties priced at 50 cents each.....	\$4.00 per dozen.

NOTE.—Those designated by a * are of American origin.

Bavay's Green Gage (Reine Claude de Bavay)—One of the best foreign varieties. As large as the Washington, and of fine flavor; roundish oval; greenish, marked with red in the sun. Tree a *free grower* and remarkably productive. Middle to end of September. Hangs long on the tree. 50c.

Bradshaw—A very large and fine early plum; dark violet red; juicy and good. Tree erect and *vigorous*; very productive; valuable for market. 50c.

Bryanstone Gage—An English plum of excellent quality; greenish yellow; sweet. Tree of *great vigor* and productive. 50c.

Coe's Golden Drop—Large and handsome, oval; light yellow; flesh firm, rich and sweet; adheres to the stone. Tree a *moderate grower* and very productive. Valuable not only on account of its large size and fine appearance, but its lateness. Last of September. 50c.

***Duane's Purple**—Very large and handsome, oval; reddish purple; flesh juicy and sweet; adheres to the stone. Tree a *moderate grower* and very productive. Beginning of September. 50c.

Felleberg (French or Italian Prune)—A fine late Plum, oval; purple; flesh juicy and delicious; parts from the stone; fine for drying. Tree a *free grower* and very productive. September. 50c.

German Prune—Medium; oval; purple or blue; juicy, rich, fine. Tree *vigorous* and very productive. September. 50c.

***General Hand**—Very large; yellow, handsome; parts freely from the stone. Tree *stocky*, vigorous and productive. September. 50c.

Goliath (Nectarine)—A very large purple plum, rivaling the Peach Plum in beauty; second quality; a *vigorous grower* and great bearer. Beginning of September. 50c.

Grand Duke (New)—A valuable addition to late plums; as large as the Bradshaw, of same color, and ripening latter part of September. Entirely free from rot. One of the best plums for market. \$1.00. See cut.

Green Gage—Small, but of the highest excellence. Tree a *moderate grower*. We have to top graft it to get good trees. September. 75c.

***Imperial Gage**—Rather large; oval; greenish; flesh juicy, rich and delicious; parts from the stone. Tree a *vigorous grower*; very productive and one of the best of plums. Middle of August. 50c.

***Jefferson**—A fine variety; yellow with a red cheek; flesh orange-colored, juicy and rich; parts from the stone. Tree a slow, *poor grower*, but productive. End of August. 75c.

***Lombard**—Medium size; oval; violet red; flesh yellow, juicy and pleasant. Tree very *vigorous*, a *great bearer*, and peculiarly well adapted to light soils. September. 50c.

Lucombe's Nonsuch—An English variety of rather large size, roundish; yellowish green, distinctly streaked with yellow and orange; a *free grower* and very prolific. Middle to end of August. 50c.

***McLaughlin**—Large, round; greenish yellow; sugary and fine; quality very good. Tree a *free grower*. One of the very best for family use or market. Middle of August. 50c.

***Orange**—Large; skin bronze yellow, marked with roughish white dots; flesh deep yellow and juicy. Tree *vigorous* and productive. 50c.

***Peter's Yellow Gage**—Large, nearly oval; bright marbled yellow; flesh rich and juicy; quality very good. Tree a *free grower*. A valuable variety. September. 50c.

Pond's Seedling, or Font Hill—A magnificent English Plum; form of Yellow Egg; light red, changing to violet; flesh rather coarse. Tree a *vigorous grower* and most abundant bearer. One of the most attractive in cultivation. September. 50c.

Prince Engelbert—Very large and long; deep purple; rich and excellent. Tree very *vigorous*. *One of the best*. End of August. 50c.

Prune of Agen—A valuable French variety; first quality for drying. Tree *vigorous* and very prolific. September. 50c.



A YOUNG BEARING TREE OF THE GRAND DUKE PLUM IN OUR EXPERIMENT ORCHARD.

***Quackenboss**—Large, deep purple covered with a dense bluish bloom; flesh greenish yellow, sprightly, juicy, a little coarse grained; will rank good in quality. Tree *vigorous* and a great yielder. Valuable for market. Middle of September. 50c.

Reine Claude de Bavay—See Bavay's Green Gage.

Shropshire Damsion—A medium sized, dark purple variety; esteemed for preserving. Tree *vigorous* and very productive. October. 50c.

- Smith's Orleans**—A large and excellent variety; oval; reddish purple with a thick coat of bloom; flesh firm, yellow, juicy and rich. Tree *vigorous* and very productive. August and September. 50c.
- * **St. Lawrence**—A seedling of ours from Smith's Orleans; superior in size and quality to the parent. Large; dark purple; cling; ripens middle of August. 50c.
- Victoria** (Sharp's Emperor)—One of the most magnificent plums in cultivation; of the largest size; fair quality; purplish red color. Tree a *free*, irregular grower and most abundant bearer. September. 50c.
- Wangenheim**—Medium size; oval; dark blue; quality excellent; one of the finest of that class designated as *Prunes*. Tree *moderate* or *free* grower. Middle of August. 50c.
- * **Washington**—A magnificent large plum; roundish; green, usually marked with red; juicy, sweet and good. Tree *robust* and exceedingly productive. One of the very best. End of August. 50c.
- Wild Goose** (Native)—A good variety of the Chickasaw; medium, roundish, oblong; reddish yellow; flesh juicy and flavor pleasant. Tree a *free* grower. Ripens here middle of August. 50c.
- * **Yellow Gage**—Rather large, yellow, oval; flesh yellow, juicy and rich. Tree remarkably vigorous and productive. An excellent and profitable variety. Middle of August. 50c.
- Yellow Egg**—A very large and beautiful egg-shaped yellow plum; a little coarse, but excellent for cooking. Tree a *free* grower and very productive. End of August. 50c.

ADDITIONAL VARIETIES OF PLUMS

Either comparatively new or esteemed only in special localities.

Standard Trees (some two years, others one year) of all can be supplied.

- Abundance**—Large, amber, very early. 75c.
- Belle de Septembre**—Large, handsome, red, late. 75c.
- Botan** (Japanese). 75c.
- Burbank** (Japanese)—Large, clear cherry red. 75c.
- * **Copper**—Very late, productive. A good shipper. 75c.
- Decaisne**—Very large, yellow, excellent; resembles Coe's Golden Drop, but ripens much earlier. \$1.00.
- De Caradeuc** (Native)—Medium, round; skin yellow. 50c.
- Dunlap**—Large, yellow; very early. 75c.
- French Damson**—Purple. 75c.
- * **Gueii** (Blue Magnum Bonum)—A large, handsome, purple plum; of fair quality. Profitable for market. 75c.
- * **Hudson River Purple Egg**. 75c.
- * **Huling's Superb**—Very large, round, green. 75c.
- Ickworth Imperatrice**—Medium, late, purple, fine. 75c.
- Jaune Hative**—Medium, yellow; very early. 75c.
- Kingston, or Smith's Prune**—Large blue, late. Good for market. 75c.
- Lafayette**—Large, purple; late; 75c.
- * **Lincoln**—Very large; reddish purple. \$1.00.
- Mariana** (Native)—Deep red; very early. 75c.
- * **Moore's Arctic**—Said to be valued for its hardiness. 75c.
- Newman** (Native)—Medium, oblong; beautiful glossy red; late. 50c.
- Ogon** (Japanese)—Large, bright golden yellow. \$1.00.
- Oullin's Golden**—Large, early and excellent. 75c.
- Prince of Wales**—Purplish red. \$1.00.
- Reine Claude Violette**—Purple; late. 75c.
- Royal Hative**—Purplish red; early, fine. 75c.
- Satsuma Blood** (Japanese)—Large; purplish-crimson. \$1.00.
- * **Spaulding**—Large; yellowish-green. \$1.00.
- The Czar**—Large; early; purple; rich and good. 75c.
- Transparent**—Greenish yellow; rich, and of high excellence. \$1.00.
- Weaver** (Native)—Hardy and productive. 50c.
- Youngken's Golden**—A handsome, early, American Plum. 75c.

Besides the above, we have several other kinds, scions only of which can be supplied. Price for two to six scions of one kind, 50 cents.

SELECT PEACHES.

To secure healthy, vigorous and fruitful trees and fine fruit, the following points must be well attended to in peach culture:—1st. Keep the ground clean and mellow around the trees, and give it an occasional dressing of wood ashes. 2d. Keep the heads low—the trunks ought not to exceed three feet in height. 3d. Attend regularly every spring to pruning and shortening the shoots of the previous year's growth. This keeps the head round, full and well furnished with bearing wood. Cut weak shoots back about one-half, and strong ones one-third; but see that you have a sufficient supply of fruit buds. Sickly and superfluous shoots should be cut clean out.

It should always be borne in mind that the fruit is produced on wood of the last season's growth, and hence the necessity for keeping up a good supply of vigorous annual shoots all over the tree. The plum stock is advantageous in stiff clay, cold and damp soils. We do not have all the varieties on plum stock, but will furnish a list on application.

NOTE.—In planting peaches, it is of the highest importance to cut back the trees severely. The stem should be reduced about one-third and the side branches cut back to one bud. This lessens the demand upon the roots and enables the remaining buds to push more vigorously. Most failures in newly planted orchards may be ascribed to a non-observance of these directions.

PRICES OF PEACH TREES.

On Peach Stock	25 cents each; \$2.50 per dozen.
On Plum Stock, of such as we may be able to supply	50 " " 4.00 "

- Alexander**—Medium to large size; skin greenish white, nearly covered with deep, rich red; flesh melting, juicy, sweet. Tree *vigorous* and productive; ripens two weeks before Hale's Early; one of the largest and best of the extra early varieties, and valuable for market as well as for home use.
- Alexandra Noblesse**—Large; flesh melting, rich and excellent.
- Alberge Yellow, Barnard's Yellow Rareripe, &c.**—Large; deep yellow, with a dull red cheek; flesh yellow, juicy, sweet, and of moderate flavor. Tree *vigorous*, hardy and productive. Beginning of September.
- Amsden**—Medium to large size; skin greenish white, nearly covered with purple in the sun; flesh melting, juicy, sweet, very good; ripens at same time as the Alexander, and appears to be nearly, if not identical.
- Beatrice** (Early Beatrice)—Medium size or rather small, with a marbled red cheek; flesh melting and very juicy. Succeeds Alexander; needs thinning as soon as the fruit is set or it is too small. It ships well.
- Canada** (Early Canada)—Resembles Alexander very closely. Ripens at same time.
- Conkling**—Large and handsome; golden yellow, marbled with crimson; flesh pale yellow, very juicy, sweet, vinous and very good; equal to any yellow peach we know of. Tree *vigorous* and yields heavy crops; succeeds Crawford's Early.
- Coolidge's Favorite**—A most beautiful and excellent peach, of medium size; skin white, delicately mottled with red; flesh pale, juicy and rich. Tree *vigorous*, hardy and productive. A valuable variety. End of August.
- Crawford's Early**—A magnificent, large, yellow peach, of good quality. Tree exceedingly *vigorous* and prolific; its size, beauty and productiveness make it one of the most popular varieties. Beginning of September.
- Crawford's Late**—A superb yellow peach, very large, productive and good; ripens here about the close of peach season. Last of September.
- Early Silver**—Large, melting and rich, with the vinous flavor of the White Nectarine, its parent; ripens early in September. One of the best.
- Early York** (Early Purple, Serrate Early York, &c.)—Medium size; greenish white, covered in the sun with dull purplish red; flesh juicy, rich and excellent. Tree a *fair grower* and very prolific; one of the best early orchard varieties. Middle of August.
- Foster**—Originated near Boston. A large yellow peach, resembling Crawford's Early, but of better quality. Ripe about the same time as Crawford's Early, or a little earlier.
- George the Fourth**—Large; white, with red cheek; flesh pale, juicy and rich. Tree *vigorous*, and bears moderate crops of the best quality. End of August.
- Goshawk**—Raised from Coolidge's Favorite; flavor excellent. One of the finest mid-season peaches.
- Haine's Early**—Large; white with a red cheek; flesh pale, juicy and delicious. Tree hardy and very productive; one of the best varieties. Middle of August.
- Hale's Early**—Raised in Ohio; medium size; flesh white, first quality; ripens middle of August.
- Hill's Chili**—Medium size; oval; skin yellow, shaded with dark red; flesh half melting, sweet, of medium quality. Esteemed in some localities for market on account of its productiveness.
- Kenrick's Heath** (Heath Free)—Medium to large, oblong; skin pale greenish white, with a purplish red cheek; flesh greenish white, a little coarse; juicy, melting, pleasant sub-acid. Ripe latter part of September.
- Large Early York**—A large and beautiful variety; white, with a red cheek; flesh juicy and delicious. Tree *vigorous* and productive. End of August.
- Lord Palmerston**—Very large; skin creamy white, with a pink cheek; flesh firm, yet melting; very juicy and rich. Season end of September.
- Louise** (Early Louise)—Medium size; bright red; melting and juicy. Ripens a few days after Beatrice and just before Rivers. Tree hardy; a valuable variety for home use and market.
- Magdala**—Size medium; shape inclined to oval; skin nearly smooth like a Nectarine; color creamy white, marbled and blotched with crimson; flavor a combination of the Peach and Nectarine; quite original. Season early in September.
- Malta**—Medium size; greenish yellow; flesh juicy, vinous, sweet, delicious. A fine small peach for the amateur.
- Morris White**—Medium size; dull creamy white, tinged with red in the sun; flesh white to the stone, juicy and delicious. Tree a moderate bearer; highly prized for preserving on account of the entire absence of red in the flesh. Middle of September.

- Mountain Rose**—Large, roundish; skin whitish, nearly covered with dark red; flesh white, juicy, very good; free-stone. Tree *vigorous* and very productive. An excellent early market variety.
- Nectarine Peach**—Large, pointed, with a smooth, nectarine-like skin; flesh melting, rich and racy; the best peach of its season; ripens with Crawford's Late.
- Oldmixon Free**—Large; greenish white and red; flesh pale, juicy and rich. Tree hardy and productive; a most valuable variety. Succeeds Crawford's Early.
- Oldmixon Cling**—Large and excellent; one of the best clings. End of September.
- Princess of Wales**—Large and beautiful; cream-colored, with a rosy cheek; melting, rich and excellent; ripens with Crawford's Late.
- Red Cheek Melocoton**—A famous, old, well-known and popular variety; large, oval; yellow, with a red cheek flesh yellow, juicy, rich and vinous. Tree very hardy and productive; valuable for the orchard. Succeeds Crawford's Late.
- Rivers** (Early Rivers)—Large; color creamy white, with a delicate pink cheek; flesh melting, or rather dissolving, with a rich, racy flavor most remarkable. Larger and ripens three or four days after Louise. One of the finest of the early peaches for amateurs' use and market.
- Rivers' Early York**—Medium size; skin marbled with red; flesh so melting and juicy as to dissolve in the mouth, leaving no fibre; one of the first freestones to ripen. Latter part of August.
- ***Salway**—An English peach; large, roundish; skin creamy yellow; flesh deep yellow, juicy, melting, rich. A valuable late peach for market, where it will ripen. It is grown successfully at Keuka Lake in this State.
- Schumaker**—A very early peach, of the type of Alexander, and closely resembling that variety in every way. The skin, however, seems to be higher colored, and the fruit therefore more showy.
- Snow**—A beautiful fruit, medium size; skin and flesh clear creamy white throughout. Tree hardy and productive; blossoms white and shoots greenish; very distinct, and one of the most desirable of white peaches for preserving. Beginning to middle of September.
- Stump the World**—A New Jersey variety; red and white, handsome, good size and fair quality. Very productive. End of September.
- Surpasse Melocoton** (E. & B.)—A large, pale yellow-fleshed peach of the highest quality. A strong grower and productive; raised by us from seed. First to middle of September.
- Susquehanna**—A very large and superb yellow peach from Pennsylvania; melting, rich and fine. Succeeds Crawford's Late.
- ***Walburton Admirable**—An English variety; very large, melting and rich. Quite late.
- Ward's Late**—A fine late peach, resembling the Oldmixon; flesh nearly white; flavor excellent. Ripens with Crawford's Late.
- Waterloo**—Medium to large, round, with a deep suture on one side; skin pale whitish green in the shade, marbled with red and crimson in the sun; flesh greenish white, juicy, vinous, adhering considerably to the stone. Ripens about with Alexander.
- Wheatland**—Large, roundish; skin golden yellow, shaded with crimson on the sunny side; flesh yellow, rather firm, juicy, sweet, and of fine quality. Ripens between Early and Late Crawford. Tree vigorous and healthy.
- NOTE.—Those marked * usually require a longer season than we have in Western New York.

ADDITIONAL VARIETIES OF PEACHES.

Price 25 cents each.

Brevoort.	Globe.	Royal George.	Thurber.
Druid Hill.	Lady Ingold.	Royal Kensington.	Wager.
Elberta.	Mrs. Brett.	Shanghai.	Wonderful.
	Reeve's Favorite.	Stevens Rarripe.	

Besides the above-named varieties we have many others in our experimental grounds, scions or buds only of which can be supplied.

SELECT APRICOTS.

The Apricot is one of the most beautiful and delicious fruits we possess, and its value is greatly enhanced by the season of its ripening—between cherries and peaches.


In the selection of choice garden fruits it is quite indispensable. It succeeds admirably trained in Espalier form, which will be found advantageous in small gardens, as it may occupy a house wall, fence or trellis, leaving the open ground for other trees. In cold sections, too, where the trees get winter-killed, or the blossoms injured by the late spring frosts, these Espalier trees can easily be protected by mat or board screens. For stiff and damp soils they should be on plum stocks; but on light, loamy, gravelly and sandy soils, the peach is better. To protect against the curculio, see directions for the Plum.

PRICES OF APRICOT TREES.

On Peach stock.....	35 cents each; \$3 per dozen.
On Plum ".....	50 " " \$5 "

Alberge de Montgamet—Medium size; very early; juicy and excellent; very hardy; one of the best. Ripe in July.

- Blenheim, or Shipley**—Medium size; juicy and good; ripens ten or twelve days before the Moorpark. Very hardy.
- Breda**—Small, round; dull orange, marked with red in the sun; flesh orange colored, juicy, rich and vinous; parts from the stone; kernel sweet. Tree hardy and prolific. End of July and beginning of August.
- Canino Grosso**—Large, juicy and rich; tree robust and hardy.
- De Coulange**—Large; of fine quality. Ripens in July.
- Early Golden**—Small; pale orange; flesh orange, juicy and sweet. Tree hardy and productive. Beginning of July.
- Early Moorpark**—Medium size; rich, juicy; very fine.
- Hemskerck**—Large, rich and juicy. Resembles Moorpark.
- Kaisha**—Medium size; fine quality; early.
- Large Early**—Large; orange, with red cheek; flesh sweet, rich, excellent; parts from the stone. Tree vigorous and productive. Beginning of August.
- Large Early Montgamet**—Large; early; excellent.
- Malcolm's Breda**—A sub-variety of Breda, said to be as productive and larger.
- Moorpark**—One of the largest and finest Apricots; yellow, with a red cheek; flesh orange, sweet, juicy and rich; parts from the stone; very productive.
- New Large Early (Rivers')**—Large, like the Old Large Early, but very rich.
- Orange**—Medium size; orange, with ruddy cheek; flesh rather dry; requires ripening in the house; adheres slightly to the stone. End of July.
- Oullin's Early Peach**—Large, excellent; very early.
- Peach**—Very large, handsome, rich and juicy. One of the best.
- Purple, or Black Apricot**—Much like a plum; small, pale red, purple in the sun; flesh yellow, juicy and pleasant. It is as hardy as a plum, and therefore worthy of attention where the finest sorts are too tender. August.
- Red Masculine**—Small, but one of the earliest to ripen.
- Royal**—Large; rich; ripens just before the Moorpark; hardy.
- Sardinian**—Small, rich, but not juicy; the earliest.
- St. Ambrose**—One of the largest and finest apricots, ripening about same time as Large Early.
- Turkey**—Large, rich, fine; a little later than Moorpark.



PEACH APRICOT.

SELECT NECTARINES.

The Nectarine requires the same culture and management as the peach, from which it differs only in having smooth skin like the plum. It is peculiarly liable to the attacks of the curculio. The same remedy must be applied as recommended for the plum.

PRICES OF NECTARINE TREES.

On Peach stock.....35 cents each; \$3 per dozen.
 On Plum "50 " " \$5 "

- Boston**—Large, bright yellow, with a red cheek; flesh yellow, sweet and pleasant flavor; freestone. First of September.
- Downton**—Large; greenish white, with a dark red cheek; flesh greenish white, rich and high flavored; one of the best. Freestone.
- Early Newington**—Large; pale green, red in the sun; flesh pale red at the stone, juicy and rich; adheres to the stone.
- Early Violet**—Medium size; yellowish green, with a purple cheek; flesh pale green, melting, rich and high flavored; freestone. Last of August.
- Etruge**—Medium size; greenish yellow, with a dark red cheek; flesh greenish white, juicy and high flavored; excellent. Beginning of September.

- Hardwicke**—Large; pale green, with a violet red cheek; flesh pale green, juicy, melting and rich. End of August.
Late Melting—Greenish white, and red; medium quality. Very late.
Lord Napier—Earliest large Nectarine known.
Milton—Very large; finely flavored. September.
Newton—Very large and fine. September.
Pitmaston Orange—Large; orange and yellow; flesh orange, rich and fine; freestone. An excellent English sort. September.
Red Roman—Greenish yellow and red; flesh greenish yellow, rich and good; freestone. September.
Rivers' Orange—An English variety, raised from Pitmaston; hardy and prolific.
Spenser—Very large; rich and fine; freestone. Late.
Stanwick—An English variety that has attracted much attention. Ripened under glass there, it is pronounced fine.
Victoria—Very large; one of the finest of the English varieties.

SELECT QUINCES.

Price 50 cents each; \$4.00 per dozen except where noted.

- Apple, or Orange**—Large, roundish, with a short neck; of a bright golden yellow color. Tree has rather slender shoots and oval leaves; very productive. This is the variety most extensively cultivated for the fruit. Ripe in October.
Angers—A strong, rapid growing sort.
Rea (Rea's Mammoth)—A very large and fine variety of the Orange Quince. A strong grower and productive. We consider this the best of all the quinces. 75c. each. \$6 per doz.

ADDITIONAL VARIETIES.

75 cents each.

- Champion**—Ripens too late for this region.
Meech's Prolific.

SELECT HARDY NATIVE GRAPES.

PRICES.

Those priced at	20 cents,	\$2.00 per dozen.
“ “	25 “	\$2.50 “
“ “	30 “	\$3.00 “

BLACK GRAPES.

- Barry (Rogers' No. 43)**—Bunch large but rather short; berries large, roundish, much like Black Hamburg; delicate sweet and tender. Ripens with Concord. Vine vigorous and productive. One of the largest and finest of the Rogers' Hybrids. 25c.
Champion—A large grape, of medium quality. Its chief value consists in its earliness, rendering it a valuable sort to plant where the seasons are short. 20c.
Clinton—Bunches small and very compact; berries small; sprightly; when thoroughly ripe is a good table grape and keeps well; valuable for wine. A free, rapid grower and profuse bearer; ripens earlier than the Isabella. Deserves to be more extensively grown by the amateur for the table on account of its valuable keeping qualities. 20c.
Concord—A large, handsome grape, ripening a week or two earlier than the Isabella; very hardy, productive and reliable; succeeds well over a great extent of country, and is one of the most popular market grapes. 20c.
Creveling—A grape of excellent quality; berry medium; bunch somewhat loose; ripening almost as early as the Hartford. 25c.
Eumelan—Bunch good size, generally compact, shouldered; berry medium; flesh tender, sweet; quality excellent; vine moderately vigorous; ripens just after the Hartford. One of the best table grapes, and valuable for the amateur. 25c.

- Hartford**—A hardy, profuse bearing, and tolerably good grape; very early and reliable, and a *valuable market variety on this account*. 20c.
- Herbert** (Rogers' No. 44)—Bunch rather long but compact; berry large; tender, sweet and rich; early and productive. A handsome variety, and one of the best of the Rogers' in quality. 25c.
- Isabella**—Bunches long, large, loose; berries large, oval; juicy, sweet and musky. A vigorous grower, hardy; an immense bearer; a good keeper. 20c.
- Merrimack** (Rogers' No. 19)—Bunch medium to large; berry large; sweet and rich; vigorous and productive; one of the earliest of the Rogers' varieties. 25c.
- Mills**—Raised by William H. Mills, of Hamilton, Ont., by crossing Muscat Hamburg with Creveling. Bunch very large, compact, shouldered, some clusters weighing over twelve ounces. Berry large, round, jet black, covered with a thick bloom; flesh firm, meaty, juicy, breaking with a rich, sprightly flavor. Skin thick; berries adhere firmly to the peduncle. Vine vigorous and productive; foliage large and healthy. Ripens about with the Concord, or a little later, and is a long keeper. \$1.
- Moore's Early**—Bunch medium; berry large, round, black, with a heavy blue bloom; flesh pulpy and of medium quality; vine hardy and moderately prolific; ripens with the Hartford. Its large size and earliness render it desirable for an early crop. 25c.
- Senasqua**—Bunch medium to large, compact; berry medium; tender, juicy, breaking, sweet and rich; ripens with Isabella; vine vigorous and hardy. Fruit cracks sometimes owing to the thin skin. A desirable garden variety. 25c.
- Wilder** (Rogers' No. 4)—Bunch very large, compact, shouldered; berry large, round, black; flesh tender, slight pulp at center, juicy, sweet. Ripens about with Concord. Vine vigorous, hardy and a good bearer. Regarded as one of the best of the black varieties, and on account of its size and beauty is very valuable for market. 25c.
- Worden**—Said to be a seedling of the Concord. Bunch large, compact, handsome; berries large—larger than those of the Concord. It ripens a few days earlier, and is superior to it in flavor. Destined to become very popular for the vineyard and garden. 25c.

RED AND REDDISH PURPLE GRAPES.

- Agawam** (Rogers' No. 15)—One of the best of the red varieties; bunch variable in size; sometimes large and handsome; flesh tender and juicy. Vine a good grower and bearer. 25c.
- Brighton**—Resembles Catawba in color, size and form of bunch and berry. Flesh rich, sweet, and of the best quality, equal, if not superior to Delaware; ripens early, with the Delaware, Eumelan and Hartford. Vine productive and *vigorous*, but in some localities is subject to mildew. 25c.
- Catawba**—Bunches large and loose; berries large, of coppery red color, becoming purplish when well ripened; vinous, rich; requires the most favored soils and situations, good culture and warm seasons to mature perfectly in Western New York. 20c.
- Delaware**—One of the finest of our native grapes. The vine is comparatively slender, but grows freely, and is perfectly hardy in this climate; ripens early. Bunch small and compact; berries small, light red, with a violet bloom, beautiful; sweet, sugary and vinous, with a musky aroma. It justly claims a place in every garden. 25c.
- Diana**—About the same size and color of the Catawba, of which it is supposed to be a seedling; a beautiful and delicious grape; ripens about the same time as the Isabella. Vine remarkably vigorous; rather a shy bearer while young. 25c.
- Gartner** (Rogers' No. 14)—Bunch large; berry very large, round; skin thick; color a beautiful light red, with bloom, fruit almost transparent; pulp tender, sweet, pleasant rich. The most showy grape in our collection. Vine vigorous and productive. Desirable either for the garden or vineyard. 25c.
- Iona**—Bunch medium to large, shouldered; flesh soft, tender, juicy, brisk sub-acid, high flavored, sprightly and refreshing; keeps till mid-winter with its freshness unimpaired. In this locality one of the finest table grapes. A little earlier than Catawba. Should be in every garden where the climate admits of its being ripened. It must not be allowed to overbear. 20c.
- Lindley** (Rogers' No. 9)—Bunch medium, somewhat loose; berry medium to large, round; color a rich shade of red, rendering it a very handsome and attractive grape; flesh tender, sweet, with a rich, aromatic flavor; ripens soon after the Delaware; vine vigorous and productive. It sometimes fails to set a full crop. We regard it as one of the best red grapes in our collection. 25c.
- Massasoit** (Rogers' No. 3)—Bunch medium, rather loose as the fruit does not always set well; berry medium, brownish red; flesh tender and sweet; very good; one of the best flavored of the Rogers'. Early as Hartford. A desirable garden variety. 25c.
- Rochester**—A seedling of ours. Bunch large, shouldered, frequently double shouldered, very compact. Berries medium to large, round, dark purple or purplish lilac, peculiar, with thin white bloom. Flesh very sweet, vinous, rich and aromatic. Vine a remarkably vigorous grower; wood short-jointed and hardy; foliage, large, thick, healthy; has never been known to mildew in our grounds. It requires ample room and rather long pruning. Ripe usually first week in September. The fruit always sets well, and it has never failed to ripen in the worst of seasons since it first bore. 75c.
- Salem** (Rogers' No. 53)—Bunch large, compact; berry large, round, coppery red; flesh tender, juicy; slight pulp; in quality one of the best. Ripens with Concord. Vine healthy, vigorous and productive. One of the most popular of the Rogers'. 25c.
- Uister Prolific**—Bunch and berry of medium size; color red, bright and attractive; quality good. Season early. Plant vigorous, healthy and productive. One of the most promising of recently introduced sorts. 25c.
- Vergennes**—Originated in Vermont. Bunch of medium size, somewhat loose, not uniform; berry large, round; skin thick, tough, red, overspread with a thick bloom; flesh quite pulpy, flavor pleasant but not rich. Vine vigorous, hardy, healthy and productive. Ripens with Concord. Keeps well. Possesses qualities which render it desirable in some localities. 25c.



BRIGHTON.

WORDEN.

NIAGARA.


WHITE GRAPES.

- Duchess**—Bunch medium to large, long, shouldered, compact; berries medium, roundish; skin thick, generally dotted with small black spots about the size of a pin's head; color light green at first, becoming greenish yellow when ripe, fruit almost transparent; flesh tender without pulp, juicy, sweet, crisp, rich, and in quality ranks as best. Vine vigorous and productive here. The foliage is said to mildew in some localities. Ripens early, before the Concord. 25c.
- Lady**—Said to be a seedling of the Concord. Bunch medium; berry medium to large; skin thin; color light greenish yellow, with white bloom; pulp tender, sweet and pleasant without much character. Vine hardy and vigorous. A valuable early white grape. 25c.
- Martha**—Bunch medium, moderately compact, shouldered; berry medium, roundish; flesh somewhat pulpy; a little foxy, but good; ripens earlier than Concord. Vine hardy and vigorous. 20c.
- Moore's Diamond**—Originated by Jacob Moore. A pure native, bunch large, compact; berry medium size; color greenish white with a yellow tinge when fully ripe; flesh juicy and almost without pulp; quality very good; Vine vigorous and productive. Very promising. 25c.
- Niagara**—Said to be a cross of Concord and Cassady. Bunch medium to large, compact, occasionally shouldered; berry large, roundish, uniform; skin thin but tough, pale green at first, changing to pale yellow when fully ripe, with a thin whitish bloom; flesh slightly pulpy, tender, sweet, not quite equal to the Concord. Before it is fully matured it has a very foxy odor, which disappears, to a great extent, later. Vine remarkably vigorous, healthy and productive; foliage thick and leathery. Ripens with the Concord. All things considered, probably the most valuable white grape in cultivation. 25c.
- Pocklington**—A seedling of the Concord. Bunch medium to large, generally shouldered; berry large, roundish, light golden yellow when fully mature; flesh pulpy, juicy, of fair quality; vine very hardy, healthy, vigorous and productive; leaves large, tough and downy; ripens after the Concord. It will require favorable seasons, and good locations to ripen it satisfactorily in this region. 25c.
- Rebecca**—A fine and delicious grape; berry and bunch medium size; vine a *moderate*, slender grower but an abundant bearer; quite hardy; ripens almost as soon as the Delaware. We regard it as the highest flavored of our native grapes; recommended particularly for careful garden culture. It does well grafted on a strong growing sort. 25c.
- Winchell**—A new white grape, very valuable on account of its fine quality and earliness, and the vigor, hardiness and productiveness of the vine. In our large collection, it is the first white grape to ripen, and we conclude after several seasons' trial, that it is a variety of great merit. This and *Green Mountain* have proved to be identical. (See cut.) 1 yr., 50c. 2 yrs., 75c. each.



NEW GRAPES AND OTHERS NOT FULLY TESTED HERE.

- Colerain (New)**—Originated by D. Bundy, at Colerain, Ohio. "Color a light green, with delicate whitish bloom; size medium; ripens early, and hangs well on the bunch; a good grower and abundant bearer; skin thin and tender; flesh juicy and remarkably sweet." \$1.00.
- Eaton**—Bunch large, compact. Berries very large, round, black, covered with a thick blue bloom. In general appearance of the bunch and berry it strongly resembles Moore's Early. Skin thick; very juicy with some pulp. A large, showy grape. \$1.00 each.
- Golden Drop**—A native raised by Pringle. Resembles Delaware in bunch and berry; color yellowish white with a tinge of red in the sun; flesh tender, juicy, rich, delicate, without the slightest foxiness; vine a good grower and bearer. Ripens with Delaware. Promising as an amateur grape. 50c.
- Jefferson**—Bunch medium, shouldered, compact; berry medium to large; skin thick, light red, covered with bloom; flesh meaty, tender, sprightly, rich, fine quality. Vine vigorous, healthy. Resembles Iona. One of the most promising of the newer grapes, but we fear it is too late for this locality, as it seems to ripen only in very favorable seasons. Farther south it will be valuable. 25c.
- Woodruff Red**—A large and handsome red grape of medium quality. Vigorous, hardy and prolific. Esteemed for market in some localities. 50c.



BIRDS-EYE VIEW OF THE HOME GROUNDS OF THE MOUNT HOPE NURSERIES.

BLACKBERRIES.

In the garden, plant in rows about five feet apart, and four feet apart in the rows. In the field, plant in rows, six feet apart, and three feet apart in the rows. Treat the same as Raspberries. They may be planted in the Fall or Spring.

PRICE, 50 CENTS PER DOZEN, \$2.00 PER 100, EXCEPT WHERE NOTED.

Agawam—Of medium size, jet black, sweet, melting to the core. Plant hardy and very prolific. A fine early variety.

Ancient Briton—Medium size, melting, without core. Hardy and very prolific. One of the best.



(Natural Size.)

Dorchester—Medium to large, oblong, shining black; juicy and of good quality; a strong grower and moderate bearer.

Early Cluster—Medium to large; of best quality, sufficiently firm to ship, although sweet and having no hard core. Plant vigorous, hardy, healthy and productive; ripens about with Wilson's Early.

Early Harvest—Of small size, fair quality and very early; plant vigorous and productive. Tender.

Erie—Fruit large, of good quality; plant hardy, vigorous and productive. Early. 75c. per dozen; \$3.00 per 100.

Kittatinny—Large, roundish, conical, glossy black; juicy, sweet, excellent when fully ripe; one of the most valuable sorts for general planting. Requires protection in some localities.

Minnewaski—Large, early, very hardy. A great bearer. \$1.00 per dozen.

New Rochelle, or Lawton—Large, oval, black; juicy, sweet, excellent when fully ripe; well known.

Snyder—Medium size; sweet and melting to the core; very hardy and wonderfully productive; valuable for home use and market.

Stone's Hardy—Of medium size; good quality, very hardy and productive. Ripens after the Snyder.

Taylor—As hardy as the Snyder; large and of excellent quality.

Wachusett—Fruit of medium size, oblong, oval; moderately firm, sweet and of good quality; is a good keeper and ships well. It is also hardy and comparatively free from thorns.

Wilson's Early—Fruit large; very productive; early. In some sections of the country it has to be protected.

Wilson, Jr.—Large; luscious and sweet, as soon as colored. Plant hardy; ripens earlier and is said to be more productive than its parent. See Cut.

DEWBERRY.

Lucretia—A trailing variety of the Blackberry, ripening between the Raspberry and Blackberry. Fruit large and handsome. 50c. per dozen.

CURRANTS.

Currants can be successfully planted in the Fall or Spring. Being perfectly hardy, they do not suffer injury from the Winter.

To destroy the currant worm, dust the plants with white hellebore, when they are wet with dew. Care must be taken not to breathe the hellebore, as it causes violent sneezing.

PRICE, \$1.00 PER DOZEN; \$5.00 PER 100, EXCEPT WHERE NOTED.



VICTORIA CURRANT (Natural Size).



WHITE GRAPE CURRANT (Natural Size).

Black Champion—A variety from England; pronounced to be the finest Black Currant ever brought to notice. The bunches are said to be very large and the flavor of the fruit excellent. 25c. each; \$2.00 per dozen.

Black English—Well known; esteemed by many for jellies, etc.

Black Naples—Similar in appearance and flavor to the preceding, but larger and every way finer.

Cherry—The largest of all red currants; bunches short; plant vigorous and productive

Fay's Prolific—A new variety, which we think to be more prolific than the cherry, and with longer clusters.

Price for yearling plants, 10 cents each; \$1.00 per dozen.

Price for 2 year old plants, 15 cents each; \$1.50 per dozen.

Lee's Prolific—Black, larger than Black Naples and very productive.

Prince Albert—Berry large, light red, bunch long; an erect grower and immense bearer; foliage distinct; ripens late; valuable.

Prince of Wales—Black.

Red Dutch—An old, well known sort; berry of medium size and of good quality; bunch long, plant an upright grower and very prolific.

Short Bunched Red, or London Red—A strong, upright grower, with large berries and short bunches; grown for market around London. A good sort.

Versaillaise (La Versaillaise)—A French variety, resembling the cherry; of very large size, great beauty and productiveness.

Victoria—Large, bright red; bunches very long; an erect grower; late, productive and very valuable. This and Prince Albert extend the currant season into September; one of the best. (See cut.)

White Dutch—Well-known, of medium size and excellent quality.

White Grape—Very large; mild and excellent; the best table variety. This is very distinct from the White Dutch. (See cut.)


GOOSEBERRIES.

ENGLISH VARIETIES.

The Gooseberry wants annual manuring to sustain its vigor. The American varieties need close pruning every year. The English kinds require but little pruning. They may be planted in the Fall or Spring.

PRICE, 25 CENTS EACH; \$2.50 PER DOZEN.

Crown Bob—Large; roundish oval, red, hairy; of first quality.



INDUSTRY GOOSEBERRY (Natural Size).


Industry—Large; oval, dark red, hairy; rich and agreeable. Although this is a foreign variety it has succeeded admirably on our grounds, where it has fruited extensively for several years. We can confidently recommend it, both for the garden of the amateur and the market plantation. The plant is remarkably vigorous and productive and the fruit large, beautiful and of excellent quality. Where shoots are left long, they fruit to the very tips. We regard it as, on the whole, the best foreign Gooseberry ever introduced. (See cut.)

Whitesmith—Large, roundish oval; yellowish white, slightly downy; of first quality.

AMERICAN VARIETIES

\$1.00 PER DOZEN EXCEPT WHERE NOTED.

Columbus—We take pleasure in offering a new American Seedling Gooseberry of the English type. It is of large size, oval in form, skin greenish yellow, smooth; of the finest quality. Plant a strong robust grower with large spines or thorns. Foliage large and glossy. Has never shown a trace of mildew. We confidently recommend it as one of the best of its class. Strong plants 50c. each, \$4.00 per dozen.



COLUMBUS GOOSEBERRY (Natural Size).

- Downing**—A seedling of Houghton. Fruit large, two to three times the size of Houghton; whitish green; flesh soft, juicy, good; plant vigorous and prolific; excellent for family use, and very profitable for market.
- Houghton**—A vigorous grower; branches rather slender; very productive; not subject to mildew; fruit of medium size; skin smooth, pale red; flesh tender and good.
- Pale Red** (American Seedling)—A rapid, vigorous grower, and an enormous bearer; medium size; red, good; never mildews.
- Smith's** (Smith's Improved)—Grown from the seed of Houghton; fruit large, oval; light green; flesh moderately firm, sweet and very good; plant vigorous and productive.
- Triumph**—An American seedling of the English type; large golden yellow; hardy and an immense bearer. Very promising. 50c. each, \$4.00 per dozen.

RASPBERRIES.

To keep a raspberry bed in good productive condition, the old, weak and dead wood should be cut out every season, to give strength to the young shoots for the next year's bearing. In spring the weakest suckers should be removed, leaving five or six of the strongest in each hill. The ground should be spaded and a top dressing of manure given.

PROTECTION.—To guard against injury by the Winter, the canes may be tied to stakes and covered with straw, or they may be laid down in the Autumn and covered with a few inches of earth, leaves, litter or branches of evergreens.

They can be planted in the Fall or Spring with success. **Black Caps cannot be planted in the Fall.**

PRICE, 75 CENTS PER DOZEN, \$3.00 PER 100, EXCEPT WHERE NOTED.

FOREIGN VARIETIES AND THEIR SEEDLINGS OF AMERICAN ORIGIN.

☞ All the varieties in this class require protection in winter.

Antwerp, Yellow or White—Fruit large, pale yellow; sweet and rich; a beautiful and excellent fruit; canes thickly covered with greenish spines. 50c. per doz., \$2.00 per 100.

Champlain (new)—Originated from seed of the White Antwerp which it resembles in color and size of fruit. A stronger grower and more prolific than the parent. In quality ranks as best; superior to Caroline or Golden Queen. (See cut.) Valuable for the amateur. 50c. per dozen, \$2.00 per 100.

Clarke—Large, light red; moderately firm; *high flavored*; a strong grower; productive and very hardy. One of the best red raspberries for home use. 50c. per doz., \$2.00 per 100.

Fastolf—Large, purplish red; rather soft; juicy; high flavored; productive; very desirable for home use.

Fontenay (Belle de Fontenay, Henrietta, Amazon)—Very large, roundish, conical; purplish red; sprightly, rich, firm; plant dwarf, stout; luxuriant foliage, suckers abundant; needs to be well thinned out. Produces a second crop in Autumn if the canes are cut to the ground in Spring. The best autumnal bearing variety.

Franconia—Large, purplish red; juicy, a little acid, but of fine quality; canes strong and productive; season medium to late.

Herstine—Fruit large; oblong; crimson, moderately firm; juicy, flavor sub-acid and very good; an abundant bearer; season early to medium; *one of the best*. 50c. per dozen, \$2.00 per 100.

Hornet—A French variety, very large, conical; crimson red. Of the best quality; a vigorous, upright grower; season late; *valuable for home use*. \$1.00 per doz.

Hudson River Antwerp—Fruit large, conical; red, with a slight bloom; flesh firm, and of excellent quality. Its productiveness and firmness of flesh render it one of the most popular market varieties.



CHAMPLAIN. (Natural size).




Copyrighted
1892
BY ELLWANGER & BARRY.

SUPERLATIVE RASPBERRY (Natural Size). New.

- Knevelt**—Very large and handsome, red; juicy, soft, of good quality; *very desirable for the family garden.*
- Orange** (Brinckle's)—Large, orange yellow; beautiful and delicious; the best yellow in cultivation; plant tender, but when protected, very productive. \$1.00 per dozen, \$4.00 per 100.
- Superlative** (new)—Large, conical, handsome; dull red; six good fruit weigh an ounce; flavor very fine; *par excellence* a dessert kind. Canes stout, supporting themselves; a very heavy cropper. We take great pleasure in recommending this splendid novelty, believing it to be, so far as we have tested it, a great advance on all existing sorts in this class. Hardy here. (See cut.) 25c. each; \$2.50 per dozen.

AMERICAN SPECIES AND VARIETIES, BLACK CAP, ETC.

- Brandywine** (Susqueco)—Large, bright red; very firm; of medium quality; valuable for market, as it ships well. Season medium. 50c. per dozen, \$2.00 per 100.



(Natural Size.)

- Caroline**—A yellow variety; medium to large; orange red; moderately firm; very hardy and prolific; a strong grower; ripens early; of fair quality. 50c. per doz., \$2.00 per 100.



GOLDEN QUEEN RASPBERRY (Natural Size).

- Cuthbert** (Queen of the Market)—Medium to large, conical, deep rich crimson; very firm; a little dry, but sweet and good, nevertheless. Very hardy. Season medium to late; unquestionably *one of the best varieties for market.* 50c. per dozen, \$2.00 per 100.

- Golden Queen**—Large, beautiful amber color; firm and of fine quality. Plant vigorous, hardy and remarkably productive. 50c. per doz., \$2.00 per 100.
- Gregg**—One of the most valuable varieties of the Black Cap family; fruit larger than the Mammoth Cluster, but not quite so good in quality; ripens some days later; hardy, a vigorous grower and great yielder. 50c. per dozen, \$1.50 per 100.
- Hansell**—Medium to large, bright crimson, firm; flavor fine; canes vigorous, hardy and productive; earliest of all. 50c. per dozen, \$2.00 per 100.
- Johnston's Sweet**—Black Cap; hardy and productive; quality delicious. 50c. per dozen, \$2.00 per 100.
- Mammoth Cluster**—A large and very productive variety of the Black Cap. Quality good; ripens just after Souhegan, and precedes the Gregg. 50c. per dozen, \$1.50 per 100.
- Marlboro**—The best early red Raspberry for the North, ripening soon after the Hansell; hardy and productive. 50c. per dozen, \$2.00 per 100.
- Ohio**—A variety of the Black Cap much esteemed for drying; plant hardy and prolific; fruit of good quality. 50c. per dozen, \$1.50 per 100.
- Rancocas**—An early red Raspberry. 50c. per dozen, \$2.00 per 100.
- Reliance**—Large, roundish; dark red; firm, with a pleasant, sprightly acid flavor; hardy, vigorous and very productive; a valuable sort. 50c. per dozen, \$2.00 per 100.
- Shaffer's Colossal**—Fruit large, purple, soft, with a sprightly sub-acid flavor; plant very vigorous, hardy and productive. Much esteemed in some localities. Season medium to late. 50c. per dozen, \$2.00 per 100.
- Souhegan, or Tyler**—Large, black, without bloom and of medium quality. Plant very hardy and a great bearer; ripens a little before Mammoth Cluster. 50c. per dozen, \$1.50 per 100.
- Thompson's Early Prolific**—Recommended for its early ripening. Berry medium size, red, vigorous and productive. 50c. per dozen, \$2.00 per 100.
- Turner**—Medium size; red; moderately firm; juicy and sweet; vigorous and prolific if the suckers are kept down, of which it is very productive. Much esteemed for its good quality and the great hardiness of the plant. Season early. 50c. per dozen, \$2.00 per 100.

STRAWBERRIES.

DIRECTIONS FOR CULTURE.

The Soil and its Preparation.—The Strawberry may be successfully grown in any soil adapted to the growth of ordinary field or garden crops. The ground should be *well* prepared by trenching or plowing, at least eighteen or twenty inches deep, and be *properly enriched* as for any garden crop. It is unnecessary to say that, if the land is wet, it must be thoroughly drained.

To Cultivate the Strawberry.—For family use, we recommend planting in beds four feet wide, with an alley two feet wide between. These beds will accommodate three rows of plants, which may stand fifteen inches apart each way, and the outside row nine inches from the alley. The beds can be kept clean, and the fruit can be gathered from them without setting the feet upon them.

Culture in Hills.—This is the best mode that can be adopted for the garden. To obtain fine, large, high-flavored fruit, pinch off the runners as fast as they appear, repeating the operation as often as may be necessary during the summer and early autumn. Every runner thus removed produces a new crown in the center of the plant, and in the fall the plants will have formed large bushes or stools, on which the finest strawberries may be expected the following season. In the meantime, the ground among the plants should be kept clear of weeds, and frequently stirred with a hoe or fork.

Covering in Winter.—Where the winters are severe, with little snow for protection, a slight covering of leaves or litter, or the branches of evergreens, will be of great service. This covering should not be placed over the plants until after the ground is frozen, usually from the middle of November till the first of December in this locality. Fatal errors are often made by putting on *too much* and *too early*. Care must also be taken to remove the covering in the spring, just as soon as the plants begin to grow.

Mulching to Keep the Fruit Clean.—Before the fruit begins to ripen, mulch the ground around the plants with *short* hay or straw, or grass mowings from the lawn, or anything of that sort. This will not only keep the fruit clean, but will prevent the ground from drying or baking, and thus lengthen the fruiting season. Tan bark can also be used as mulch.

A bed managed in this way will give two full crops, and should then be spaded or plowed down, a new one in the meantime having been prepared to take its place.

TO ASCERTAIN THE NUMBER OF PLANTS REQUIRED FOR AN ACRE.

The number of plants required for an acre, at any given distance apart, may be ascertained by dividing the number of square feet in an acre (43,560), by the number of square feet given to each plant, which is obtained by multiplying the distance between rows by the distance between the plants. Thus, strawberries planted three feet by one foot, give each plant three square feet, or 14,520 plants to the acre.

LAYER PLANTS.

The plants which we usually furnish are well rooted layers from the open ground. This has been our practice for over fifty years, and we have never had any reason to think that this mode of growing was not a success.

PLANTS BY MAIL.

For the convenience of those who cannot be reached by the express companies, we will forward by mail, prepaid, layer plants of all the varieties enumerated in this list. *At the dozen rate the plants will be mailed at the prices annexed, without extra charge. At the hundred rate, if sent by mail, 25 cts. additional per hundred plants must be remitted for postage. POT GROWN PLANTS CANNOT BE SENT BY MAIL.*

POT GROWN PLANTS.

READY FOR SHIPMENT AFTER JULY 15TH.

Of late this kind of plant has become very popular, and is almost exclusively employed for garden planting. The failures are few, and much care and labor are avoided. We grow the plants in thumb pots, and when they are well established and ready to ship, we turn them out of the pots, preserving the ball of earth around the roots and wrapping it in paper. In this way, during the hottest weather in July and August, plants can be transported safely. *Plants set out in July or August will yield a moderate crop next season. These cannot be sent by mail. A SEPARATE LIST OF POT GROWN STRAWBERRIES IS ISSUED ANNUALLY IN JULY, AND WILL BE MAILED FREE.*

STANDARD WELL-TRIED VARIETIES.

Those marked (P) have pistillate or imperfect flowers, and must be planted near perfect flowering kinds, in order that the flowers may be fertilized. The varieties not so marked, are bi-sexual or perfect flowering, and can be planted alone.

PRICE, FOR LAYER PLANTS, **40 CENTS PER DOZEN, \$1.00 PER 100, EXCEPT WHERE NOTED.**

- Beder Wood**—Large, roundish conical, bright scarlet, moderately firm, fair quality; plant vigorous and very productive. A very valuable early sort for home use or near market, following Michel's Early.
- Bubach** (No. 5) (P)—Fruit large and handsome, roundish conical, bright scarlet, moderately firm, of fair quality; plant a strong grower, with large, healthy foliage, and very productive; succeeds on light or heavy soil. Desirable for home use and near-by market. This has proved to be one of the best Strawberries. Season early to medium.
- Charles Downing**—Fruit large, conical, pretty regular; scarlet, firm, juicy, sweet, rich; plant vigorous and productive; a valuable sort for family use and for market; like the Wilson adapted to a great variety of soils; season medium.
- Crescent** (P)—Medium to large, conical, slightly depressed at the apex; color bright scarlet; flesh soft, quite acid; plant very vigorous and hardy, and for productiveness has scarcely an equal; very profitable for home market; season early to late.
- Cumberland**—Very large, ovate conical, regular and uniform; handsome and showy; color beautiful light red; flesh moderately firm, pleasant and agreeable; plant vigorous and productive; too soft for shipping long distances, but valuable for amateur and near market; considered one of the best; season medium.
- Gandy**—Large and handsome, roundish conical, uniform in size and shape; bright scarlet; firm, fair quality; vigorous and productive; a valuable late variety.
- Haverland** (P)—Large, long, light red; moderately firm, medium quality, ripens all over. Very vigorous and healthy and a great yielder; a valuable addition to the list of varieties for home use or near market; needs to be well mulched to keep fruit clean; season early.
- Lovett**—(Lovett's Early), Large, roundish conical, uniform, seldom ill-shaped, bright crimson, quality good. A variety of merit, not early, but continuing good through the season. We regard it as one of the best of recent introduction.
- Michel's Early**—This is the first variety to ripen here; berry medium to large, roundish, bright crimson, firm, fair quality; plant a strong grower and a good bearer. We consider this valuable, on account of its earliness and productiveness.

- Parker Earle**—Uniformly large, regular, conical with a short neck; color glossy scarlet crimson; ripens all over; flesh moderately firm, no hollow core; quality good; flowers perfect, always setting perfect fruit. Plant very vigorous, healthy and remarkably productive. Its robust habit renders it capable of enduring extremes of heat and cold, and to thrive on a great variety of soils. One of the most profitable Strawberries.
- Sharpless**—Introduced by us. We have fruited it extensively, and regard it as one of the very largest and best Strawberries in cultivation. Plant very hardy, enduring both heat and cold without injury here. To secure the best results, we advise "hill culture."
- Wilson**—Medium to large; dark red; very hardy, vigorous and productive. The most widely-known and universally-successful Strawberry grown. Holds its own wonderfully.

NEW AND RECENTLY INTRODUCED VARIETIES OF PROMISE.

Under this heading we embrace such of the newer kinds as we have not yet tested sufficiently to justify a decided opinion as to their value. Among many new kinds these appear to be the most promising, and we hope all may prove worthy of a permanent place on our list, after longer trial.

- Brandywine**—A new variety which originated at Westchester, Pa., and which comes very highly recommended. Described as of immense size and fine quality; quite firm and shapely for so large a berry; season medium to late. Price 50c. per dozen; \$1.50. per 100.
The editor of the *Rural New Yorker* considers it the best variety in the collection at the Rural Experiment Grounds.
- Greenville (P)**—Originated near Greenville, Ohio. Berries of large size, good quality, very productive, season medium to late, plant very vigorous. This variety is of recent introduction, but has already become popular in many parts of the country.
- Marshall**—Very large, roundish, dark rich crimson; quality very good, firm; plant vigorous, productive; season medium to late. This seems to us to be the most promising among the newer kinds, and therefore, deserves careful trial. Price 50c. per dozen; \$1.50 per 100.
One of our customers writes: "The Marshall Strawberry plants you furnished me last year were more than a success; they are much the best very large berry I have ever fruited. The fruits were immense in size and held it until the end in a remarkable degree."
- Timbrell (P)**—Large to very large, dark crimson, very firm, a good shipper; plant strong and healthy; very prolific; season late.
- Williams**—From Canada. Uniformly large, handsome, productive and of good quality. Quite promising.

ADDITIONAL VARIETIES.

In addition to the preceding we have a large number of varieties, some of which are new and have not fruited with us sufficiently to determine their value definitely; others have been tested on our grounds, but have not proved valuable enough to place in the select list; they may, however, be popular in certain localities. Price of such as we have to offer will be given on application.

FOREIGN VARIETIES.

PRICE, FOR LAYER PLANTS, 75 CENTS PER DOZEN, \$2.00 PER 100.

- Alpine Bush**—Without runners; red and white; same size, flavor, etc., as Alpine Wood; makes a fine edging, and bears from June to October.
- Alpine Wood**—With runners; red and white; very hardy and prolific; fruit small, flavor musky and agreeable.
- Belle Bordelaise**—A variety of Hautbois; medium size; dark red; flesh white, juicy, with a high musky flavor; for the table unrivalled. Plant very ornamental. Season medium to late.
- Montreuil**—A fine large variety of the Alpine; very productive; should be in every garden where choice fruit is desired. One of the best of this class.
- Royal Hautbois**—Large, with the true musky, Hautbois flavor; a most abundant bearer. Season medium to late; desirable for the garden.
- Triomphe de Gand**—Very large, conical, often flattened; glossy crimson; firm, high quality; hardy. Only a moderate grower. Valuable for the garden. Hill culture for it is the best. Season medium to late.

FIGS.

Price 50 cents each.

- Angelique**—Medium; skin yellow; flesh rose colored; very good.
- Black Ischia**—Medium; skin deep purple; flesh sweet, rich.
- Brown Ischia**—Medium size; rich and excellent.
- Castle Kennedy**—Very large.
- Col. de Signora Bianca**—Large; skin greenish white; flesh red.
- Early Violet**—Brownish purple; small; very hardy and bears abundantly.
- Madeleine**—Medium size; pale greenish yellow; flesh rose colored; bears abundantly.
- Madeleine Early**—Large; skin gray; flesh white; very productive.
- Pregussata**—Small; round; skin purplish brown; flesh deep red; rich and luscious.
- Roi du Noir**—Black.
- Turkey**—Brownish purple; large, rich and excellent.
- White Genoa**—Large; yellowish white; flesh tinted with red; very rich and good.

REMARKS—Figs may be grown as bushes in the garden, in the Northern States, if they are taken up annually, the first week in November, with a ball of earth attached to the roots, and placed in a cellar till about the middle of May, when they should be taken out and replanted. Most all of them ripen in August.

MISCELLANEOUS FRUITS.

Almonds —Sweet Hard Shell.....	50 cents each.
Soft Shell	50 " "
Chestnuts —Common American.....	50 " "
Spanish, or Marron, very large and fine.....	50 " "
Filberts —Kentish Cob.....	50 " "
White	50 " "
Mulberry —Downing's Everbearing.....	50 " "
New American, one of the best; hardy; fruit of excellent quality, ripe from June 15 to Sept. 20.....	50 " "
White	25 " "
Walnuts —American Black	50 " "
American Butternut.....	50 " "
English, or Madeira Nut.....	50 " "
English Dwarf Prolific (Preparturicens). A valuable dwarf variety that bears when quite small.....	\$1.00 "



FRUIT OF NEW AMERICAN MULBERRY.


ESCULENT ROOTS.

Asparagus —Conover's Colossal, 2 years.....	\$2 00 per 100
Barr's Mammoth, 2 years.....	2 00 " "
Palmetto, 2 years.....	2 00 " "

DIRECTIONS FOR PLANTING ASPARAGUS.

Prepare the ground by trenching to the depth of two feet mixing each layer of soil, as turned over, with two or three inches of well-rotted manure. For private use or for marketing on a small scale, beds should be formed 5 feet wide, with three rows planted in each; one in the middle, and one on each side, a foot from the edge; the distance of the plants in the rows, 9 inches; the alleys between the beds should be two feet wide. In planting, a line is set and a cut made, a little slanting, to the depth of 6 or 8 inches, according to the size of the plants. The plants are then laid against the side of the trench, at the distance already named—9 inches—care being taken to properly spread the roots. The crown or top of the plant should be covered about 2 inches. In a week or so after planting the beds should be touched over lightly with a sharp steel rake, which will destroy the germinating weeds.—*Gardening for Profit.*

Rhubarb	15 cents each; \$1 50 per doz.
Brabant Colossal.....	Magnum Bonum.
Early Scarlet; rather small early, good.....	Paragon.
Early Crimson (E. & B.), blood red, tender, rich.....	Prince Albert.
Early Prince.....	Scarlet Nonpareil.
General Taylor.....	Sangster's Prince of Wales.
Giant.....	Scofield's Prince Albert.
Golden Syrup.....	Tobolsk.
Marshall's Royal Linnæus.....	Victoria.
	Myatt's Linnæus; the largest and best of all.



THE ELLWANGER & BARRY MEMORIAL PAVILION, HIGHLAND PARK.
Diameter, 62 feet; Height, 46 feet; Floors, three; Material, wood.




THE LATE PATRICK BARRY.



GEORGE ELLWANGER.

THE FOUNDERS OF THE MOUNT HOPE NURSERIES.



Dwarf Eucyprins.

Magnolia Macrophylla.

Cut-leaved Birch.

Northam's Fir.

A VIEW IN THE GROUNDS OF THE MOUNT HOPE NURSERIES.

PART II.

ORNAMENTAL DEPARTMENT.

BRIEF SUGGESTIONS TO PLANTERS.

WHAT TO PLANT.

In this and similar climates, where great extremes of temperature are experienced, it is necessary to employ only the most hardy ornamental trees and shrubs. Impressed with the importance of this fact, and in order that our customers may be spared much disappointment and expense, we have omitted from our catalogue, as far as possible, everything which is liable to suffer from severe cold.

We have also taken great pains to secure, both at home and abroad, all valuable hardy material so as to render our assortment of this class as complete as possible. An examination of the catalogue shows what an extensive variety of stock is offered, enabling the planter by a judicious use of the same to accomplish any desired result with perfectly hardy trees, shrubs and plants.

For the convenience of Planters we have grouped the trees under the following heads: Trees remarkable for their flowers, Trees of drooping habit, Trees with variegated and colored foliage, Trees with cut or dissected foliage. The shrubs have been similarly arranged, and parties desiring to make selections for particular purposes will find this classification useful.

For Parks and Extensive Grounds.—No difficulty can be experienced by any one in making selections for this purpose. But we cannot impress too strongly upon Planters the importance and value of flowering shrubs for effective masses and groups. There are many who imagine that the Rhododendron and Azalea are indispensable. This is a great error. In this latitude both Rhododendron and Azalea require prepared soil and protection, while hardy shrubs like the Weigela, Deutzia, Spiræa, Hardy Hydrangea, Japan Quince, Double-flowering Almond, Lilac, Viburnum, Althæa, Pæony, Phlox and Japan Anemone, when planted in masses, produce a magnificent effect, need no protection, and demand little skill or care in their management. What grand masses of bloom can be had throughout the season by a proper use of the various families! Then the purple and variegated-leaved trees and shrubs may also be planted in such a manner as to afford a rich and striking contrast.

Groups of flowering trees form superb objects at the blossoming season, and it is strange that Planters do not employ them more.

Highly effective groups can be formed of trees and shrubs possessing bright-colored bark in winter.

For Lawns and Small Places.—Whatever specimens are planted should be of the finest species, of moderate size, of graceful habits of growth and handsome foliage.

A pendulous tree or one with variegated foliage may be occasionally introduced, and will add to the beauty of the grounds. Depend mainly upon dwarf shrubs for small places, and in selecting aim at securing a succession of bloom. Dwarf evergreens are very useful, and in small grounds hardy herbaceous border plants can be used with the most satisfactory results; a proper selection will afford as much bloom as ordinary bedding plants, and at half the trouble and expense.

WHEN TO PLANT.

Deciduous Trees, Shrubs and Vines can be planted either in Spring or Fall. In localities where the winters are very severe we recommend Spring planting. Spring is the best time for evergreens generally.

HOW TO PLANT.

Preparation of the Roots.—Cut off smoothly all bruised or broken roots up to the sound wood. This prevents their decaying and hastens the emission of new roots and fibres.

Preparation of the Top.—This consists in cutting back the top and side branches in such a way as to correspond with the more or less mutilated roots, as follows:

Trees with branching heads, should have the small branches cut clean out, and the larger ones, intended for the frame work of the tree, cut back to within two or three buds of their base.

In cases where there is an abundant root, and small top or few branches, the pruning need be very light, but where the roots are small and the top heavy, severe pruning will be necessary. These remarks are applicable to all deciduous Trees and Shrubs. Evergreens seldom require pruning, but *Arbor Vitæ* and other Evergreens planted in hedge rows may be advantageously shorn immediately after planting.

Directions for planting, mulching, staking and after culture, same as for fruit trees (see Hints in Fruit Department, page 8).

PRUNING.

Pruning, as practiced by some people, has the effect to render trees and shrubs unnatural and inelegant. We refer to the custom of shearing trees, particularly conifers, into cones, pyramids and other unnatural shapes. Every tree, shrub and plant has a habit of growth peculiar to itself, and this very peculiarity is one of its beauties. If we prune all trees into regular shapes we destroy their identity. The pruning knife, therefore, should be used to assist nature, and handled with judgment and care; to lop off straggling branches, to thin the head of a tree which has become too dense, and to remove dead wood. Sometimes it becomes necessary to prune severely to keep a tree from attaining too great size.

Shearing may be practiced on hedges, but never on trees or shrubs.

PRUNING SHRUBS.

Many persons trim and shear them into regular shapes, imagining that regular outline adds to their effect and beauty. While symmetry and regularity of form are to be admired in a shrub, this quality should never be gained at the expense of health and natural grace.

Each shrub has peculiarities of habit and foliage, and we should aim to preserve them as far as possible. Judicious pruning to secure health and vigor is necessary, but trimming all kinds of shrubs into one form shows a lack of appreciation for natural beauty, to say the least. Weigelas, Deutzias, Forsythias and Mock Orange, flower on the wood of the preceding year's growth, hence these shrubs should not be pruned in winter or spring, but in June, after they have finished flowering, when the old wood should be shortened or cut out, thus promoting the growth of the young wood, which is to flower the following season.

Spiræas, Lilacs, Althæas, and Honeysuckles may be trimmed during the winter or early in spring, but the branches should only be reduced enough to keep them in good shape. The old growth should be occasionally thinned out and the suckers and root sprouts removed when they appear. The best time, however, for pruning all shrubs is when they have done flowering. The *Hydrangea paniculata grandiflora* should be severely cut back and thinned early in spring.

PRUNING EVERGREENS.

Use the knife occasionally to thicken the growth and preserve the shape. This can be done in April or May, just before the trees start to grow.

ORNAMENTAL TREES.

IN FOUR CLASSES.

CLASS I.—A General Descriptive List of Deciduous Trees.

CLASS II.—A List of Deciduous Weeping or Drooping Trees, described in their respective places in the Catalogue.

CLASS III.—A List of trees possessing remarkable characteristics of foliage, in three sections—Cut-leaved, Variegated, and Colored, and described in their respective places in the Catalogue.

CLASS IV.—Coniferae or Evergreens.

In order that planters may be able to form an idea of the size which trees and shrubs attain at maturity, a point which should always be taken into consideration at the time of planting, so that the specimens may occupy the proper position, we have adopted letters to denote the various classes as follows:

- A.** denotes trees which attain the largest size, 50 feet and upwards.
B. “ “ “ “ secondary size, 20 to 40 feet.
C. “ “ “ “ medium size, 9 to 15 feet.
D. “ “ “ “ trees and shrubs which attain only small size, 1 to 8 feet.

Our object in the above classification is to lessen the labor and difficulty, as far as possible, of making selections adapted to particular purposes.

The botanical name of the genus or family, as well as of the species or variety, is placed *first* in **Full Faced** conspicuous type. The English name follows in **SMALL CAPITALS**. The German and French names of the genus are also given in **SMALL CAPITALS**. It is to be hoped that with the aid of the complete index of botanical and English names, to be found on the last page, no difficulty will be experienced in finding any tree, shrub or plant described in the Catalogue.

CLASS I.—DECIDUOUS TREES, UPRIGHT AND DROOPING.

Those preceded by a (*) are the most suitable for parks, avenues, streets, etc. They are propagated in large quantities, and can be furnished at low rates.

Price.—The prices quoted are for trees of the usual size, ranging from two to seven feet, according to species or variety. *Extra sized Trees, selected in the Nursery, charged for in proportion to size.*

ACER. Maple. AHORN, Ger. ERABLE, Fr.

A valuable and highly ornamental family of trees. The Maples are regular in outline, beautiful in foliage, vigorous growers, free from all diseases, and adapted to all soils, merits which deservedly render them universally popular.

A. campestre. ENGLISH OR CORK-BARKED MAPLE. **B.** A native of Central Europe. It is a slow-growing, stocky tree, of compact, roundish habit, with corky bark, and small, handsome foliage; hardy and very ornamental. 75c.

A. Colchicum rubrum or lætum. RED COLCHICUM MAPLE. **C.** From Japan. Tree of medium size and rounded, elegant form. The young growth of wood and foliage is of a bright crimson color. In this latitude this rare and beautiful variety is not entirely hardy. \$1.00.


***A. dasycarpum or eriocarpum.** WHITE OR SILVER-LEAVED MAPLE. **A.** A North American species, of rapid growth, large size, and irregular rounded form; foliage bright green above and silvery white beneath; tree very hardy and easily transplanted; where immediate shade is required, one of the most useful trees; also a favorite street and park tree. 50c.

var. crispum. CRISP-LEAVED SILVER MAPLE. **B.** A beautiful variety, raised in our nurseries from seed. Its foliage is deeply cut and crimped, and in appearance is quite different from anything in this class. The tree is of medium, rather compact growth. 75c.

var. heterophyllum laciniatum. CUT-LEAVED SILVER MAPLE. **A.** A distinct variety, raised in our nurseries from the seed of the Silver-leaved. It is a luxuriant, erect grower of fine appearance, and has handsomely cut or dissected leaves, which are extremely variable in form, some being only slightly lobed and others deeply cleft and lacinated. It differs from Wier's in being of upright habit and in having the foliage more deeply cut. An occasional cutting back will be of advantage to the tree. (See Cut.) \$1.00.

var. lutescens. **A.** A variety of the Silver-leaved of vigorous growth, with bright yellow leaves. Its rich bronze shoots in spring, and tender yellow-green foliage in summer, will render it a valuable tree for the landscape. \$1.00.

var. tripartitum. **B.** A choice variety, which originated in our nurseries. It is a vigorous, upright grower, with deeply lobed foliage, the leaves being cut nearly to the midrib and are three parted. The young growth is conspicuously marked with white spots, which are particularly noticeable in winter. 75c.



LEAVES OF ACER DASYCARPUM.—VAR. HETEROPHYLLUM LACINIATUM (½ Natural Size).

- ***Acer d. var. Wierii laciniatum.** WIER'S CUT-LEAVED SILVER MAPLE. **A.** Introduced by us in 1873. It is a variety of the Silver-leaved, and one of the most remarkable and beautiful trees, with cut or dissected foliage. Its growth is rapid, shoots slender and drooping, giving it a habit almost as graceful as the cut-leaved Birch. The foliage is abundant, silvery underneath, and on the young wood especially deeply and delicately cut. The leaf stalks are long and tinted with red on the upper surface. It ranks among the most interesting and attractive lawn trees, and may be easily adapted to small places by an occasional cutting back, which it will bear to any degree necessary, as well as a willow. (See cut.) 75c.
- A. Japonicum.** **D.** From Japan. Of slow growth, handsome scalloped, deep green leaves. \$2.00.
var. aureum. **D.** This is a charming variety of the preceding, with bright golden foliage. \$2.00.
- A. Monspessulanum.** MONTEPELIER MAPLE. **C.** Native of Central Europe; forms a handsome small tree with rounded head, leaves small, palmately three lobed. \$1.00.
- A. Pennsylvanicum.** STRIPED BARKED MAPLE. **B.** A native tree growing 20 to 30 feet high; rounded form; bark dark green marked with stripes, foliage light green. 75c.



DARK PURPLE-LEAVED JAPAN MAPLE.

- ***A. platanoides.** NORWAY MAPLE. **A.** Native of Europe. A large handsome tree, of spreading rounded form, with broad, deep green, shining foliage. Its compact habit, and stout, vigorous growth, render it one of the most desirable species for the street, park or garden. 75c.
- var. cucullatum.** CURLED-LEAVED NORWAY MAPLE. **B.** A curious variety of the above, with leaves the lobes of which curl and turn inwards, giving the tree a novel and distinct aspect. \$1.00.
- var. digitatum foliis aureo marginatis.** **C.** A prominent variety of recent introduction with gold-margined leaves. \$1.00.
- var. dissectum.** CUT-LEAVED NORWAY MAPLE. **C.** A compact growing tree, with dense, dark-green foliage, which is regularly and deeply cut, so as almost to divide the leaf into three parts. One of the best of the cut-leaved varieties; rare. \$1.00.
- var. laciniatum.** CUT-LEAVED OR EAGLE'S CLAW NORWAY MAPLE. **C.** A curious variety of the Norway with deeply lobed and sharp-pointed leaves, in form resembling an eagle's claw. It is difficult to propagate, and scarce. \$1.00.
- var. Lorbergii.** LORBERG'S NORWAY MAPLE. **C.** An elegant variety, with deeply cut foliage. The leaves somewhat resemble those of *dissectum*, but the growth seems to be more vigorous. \$1.00.
- var. Reitenbachi.** REITENBACH'S NORWAY MAPLE. **B.** An excellent and striking variety with dark purple leaves which retain their color through the season. \$1.00.

- Acer p. var. Schwedlerii.** SCHWEDLER'S NORWAY MAPLE. **B.** A beautiful variety, with the young shoots and leaves of a bright purplish and crimson color, which changes to purplish green in the older leaves. One of the most valuable trees of recent introduction. \$1.00.
- A. polymorphum.** JAPAN MAPLE. **C.** This is the normal form or type; growth slow and shrubby; foliage small, five-lobed, and of a bright, cheerful green in spring and summer, changing to a lovely dark crimson in autumn; perfectly hardy when well established. One of the most beautiful and valuable of small-sized trees. 2 ft. \$1.00.
- var. atropurpureum.** DARK PURPLE-LEAVED JAPAN MAPLE. **D.** Forms a bushy shrub; foliage dark purple and deeply cut; very ornamental. 2 to 3 feet, \$2.00.
- var. dissectum atropurpureum.** CUT-LEAVED PURPLE JAPAN MAPLE. **D.** One of the most striking and handsome varieties of the Japanese Maples. Form dwarf and weeping. The leaves are of a beautiful rose color when young, and change to a deep and constant purple, as they become older. They are also deeply and delicately cut, giving them an elegant, fern-like appearance. The young growth is long, slender and pendulous and like the leaves, has a deep, crimson hue. Besides being an elegant and attractive lawn tree, it is also very useful for conservatory decoration in spring. 2 feet, \$2.00.
- var. palmatum.** PALM-LEAVED JAPAN MAPLE. **C.** Leaves five to seven-lobed, deep green, changing to crimson at autumn; habit upright, very compact. 2 to 3 feet, \$2.00.
- var. sanguineum.** BLOOD-LEAVED JAPAN MAPLE. **C.** Of dwarf habit and rounded form; foliage five-lobed and serrated; reddish crimson in June. A charming variety and one of the best of the Japanese Maples. 2 feet \$2.00.
- A. pseudo platanus.** EUROPEAN SYCAMORE MAPLE. **B.** From Europe. A handsome tree, of rapid, upright growth, with large foliage, and smooth, ash-gray colored bark. 50c.
- var. purpurea.** PURPLE-LEAVED SYCAMORE MAPLE. **B.** Tree of fine robust habit. Foliage deep green on the upper surface, and purplish red underneath. Produces a fine effect planted with golden-leaved trees. \$1.00.
- var. tricolor.** TRICOLOR-LEAVED SYCAMORE MAPLE. **B.** Another charming variety of the *European Sycamore*. Leaves distinctly marked with white, red and green, retaining their variegation all summer. One of the finest variegated-leaved trees. \$1.00
- var. Worleii.** WORLE'S GOLDEN-LEAVED SYCAMORE MAPLE. **B.** Recently introduced from Hamburg, Germany. In the spring the foliage is of a golden yellow color which changes to a duller shade as the season advances. The young growth continues brilliant throughout the summer. A valuable and effective variety for grouping with purple-leaved trees. \$1.00.
- A. rubrum.** RED OR SCARLET MAPLE, RED-BUD MAPLE. **B.** A native species, of medium size, and rounded head; produces deep red blossoms which appear before the leaves. In autumn the foliage changes to brilliant scarlet, rendering the tree very conspicuous. At the South the seed-pods assume gorgeous tints. \$1.00.
- var. fulgens.** **C.** A dwarf variety of the *Scarlet*, forming a very conspicuous round head. Flowers bright red. \$1.00.
- var. globosum.** **C.** Very compact, of slow growth; flowers bright scarlet, extremely showy; leaves large, deep green above, white underneath. \$1.00.
- *A. saccharinum.** SUGAR OR ROCK MAPLE. **A.** A well-known native tree, of elegant pyramidal form; valuable both for the production of sugar and for its wood; its stately growth, fine form and foliage make it desirable as an ornamental and shade tree. 50c.
- A. spicatum.** **B.** A very attractive native species, of moderate growth; leaves medium size, rough, three to five lobed, somewhat pointed; flowers greenish, in closely branched clusters, becoming pendulous 75c.
- A. Tartaricum.** TARTARIAN MAPLE **B.** A native of South-eastern Europe, of medium size, and rounded form; leaves small; a moderate, irregular grower, but forming a handsome tree. \$1.00.
- var. ginnala.** **C.** Of dwarf habit and compact form, with medium-sized or small leaves; makes a very pretty small tree; perfectly hardy \$1.00.
- A. truncatum.** **D.** From China. Of dwarf habit; pyramidal in growth; foliage deeply cut, somewhat purple when young; a fine variety for small lawns. \$1.00.
- A. velutinum.** VELVETY-LEAVED MAPLE. **C.** A vigorous growing species with large five-lobed leaves of a dark green color. \$1.00.

ÆSCULUS. Horse Chestnut. KASTANIEN, *Ger.* MARONNIER, *Fr.*

Trees of elegant habit, magnificent foliage, and fine large spikes of flowers in May and June.

- Æ. glabra.** OHIO BUCKEYE. **B.** A native of the Western States, forming a large sized tree; leaves smooth; flowers yellow; blooms before the others. 50c.
- *Æ. Hippocastanum.** THE EUROPEAN OR WHITE-FLOWERING HORSE CHESTNUT. **A.** This well-known species forms a large-sized tree, of handsome, regular outline, is very hardy, and free from all diseases. In May it is covered with magnificent erect spikes or panicles of white flowers lightly marked with red. As a single lawn tree, or for the street, it has no superior. 50c.
- var. alba flore pleno.** DOUBLE WHITE-FLOWERED HORSE CHESTNUT. **A.** A superb variety, with double flowers, in larger panicles than the common sort, and of fine pyramidal habit. The absence of fruit by which much litter is avoided, is an important argument in favor of its employment. It is one of the best ornamental trees. \$1.00.
- Mr. Scott in his interesting work entitled "Suburban Home grounds," writes thus: "Ellwanger & Barry, at Rochester, have a noble young specimen about forty feet high, which, in the blossoming season, is like a verdant tower, spangled all over with hyacinth bouquets." See cut.
- var. Memmingerii.** MEMMINGER'S HORSE CHESTNUT. **B.** The foliage of this variety is completely dotted or sprinkled with white. The effect thus produced is very novel and ornamental. The tree being of handsome, compact growth, is very desirable for the lawn. \$1.00.
- var. nana Van Houtteii.** **C.** Habit dwarf; foliage luxuriant, dark green. \$1.00.

- Æsculus H. var. rubicunda.** RED FLOWERED HORSE CHESTNUT. **B.** Origin obscure. One of the finest trees in cultivation; form round; flowers showy red; blooms a little later than the white, and the leaves are of a deeper green. One of the most valuable ornamental trees. The white-flowered and this contrast well when planted together. \$1.00.
- var. foliis aureo variegatis.** GOLDEN VARIEGATED HORSE CHESTNUT. **B.** Foliage with bright golden yellow variegation. \$1.00.
- Æ. umbraculifera.** **C.** Of pyramidal compact habit; a moderate grower. \$1.00.
For Smooth-Fruited Horse Chestnut see Pavia.



HORSE CHESTNUT, DOUBLE FLOWERED. (Reduced Size).

AILANTHUS. Tree of Heaven. GÖTTERBAUM, Ger. AILANTHE, Fr.

- A. glandulosa.** **A.** From Japan. A lofty, rapid growing tree, with long, elegant feathery foliage, exempt from all diseases and insects. One of the most distinct of ornamental trees with pinnate foliage. Useful to produce tropical effects. 50c.

ALNUS. Alder. ERLE, Ger. AULNE, Fr.

The cut-leaved varieties in this family are particularly elegant and ornamental; being rapid and robust growers, they should be pruned every year in order to form handsome specimens.

- A. firma.** **B.** A distinct species from Japan. In foliage and general appearance the tree resembles a Morello Cherry. 50c.
- A. glutinosa.** EUROPEAN OR COMMON ALDER. **B.** A remarkably rapid growing tree, attaining a height of from thirty to sixty feet. Foliage roundish, wedge-shaped and wavy. This species is specially adapted to moist situations. 50c.
- var. laciniata.** CUT-LEAVED ALDER. **B.** From Northern France. A very ornamental variety, with dark green and deeply serrated foliage. 50c.
- var. laciniata imperialis.** IMPERIAL CUT-LEAVED ALDER. **B.** A stately tree, of graceful habit, with large and deeply lacinated foliage; at the same time vigorous and perfectly hardy. Unsurpassed as a lawn tree. \$1.00.
- A. incana laciniata.** **B.** A distinct, handsome tree, with regularly lacinated foliage. 75c.
- A. tiliacea.** LINDEN-LEAVED ALDER. **C.** An ornamental species of medium size, with large, handsome, cordate, dark green leaves; very distinct. \$1.00.

AMELANCHIER. Mespilus. FELSENBIRNE, Ger. AMELANCHIER, Fr.

- A. Alpina.** **C.** 50c.
- A. Botryapium.** **B.** An American species known as "June Berry," "Wild Pear," "Service Tree," and "Shad Blow." Grows 30 to 40 feet high. Of fastigate form. Flowers white, produced in great profusion early in April, succeeded by a small fruit of purplish color, ripe in June and pleasant to the taste. One of the finest very early flowering trees; not appreciated as it should be. 50c.
- A. ovalis.** OVAL-LEAVED AMELANCHIER. **C.** A native of North America. When grafted 5 or 6 feet high it makes a very handsome round-headed small tree; has bright scarlet berries in the fall. \$1.00.

AMYGDALUS. Almond. MANDELBAUM, Ger. AMANDIER, Fr.

- A. communis flore roseo pleno.** LARGE DOUBLE-FLOWERING ALMOND. **C.** A vigorous, beautiful tree, covered in May with double rose-colored blossoms, like small roses. 50c.
- A. communis striata.** STRIPED-BARK ALMOND. **D.** An ornamental variety, with bark and foliage yellow striped.
- A. Davidiana.** **C.** Pink flowers; first tree to flower. 50c.
- For Dwarf varieties, see *Prunus*, in "Ornamental Shrubs."

BETULA. Birch. BIRKE, Ger. BOULEAU, Fr.

This genus embraces a very popular and highly ornamental class of trees. Their elegant, graceful port, silvery bark, slender branches, and light and airy foliage, render them general favorites. As single specimens on the lawn, or employed as avenue trees, the upright varieties are very imposing and handsome. They thrive even in the poorest soils and in the most exposed situations.

B. alba. EUROPEAN WHITE WEEPING BIRCH. **A.** A graceful tree, with silvery bark and slender branches. Quite erect when young, but after four or five years' growth assumes an elegant drooping habit, rendering the tree very effective in landscapes. 50c.

var. fastigiata. PYRAMIDAL BIRCH. **B.** Of elegant pyramidal habit, like the Lombardy Poplar. Bark silvery white. Very distinct and ornamental. \$1.00.

var. atropurpurea. PURPLE-LEAVED BIRCH. **B.** A variety possessing the vigorous habit of the Birches, and having purple foliage. \$1.00.

var. pendula laciniata. CUT-LEAVED WEEPING BIRCH. **A.** Beyond question one of the most popular of all weeping or pendulous trees. Its tall, slender, yet vigorous growth, graceful drooping branches, silvery-white bark, and delicately cut foliage, present a combination of attractive characteristics rarely met with in a single tree. *See Cut.* \$1.00.

var. pendula Youngii. YOUNG'S WEEPING BIRCH. **C.** When grafted on stems five to six feet high, it forms beautiful pendulous heads, and its slender shoots droop gracefully to the ground. \$1.50.

var. pubescens. DOWNY-LEAVED BIRCH. **B.** A native of Germany, resembling the *European White Birch*, but more vigorous, and branches slightly pendulous. 50c.

var. tristis. **B.** A charming variety of the European; of pendulous habit. \$1.00.

var. urticifolia. NETTLE-LEAVED BIRCH. **B.** A fine tree, of rather slow growth, with irregularly cut foliage of a deep green color. 75c.



CUT-LEAVED WEEPING BIRCH.

(From a Specimen on our Grounds.)

- B. Bhojpattra.** INDIAN PAPER BIRCH. **B.** A fine distinct species, of upright growth, with large heart-shaped foliage. In its wild state, on the Himalayan Mountains, it forms a noble tree fifty to sixty feet high. 75c.
- B. costata.** **B.** A species from the Amoor River, of fine, erect habit, and with cordate leaves. \$1.00.
- B. nana.** DWARF BIRCH. **D.** A bushy shrub, native of both Europe and America, seldom growing higher than twelve feet; leaves numerous, round, sharply crenated. Young wood downy. A charming miniature tree. \$1.00.
- B. nigra.** RIVER OR RED BIRCH. **B.** An American species of moderate growth, elegant habit, with fine foliage and reddish brown bark. 50c.
- B. papyracea.** PAPER OR CANOE BIRCH. **A.** Native of America; forms a large tree; bark brilliant white, leaves large and handsome. 50c.
- B. populifolia.** AMERICAN WHITE BIRCH. **B.** An American species of rapid growth, with triangular, taper-pointed, smooth and glossy leaves. 50c.
- var. purpurea.** **B.** Pale purple leaves, turning almost green as the season advances. 75c.

CARPINUS. Hornbeam. HAINBUCHE, Ger. CHARME, Fr.

- C. Americana.** AMERICAN HORNBEAM. **B.** A native species, growing from fifteen to twenty feet high. In its mode of growth, quite similar to the Beech, but the foliage is thinner, and more irregular in form. Makes a very ornamental and useful hedge. 50c.


CARYA. Hickory. NOYER, Fr.

C. alba. SHELL BARK OR SHAG BARK HICKORY. **A.** The most ornamental and valuable of the genus. The nuts are whiter and the shell thinner than those of other species. 50c.

CASTANEA. Chestnut. ÆCHTE KASTANIEN, Ger. CHATAIGNIER, Fr.

C. Americana. AMERICAN CHESTNUT. **A.** The well known native variety. A stately tree, with broader leaves than the Spanish, and producing smaller fruit. When in full bloom, one of the handsomest trees. 50c.

C. Japonica. JAPAN CHESTNUT. **C.** Habit and foliage like Spanish Chestnut; fruit very large. \$1.00.




SPANISH CHESTNUT.

C. vesca. SWEET OR SPANISH CHESTNUT. **C.** Originally introduced from Asia Minor into Europe. A valuable species both for ornament and fruit. It forms a handsome lawn tree, and produces much larger fruit than the American variety. 50c.

CATALPA. TROMPETENBAUM, Ger. CATALPA, Fr.

The Catalpas flower in July, when few trees are in bloom. Their blossoms are large, very showy, and quite fragrant. Leaves large, heart-shaped, and yellowish green. They are all effective, tropical-looking lawn trees.

C. Bungei. **D.** A species from China, of dwarf habit, growing only from three to five feet high. Foliage large and glossy; a shy bloomer. \$1.00.

FLOWERS OF THE CATALPA. ($\frac{1}{4}$ Natural Size.)

C. bignonioides, syn. C. syringæfolia. **B.** Native of the Southern States. A showy, rapid growing, spreading, irregular tree, with very large, heart-shaped leaves, and pyramidal clusters, a foot long, of white and purple fragrant flowers. Blooms latter part of June, when few trees are in blossom, and, therefore, very desirable. 50c.

var. aurea variegata. GOLDEN CATALPA. **B.** A medium-sized tree of rapid growth, having large heart-shaped leaves, which are of a beautiful golden color in spring and early summer, but later in the season become green. 75c.

var. purpurea. **B.** Foliage large, dark purple; holds its color well. \$1.00.

var. speciosa. **A.** A variety which is said to have originated in the west. It is finer and hardier than the common, hence better adapted to forest and ornamental planting. Its blossoms open two or three weeks later than those of the bignonioides. 50c.

C. Kämpferi. **B.** Introduced from Japan by Siebold. A species of rapid growth, with deep green, glossy foliage. Flowers fragrant, cream-colored, speckled with purple and yellow; not so large as those of *syringæfolia*; panicle, also is smaller and more loose; seed pods long and very narrow; two weeks later than *syringæfolia*. 50c.

C. Teas' Japan Hybrid. **C.** Of spreading habit; flowers white, with purple dots; fragrant; a most profuse bloomer, remaining in bloom several weeks. 50c.

CELTIS. Nettle Tree. ZURGELBAUM, *Ger.*MICOCOULIER, *Fr.*

C. occidentalis. AMERICAN NETTLE TREE. **B.** A rare native tree, with numerous slender branches, which spread out horizontally, and thick, rough bark. Leaves about the size and form of those of the apple, but more pointed, and a bright, shiny green. 50c.

CERASUS. Cherry. KIRSCHKE, *Ger.* CERISIER, *Fr.*

A very ornamental family of trees. The drooping varieties are especially adapted to beautify small grounds. As single specimens on the lawn they are unique and handsome, and require only to be better known in order to be extensively planted. Now that the Kilmarnock Weeping Willow is no longer rare, its place may well be filled with the Japan Weeping Cherry, which is equally ornamental, and is unquestionably destined to become just as popular.

C. acida var. semperflorens pendula. EVER-FLOWERING WEeping CHERRY. **C.** A fine drooping variety, that bears fruit and flowers all summer. \$1.00.

C. avium var. flore alba plena. LARGE DOUBLE-FLOWERING CHERRY. **B.** At the period of flowering in May, a remarkably beautiful and attractive tree. The flowers are so numerous as to conceal the branches, and present to the eye nothing but a mass of bloom, each flower resembling a miniature rose. A valuable variety, deserving of wide dissemination. *See Cut.* 50c.

C. caproniana ranunculiflora. RANUNCULUS-LIKE FLOWERING CHERRY. **C.** An upright grower, producing large, double white flowers, resembling those of a Ranunculus. An important addition. Flowers several days later than the Double White. *See Cut.* \$1.00.



RANUNCULUS-LIKE FLOWERING CHERRY.
($\frac{1}{2}$ Natural Size).



CHERRY, LARGE DOUBLE-FLOWERING. ($\frac{1}{2}$ Natural Size.)

C. Japonica pendula. JAPAN WEeping CHERRY. **C.** Resembles *pumila pendula* somewhat, but is much more feathery and graceful; flowers single white, fruit red. One of the finest of the small-headed pendent cherries. \$1.50.

- Cerasus J. var. rosea pendula.** JAPAN WEeping ROSE-FLOWERED CHERRY. **C.** Brought from Japan by Von Siebold, and is certainly one of the finest pendulous trees for lawns or small grounds. The branches are slender, and fall gracefully to the ground, and the flowers are rose-colored. Undoubtedly one of the finest weeping cherries. \$1.50.
- C. pumila pendula.** DWARF WEeping CHERRY. **C.** Grafted standard high, this makes a curious and beautiful little, round-headed drooping tree. \$1.00.
- C. Rhexi fl. pl. C.** (New). A fine double white flowered variety, covered at the blossoming season with a profusion of flowers having the appearance of small roses. \$1.00.
- C. Sieboldii alba plena.** SIEBOLD'S DOUBLE-FLOWERING CHERRY. **C.** Semi-double white flowers, fine. 50c.
- C. Sieboldii rubra plena.** SIEBOLD'S DOUBLE RED-FLOWERING CHERRY. **C.** Semi-double flowers, white tinged with red. 50c.
- C. Sinensis flore plena.** CHINESE DOUBLE-FLOWERING CHERRY. **B.** Misnamed *humilis fl. pl.* A fine sort, with large, double white flowers. 50c.



JAPAN WEeping ROSE-FLOWERED CHERRY.

(From a photograph of a specimen on our grounds.)

Among trees of drooping habit there is none more beautiful than the one represented by the illustration annexed. The beauty of the tree consists not only in its graceful pendulous habit, but it has besides the merit of producing quantities of flowers in the blossoming season, and the branches when covered with these give the tree a novel, interesting and charming effect, as will be seen from the picture. The foliage of the tree, too, is handsome. This tree is well suited for either large or small places, and should be planted by itself, where it can have room to develop. By cutting, it can be confined to a small space, and if permitted to grow it will cover considerable ground in the course of time. No drooping tree of recent introduction has more merits than this.

CERCIS. Judas Tree, or Red Bud. JUDAS BAUM, *Ger.* GANIER, *Fr.*

- C. Canadensis.** AMERICAN JUDAS TREE. **B.** A very ornamental native tree, of medium size, irregular rounded form, with perfect heart-shaped leaves of a pure green color, glossy surface above, and grayish green beneath. The tree derives the name of Red Bud from the profusion of delicate reddish purple flowers with which it is covered before the foliage appears. Flowering at the same time with the Chinese Magnolias, it may be planted among them in groups with fine effect. Grown as single specimens they are also beautiful and attractive, and deserve to be classed among our *finest ornamental trees.* 50c.

Cercis Japonica. JAPAN JUDAS TREE. **C.** Of medium size, rounded form, foliage deep shining green, and heart-shaped; flowers larger than those of *Canadensis*, and of a rich reddish purple color; a valuable addition to the list of choice small trees. \$1.00.

CHIONANTHUS. Fringe Tree. SCHNEEFLOCKENBAUM, *Ger.* CHIONANTHE, *Fr.*


C. Virginica. WHITE FRINGE. **B.** A small native tree or shrub, of roundish form, with large, glossy leaves and drooping racemes of pure white flowers, having narrow, fringe-like petals; blossoms in May or June. A superb lawn tree. *See Cut.* 75c.

CLADRASTIS. VIRGILIE, *Ger.* VIRGILIER, *Fr.*

C. tinctoria, syn. *Virgilia lutea.* YELLOW WOOD. **B.** One of the finest American trees. Of moderate growth, broadly rounded head, foliage compound like that of the *Robinia*, and of a light green color, turning to a warm yellow in autumn; flowers pea-shaped, white, sweet-scented, appearing in June in great profusion, in long drooping racemes covering the tree. *See Cut.* \$1.00.



WHITE FRINGE (Reduced).



VIRGILIA LUTEA. (Yellow Wood.)

CORNUS. Flowering Dogwood. HARTRIEGEL, *Ger.* CORNOUILLIER, *Fr.*

C. florida. WHITE-FLOWERING DOGWOOD. **B.** An American species, of spreading irregular form, growing from 16 to 25 feet high. The flowers produced in Spring before the leaves appear are from 3 to 3½ inches in diameter, white and very showy. They begin to appear just as the Magnolia flowers are fading, and are invaluable for maintaining a succession of bloom in the garden border or on the lawn. They also are



THE WHITE FLOWERING DOGWOOD. (CORNUS FLORIDA.) ($\frac{1}{2}$ Natural Size.)

They can also be trained to assume picturesque tree forms. The foliage is varied and attractive, flowers very showy and often highly perfumed. The fruit is ornamental. There are numerous varieties, all of which are hardy and will thrive in any dry soil. We have endeavored to select the best and most distinct. They flower in May and June.

- C. Azarolus.** C. From Southern France. A tree with a round, spreading head; foliage large and handsome fruit scarlet, very ornamental. \$1.00.
- var. Carriereii.** C. Foliage of a dark, glossy green; fruit large dark red, showy and hangs to the tree long into the winter. A fine variety. \$1.00.
- C. Crus-galli var. lucida odorata.** GLOSSY-LEAVED THORN. C. Leaves a bright shining green; white fragrant flowers in June. A tree of vigorous growth and fine effect. One of the best. \$1.00.
- C. Crus-galli var. hybrida.** HYBRID SMOOTH-LEAVED THORN. C. Smooth shining leaves; white flowers; very handsome. \$1.00.
- C. mespilus.** MEDLAR-LEAVED THORN. C. Medlar-like leaves; distinct. \$1.00.
- C. nigra.** BLACK-FRUITED THORN. C. A native of Hungary, where it grows fifteen to twenty feet high. It is upright in growth, with medium-sized, lobed leaves. Fruit black. \$1.00.
- C. orientalis,** erroneously *C. apiifolia*. C. A fine distinct species; foliage grayish, and deeply lobed. \$1.00.
- C. oxyacantha.** QUICK, COMMON HAWTHORN. C. The celebrated English hedge-plant. 50c.
- var. apiifolia.** PARSLEY-LEAVED THORN. C. When young this is quite a novelty; the leaves being pale green, finely cut and crimped, and the flowers single white. \$1.00.
- var. candida pleno.** C. Flowers double, pure white; a good grower. \$1.00.
- var. coccinea flore pleno.** DOUBLE SCARLET THORN. C. A tree of fine habit, with rich, luxuriant foliage. Flowers unusually large, much larger than the double red, of a deep crimson color, with scarlet shade, and very double. A charming variety. \$1.00.
- var. coccinea flore pleno Paulii.** PAUL'S DOUBLE SCARLET THORN. C. Flowers bright carmine red. Superior to any of its color. \$1.00.
- var. flore pleno.** DOUBLE WHITE THORN. C. Has small, double white flowers. A highly ornamental variety, on account of both foliage and flowers. Makes a striking contrast when planted with the double scarlet. \$1.00.
- var. punicea.** SINGLE SCARLET THORN. C. Of moderate growth and fine habit; flowers single scarlet and highly perfumed. One of the best. \$1.00.
- var. flore punicea pleno.** DOUBLE RED OR SUPERB THORN. C. Bright double red flowers. \$1.00.
- var. Gumpferi bicolor.** GUMPPER'S THORN. D. Flowers white, edged with rose. A charming variety. \$1.00.


very durable, lasting in favorable weather more than two weeks. Besides being a tree of fine form, its foliage is of a grayish green color, glossy and handsome, and in the autumn turns to a deep red, rendering the tree one of the most showy and beautiful objects at that season. We regard it, all things considered, as one of the most valuable trees for ornamental planting, ranking next to the Magnolia among flowering trees, and only second to the Scarlet Oak (which it almost equals) in brilliant foliage in autumn. See Cut. \$1.00.

var. flore rubro. RED-FLOWERING DOGWOOD. B. Recently introduced. A variety producing flowers suffused with bright red; blooms when quite young. \$1.00.

var. pendula, WEeping DOGWOOD. C. A variety of *C. florida*, with decidedly drooping branches. \$2.00.

CRATÆGUS. Thorn. WEISDORN, Ger EPINE, Fr.

The Thorns justly deserve to be classed among the most beautiful flowering trees. They are generally dense, low growers, occupying comparatively little space and well adapted to beautify small grounds. If judiciously pruned,



DOUBLE FLOWERING THORN.

- Crataegus o. var. pyramidalis.** PYRAMIDAL THORN. **C.** Of fine pyramidal habit; a good grower; fine foliage; flowers white, single. \$1.00.
- C. tanacetifolia.** TANSY-LEAVED THORN. **C.** A fine, large, vigorous tree, with beautiful, deep green, distinct foliage and yellow fruit. \$1.00.
- C. tomentosa,** erroneously **C. glabra.** **C.** A vigorous species with large dark green foliage; fruit red. \$1.00.
- var. mollis,** erroneously **C. acerifolia.** **B.** A close, compact-headed tree with distinct and ornamental foliage. \$1.00.



CUT-LEAVED BEECH.

CYTISUS. Golden Chain. GEISKLEE, Ger. CYTISE, Fr.

- C. Laburnum.** COMMON LABURNUM OR GOLDEN CHAIN. **B.** A native of Europe, with smooth and shining foliage. The name "Golden Chain" alludes to the length of the drooping racemes of yellow flowers, which appear in June. 50c.
- var. alpinus.** ALPINE OR SCOTCH LABURNUM. **C.** A native of the Alps of Jura. Also said to be found wild in Scotland. Of irregular, picturesque shape, smooth, shining foliage, which is larger than the English, and yellow flowers in long racemes. Blooms later than the English. 50c.
- var. Parksii.** **C.** Large shining leaves and long racemes of golden yellow flowers. \$1.00.

FAGUS. Beech. BUCHE, Ger. HETRE, Fr.

The Beeches are noted for their rich, glossy foliage and elegant habit. The Purple-leaved, Cut-leaved, and Weeping Beeches are three remarkable trees, beautiful even while very young, but magnificent when they acquire age. As single specimens upon the lawn, they exhibit an array of valuable and attractive features not to be found in other trees.

- F. ferruginea.** AMERICAN BEECH. **A.** One of the finest American trees. 50c.
- F. sylvatica.** EUROPEAN BEECH. **A.** A beautiful tree attaining a height of sixty to eighty feet. 50c.
- var. cristata.** CRESTED OR CURLED-LEAVED BEECH. **B.** A singular variety of the European; of medium size, with small and almost sessile leaves, crowded into small, dense tufts. \$1.50 to \$2.00.
- var. heterophylla.** FERN-LEAVED BEECH. **C.** A tree of elegant, round habit, and delicately cut fern-like foliage. During the growing season its young shoots are like tendrils, giving a graceful, wavy aspect to the tree. \$1.50 to \$2.00.
- var. incisa.** CUT-LEAVED BEECH. **B.** A fine, erect, free-growing tree, with deeply incised foliage. Like the fern-leaved, a variety of rare beauty and excellence. (See cut.) \$1.50 to \$2.00.
- var. macrophylla.** BROAD-LEAVED BEECH. **B.** A vigorous variety, with very large foliage. Distinct and fine. \$1.50 to \$2.00.
- var. pendula.** WEEPING BEECH. **A.** Originated in Belgium. A remarkably vigorous, picturesque tree of large size. Its mode of growth is extremely curious. The trunk or stem is generally straight, with the branches tortuous and spreading; quite ungainly in appearance, divested of their leaves, but when covered with rich, luxuriant foliage, of wonderful grace and beauty. (See cut.) \$1.50 to \$2.00.



WEeping BEECH.

- Fagus s. var. purpurea. PURPLE-LEAVED BEECH. B.** Discovered in a German forest. An elegant vigorous tree, growing 40 to 50 feet high. The foliage in spring is deep purple, and later in the season changes to crimson, and again to a dull purplish green in the fall. \$1.50 to \$2.00.
- var. purpurea major. B.** An erect, rapid grower; leaves large, shining and very dark purple. \$2.00.
- var. purpurea Riversii. RIVERS' SMOOTH-LEAVED PURPLE BEECH. B.** This variety, which we procured of Mr. Rivers, differs from the ordinary Purple-leaved Beech by its compact symmetrical habit of growth, and crimson foliage early in the spring, changing to a dark purple in summer. *The finest of all purple-leaved trees.* \$1.50 to \$2.00.
- var. quercifolia. OAK-LEAVED BEECH. B.** Dwarf habit; distinct, fine foliage. \$2.00.

FRAXINUS. Ash. ESCHE,
Ger. FRENE, Fr.

This is a large family, and comprises many species and varieties of great beauty and value.

F. alba argentea marginata. B. A medium sized tree with elegantly variegated foliage. The inner portions of the leaves are a deep green, while the margins are silvery white. 50c.

F. Americana. AMERICAN WHITE ASH. B. A well known native tree. 50c.

var. aucubæfolia. AUCUBA-LEAVED ASH. B. A beautiful variety, with gold-blotched leaves like the Japan Aucuba. As the variegation is permanent, the tree is valuable for grouping with purple leaved trees. (See cut.) 50c.

var. Bosci. BOSCH'S ASH. B. A scarce American variety, with dark, glossy foliage, and brown woolly shoots; distinct and fine. \$1.00.

var. juglandifolia. WALNUT-LEAVED ASH. B. A native tree, growing from 30 to 50 feet high; flowers in May. \$1.00.

var. pannosa. CLOTH-LIKE-LEAVED ASH. B. A native of Carolina. Resembles *Bosci*, but more downy, and foliage much larger. \$1.00.

var. rufa. RUFUS-HAIRED ASH. B. An American variety, of upright habit, with dark green single leaves, occasionally in threes. \$1.00.

var. sambucifolia. AMERICAN BLACK ASH. B. A small or medium sized tree, with fine foliage. \$1.00.

F. Bungeana. B. A vigorous grower with large, dark green foliage. \$1.00.

F. excelsior. EUROPEAN ASH. B. A lofty tree, of rapid growth, with spreading head and gray bark, pinnate leaves and black buds. 50c.

var. atrovirens. (*crispa*). DWARF CRISP-LEAVED ASH. C. A variety of dwarf habit, with very dark green curled foliage. \$1.00.

var. aurea. GOLDEN-BARKED ASH. B. A conspicuous tree at all times, but particularly in winter, on account of its yellow bark and twisted branches. \$1.00.

var. concavæfolia fol. var. B. A charming variety, of compact pyramidal habit; at first the leaves are of a rich green, afterwards becoming spotted, and finally turning almost white. \$1.00.

var. cucullata. HOODED-LEAVED ASH. B. An odd-looking tree, of erect, pyramidal growth, with the foliage twisted and curled in a singular manner; novel and distinct. \$1.00.

var. elegantissima. B. Narrow willow-like foliage. \$1.00.

var. globosa. DWARF GLOBE-HEADED ASH. C. A seedling of ours; of delicate globular growth and small, myrtle-like foliage; worked 6 to 8 feet high it makes a very pretty tree. \$1.00.

var. monophylla. SINGLE-LEAVED ASH. B. A fine tree with single broad leaves, instead of pinnate foliage such as the ash generally have. \$1.00.

var. monophylla laciniata. SINGLE CUT-LEAVED ASH. B. A very handsome variety, with single leaves, having the margins finely cut; distinct and valuable. \$1.00.

var. pendula. WEEPING ASH. B. The common, well known sort; one of the finest lawn and arbor trees. Covers a great space and grows rapidly. \$1.00.

var. salicifolia. WILLOW-LEAVED ASH. B. A beautiful variety, of fine habit, rapid growth, with narrow, wavy leaves. \$1.00.

F. longicauspis. B. Tree a rapid, upright grower, with large downy foliage. 50c.

F. Novæ Angliæ. B. Distinct dark green foliage. \$1.00.

F. Oregona. OREGON ASH. B. Forms a large tree in Oregon and Washington Territory. \$1.00.

F. Ornus. EUROPEAN FLOWERING ASH. C. A native of the south of Europe; grows from 20 to 30 feet high; flowers greenish white, fringe-like, produced early in June in large clusters on the end of the branches. \$1.00.

var. rotundifolia. ROUND-LEAVED FLOWERING ASH. C. Handsome foliage, becomes a distinct, beautiful flowering tree. \$1.00.

F. potamophila. B. Of spreading habit, dark green foliage and reddish brown bark. \$1.00.



LEAVES OF THE AUCUBA-LEAVED ASH. ($\frac{1}{4}$ Natural Size.)

GLEDITSCHIA. GLEDITSCHIE. Ger. FEVIER, Fr.

G. Sinensis inermis. C. Globe-headed; elegant foliage; thornless. \$1.00.

G. triacanthos. THREE-THORNED GLEDITSCHIA or HONEY LOCUST. B. A rapid growing native tree, with powerful spines and delicate foliage. Used for hedges. Price for trees, 50c. See *Hedge Plants*.

var. Bujoti pendula. BUJOT'S WEEPING HONEY LOCUST. C. An elegant tree, with drooping branches; not entirely hardy here until the tree is well established, \$2.00.

GLYPTOSTROBUS.

G. Sinensis pendula. CHINESE WEeping DECIDUOUS CYPRESS. **C.** A deciduous conifer, of medium size and erect conical habit. Branches horizontal, slender and drooping, foliage light green and tufted; very distinct, novel and ornamental. \$1.00.

GYMNOCLADUS. GEWEIHBaum, Ger.

G. Canadensis. KENTUCKY COFFEE TREE. **B.** A fine native tree, of secondary size, rapid, upright growth, with rough bark, stiff blunt shoots, and feathery foliage, of a bluish green color. 75c.

JUGLANS. Walnut. WALNUSS, Ger. NOYER, Fr.

J. cinerea. BUTTERNUT. **A.** A native tree, of medium size, spreading head, grayish-colored bark, and foliage resembling that of the Ailanthus. Nut oblong and rough. 50c.

J. nigra. BLACK WALNUT. **A.** Another native species, of great size and majestic habit. Bark very dark and deeply furrowed. Foliage beautiful, each leaf being composed of from thirteen to seventeen leaflets. Nut round. 50c.

var. Improved. **A.** The tree comes into bearing earlier than the common, and the fruit is better. 50c.

J. regia. EUROPEAN WALNUT OR MADEIRA NUT. **B.** A native of Persia. Loftier and larger in its native country than our Butternut is with us. Nut oval and very fine. 50c.

var. preparturiens. **C.** A dwarf variety that bears when quite small. \$1.00.

var. rupestris or laciniata. CUT-LEAVED WALNUT. **C.** Foliage very finely cut; a bushy grower, fruit small. An acquisition. 50c.

KÆLREUTERIA. KÆLREUTERIE, Ger. SAVONNIER, Fr.

K. paniculata. **B.** From China. A hardy, small, round-headed tree, with fine lobed leaves and large panicles of showy golden yellow flowers, in the latter end of July; leaves change in autumn to a fine yellow. One of the most desirable trees, particularly valuable for its brilliant, golden blossoms, which are produced so late in the season when few, if any trees are in bloom. \$1.00.

LARIX. Larch. LARCHE, Ger. MELEZE, Fr.

***L. Europæa.** EUROPEAN LARCH. **A.** A native of the Alps of the south of Europe. An elegant, rapid growing, pyramidal tree; valuable for timber; small branches drooping. 50c.

var. pendula. WEeping EUROPEAN LARCH. **C.** One of the most picturesque weeping trees. The branches spread and droop irregularly, assuming curious forms. \$2.00.

L. Kæmpferi. **B.** From Japan. Foliage, when young, of a light green, changing to a fine golden yellow in the fall. \$1.00.

L. leptoclada. **B.** A slender growing tree, with reddish-brown shoots; leaves turn to a golden color in autumn. \$1.00.

LIQUIDAMBAR. AMBERBAUM, Ger. COPALME, Fr.

L. styraciflua. SWEET GUM OR BILSTED. **B.** One of the finest American trees. Of medium size and moderate growth; form round-headed or tapering; leaves resemble somewhat those of the Maple, but are star-shaped and of a beautiful glossy green color in summer, turning to a deep purplish crimson in autumn; bark corky. Beautiful in all stages of growth, it is particularly handsome and striking in autumn. \$1.00.

LIRIODENDRON. TULPENBAUM, Ger. TULIPIER, Fr.

L. tulipifera. TULIP TREE OR WHITEWOOD. **A.** A magnificent native tree, of tall, pyramidal habit, with broad, glossy, fiddle-shaped leaves of a light green color, and beautiful tulip-like flowers; allied to the Magnolias, and, like them, difficult to transplant, unless of small size. 75c.

var. panache. VARIEGATED-LEAVED TULIP TREE. **B.** One of the finest variegated trees; the margins of the broad, glossy leaves are variegated with a very light green, giving the tree a striking appearance. \$1.00.

MACLURA. MACLURE, Fr.

M. aurantiaca. ORANGE-LIKE-FRUITED MACLURA OR OSAGE ORANGE. A native tree of medium size and spreading habit. Leaves bright shining green, broad and sharp-pointed. The fruit resembles an orange. Valuable, and very extensively used for farm and garden hedges. For price see *Hedge Plants*.

MAGNOLIA. MAGNOLIE, Ger. MAGNOLIER, Fr.

Their superior stateliness of form and splendor of growth, the size and richness of their foliage and lavish yield of fragrant flowers, all tend to place them in the foremost rank among hardy ornamental trees and shrubs. Their proper place is on the lawn, where they show to fine advantage in contrast to the green; or they may be planted effectively on the borders of lawns, with an evergreen in the background to heighten the contrast. Planted in groups, they yield to no rival, and their effect in the early spring is grand beyond description, illuminating the whole landscape and filling the atmosphere with their rich perfume.

To insure success in their transplanting, they should be moved in the spring, never in the fall, and the Chinese varieties at that period when they are coming into bloom, and, consequently, before the leaves have made their appearance. Great care should be exercised in their removal, the fibrous roots being preserved as nearly as possible, and carefully guarded from any exposure to wind or sun. While almost any good soil is sufficient to insure their growth, they succeed best in a soil which is warm, rich and dry.

AMERICAN SPECIES AND VARIETIES.

- Magnolia acuminata.** CUCUMBER MAGNOLIA. **A.** A beautiful, pyramidal growing tree, attaining from 60 to 90 feet in height. Leaves 6 to 9 inches long, and bluish green; flowers yellow, tinted with bluish purple; fruit, when green, resembling a cucumber; hence the name. June. 50c
- M. macrophylla.** GREAT-LEAVED MAGNOLIA. **B.** A superb species, of medium size. Leaves two feet in length, pubescent and white beneath. Flowers white, of immense size; when fully blown, 8 to 10 inches in diameter, appearing in June. A rare tropical looking tree. \$2.00.
- M. tripetala.** UMBRELLA TREE. **B.** A hardy, medium-sized tree, with immense leaves, and large, white flowers, 4 to 6 inches in diameter, appearing in June. \$1.00.

CHINESE SPECIES AND THEIR HYBRIDS.

(Flowering in May before the leaves appear.)




HALL'S STAR-SHAPED MAGNOLIA. (*Magnolia Stellata*.)

We now grow our Chinese Magnolias in pots and ship with ball of earth attached, which ensures successful transplanting.

- Magnolia conspicua.** CHINESE WHITE MAGNOLIA. CHANDELIER, or YULAN MAGNOLIA. **C.** A Chinese species of great beauty. The tree is of medium size, shrub-like in growth while young, but attains the size of a tree in time. The flowers are large, pure white, very numerous, and appear before the leaves. \$1.50.
- M. Kobus.** THURBER'S JAPAN MAGNOLIA. **B.** A tree of medium size, bushy growth; flowers bluish white and fragrant. \$1.00.
- M. Norbertiana.** NORBERT'S MAGNOLIA. **C.** A hybrid between *M. conspicua* and *M. obovata*. Tree vigorous and of regular outline; foliage showy; flowers reddish purple. One of the best. \$2.00.
- M. Soulangeana.** SOULANGE'S MAGNOLIA. **C.** In habit it closely resembles *M. conspicua*; shrubby and branching while young, but becoming a fair-sized tree. Flowers white and purple, cup-shaped, and 3 to 5 inches in diameter. Foliage large, glossy and massive. One of the hardiest and finest of the foreign Magnolias. Blooms later than *conspicua*. \$1.50
- M. speciosa.** SHOWY-FLOWERED MAGNOLIA. **C.** Resembles the *M. Soulangeana* in growth and foliage, but the flowers are a little smaller and of a lighter color, fully a week later, and remain in perfect condition upon the tree longer than those of any other Chinese variety. These qualities combined with its hardiness, render it, in our estimation, one of the most valuable sorts. \$1.50.
- M. Lennei.** LENNE'S MAGNOLIA. **C.** A seedling of *M. purpurea*. Foliage large, flowers dark purple. A superb variety. \$2.00.
- M. stellata, syn. Halleana.** HALL'S JAPAN MAGNOLIA. **D.** Introduced by Dr. Hall from Japan. It is of dwarf habit and produces its pure white semi-double fragrant flowers in April, earlier than any other Magnolia. \$2.00.

MORUS. Mulberry. MAULBEERE, Ger. MURIER, Fr.

- M. alba.** WHITE MULBERRY. **B.** A native of China. Tree small, and of slender rapid growth. Fruit pinkish white. 50c.
- M. Downing.** DOWNING'S EVERBEARING. **B.** A rapid growing tree, which bears fine fruit. 50c.
- M. New American.** **B.** Fruit large and of fine quality. Tree rapid growing and perfectly hardy here. It bears delicious fruit from middle of July until autumn. 50c.
- M. Tartarica pendula.** WEEPING RUSSIAN MULBERRY. **D.** Forms a perfect umbrella-shaped head, with long, slender branches drooping to the ground, parallel to the stem; very hardy. One of the prettiest small weeping trees. See cut. \$1.00.



WEeping MULBERRY.

Morus Thorburn. THORBURN'S MULBERRY. **B.** Fruit of medium size; black; of good quality. 50c.

M. Trowbridge. TROWBRIDGE'S MULBERRY. **B.** Fruit black; medium size; good. 50c.

NEGUNDO. (*Acer negundo*.) NEGUNDO MAPLE.

NEGUNDO, *Fr.*

N. fraxinifolium. ASH-LEAVED MAPLE. BOX ELDER. **B.** A native tree, maple-like in its seeds, and ash-like in foliage; of irregular spreading habit, and rapid growth. 50c.

PAULOWNIA. PAULOWNIE, *Ger.*

P. imperialis. **C.** A magnificent tropical looking tree from Japan; of extremely rapid growth, and surpassing all others in the size of its leaves, which are twelve to fourteen inches in diameter. Blossoms trumpet-shaped, formed in large upright panicles, and appearing in May. Quite hardy here, but the flower buds are killed during severe winters. 75c.

PAVIA. (*Æsculus*.) Smooth-fruited Horse Chestnut. PAVIER, *Fr.*

P. flava. THE BIG OR OHIO BUCKEYE OR YELLOW HORSE CHESTNUT. **B.** A fine native tree, having pale green, downy leaves and yellow flowers. The tree when it acquires age forms a glc-bular head twenty to forty feet in height. \$1.00.

P. Lyonii. **B.** Vigorous grower, yellow flowers. \$1.00.

P. Michauxii. **C.** Racemes of handsome rose colored flowers. \$1.00.

P. rubra. THE SMALL BUCKEYE. **B.** Grows wild in Virginia and North Carolina. A small-sized tree, with more slender branches than the *flava*, and brownish red flowers. \$1.00.

var. atrosanguinea. **B.** Of dwarf habit; young wood and foliage quite smooth. Flowers dark red. \$1.00.

var. carnea pubescens. **B.** A variety of the *rubra*, with flesh colored flowers. \$1.00.

var. carnea superba. **B.** A very distinct and dwarf variety, with dark flowers. \$1.00.

var. purpurea. **B.** A variety of the *rubra*, with purplish red flowers, and of dwarf habit. \$1.00.

var. Whitleyii. **B.** One of the most beautiful varieties, on account of its handsome foliage and brilliant red flowers. \$1.00.

PERSICA. Peach. PFIRSICH, *Ger.* PECHER, *Fr.*

The double flowering varieties are distinguished for their showy and beautiful bloom. At the blossoming season every branchlet is covered with a mass of beautifully formed, highly colored flowers, rendering the trees most interesting objects and attracting notice from a distance. The double red, double rose, and double white varieties planted in a group, produce a charming effect. We cannot too highly recommend these superb flowering trees.

P. vulgaris fl. alba plena. DOUBLE WHITE-FLOWERING PEACH. **C.** Very ornamental. Flowers pure white and double; superb. Perfectly hardy. May. 50c.

P. vulgaris fl. camelliæflora plena. **C.** Flowers rose colored. 50c.

P. vulgaris fl. rosea plena. DOUBLE ROSE-FLOWERING PEACH. **C.** Flowers double, pale rose colored, like small roses. Very pretty. May. 50c.

P. vulgaris fl. sanguinea plena. DOUBLE RED-FLOWERING PEACH. **C.** Flowers semi-double, bright red; superb. May. 50c.

P. vulgaris fl. versicolor plena. **C.** The most singular of all our flowering trees. Flowers variously white and red or variegated on the tree at the same time. Flowers early, and perfectly hardy. 50c.

P. vulgaris foliis purpureis. PURPLE OR BLOOD-LEAVED PEACH. **C.** Foliage of a deep blood-red color in spring, fading to a dull green as the season advances, but the young growth preserves its dark color the entire summer. Very valuable on account of its rapid growth and handsome foliage. The tree should be severely cut back every spring. 50c.

PHELLODENDRON. KORKBAUM, *Ger.*

P. Amurense. CHINESE CORK TREE. **B.** A hardy tree from Manchooria, growing 60 feet high in its native country, with thick corky bark and elegant pinnate foliage three or four feet long. In general appearance and rapidity of growth it resembles the *Alanthus*. \$1.00.

PLATANUS. Plane-Tree. ALLEEBÄUME, *Ger.*

P. occidentalis. AMERICAN PLANE, SYCAMORE OR BUTFONWOOD. **A.** A well known tree. Leaves heart-shaped at base, the short lobes sharp-pointed. 50c.

P. orientalis. ORIENTAL PLANE. **A.** Similar to the above, but leaves more deeply cut. 50c.

POPULUS. Poplar. PAPPEL, Ger. PEUPLIER, Fr.

- ***P. alba.** WHITE OR SILVER POPLAR, OR SILVER ABELE. **B.** From Europe. A tree of wonderfully rapid growth, and wide spreading habit. Leaves large, lobed, glossy green above and white as snow beneath. prefers a moist soil, but flourishes anywhere. 50c.
- var. Bolleana.** **B.** Of recent introduction. A very compact upright grower, resembling the Lombardy Poplar, with leaves glossy, green above and silvery beneath. 50c.
- var. canescens.** GRAY OR COMMON WHITE POPLAR. **B.** A native of Great Britain. Branches upright and compact. Leaves roundish, waved and toothed, downy beneath. A fine tree for marshy soils. 50c.
- var. nivea.** **B.** Foliage larger than that of the species, white and very downy underneath. Produces a fine contrast with the green foliage of other trees. 50c.
- var. nivea aureo-intertexta.** **B.** (New). A variety of the Silver Poplar, foliage golden variegated. \$1.00.
- P. angustifolia.** **B.** A native tree of medium size, pyramidal habit with narrow leaves. 50c.
- ***P. balsamifera.** BALSAM POPLAR OR TACAMAHAC. **B.** A native species of remarkably rapid, luxuriant growth, with large glossy foliage. 50c.
- P. Canadensis.** COTTONWOOD OR CANADIAN POPLAR. **A.** A tall native tree growing 80 feet high, with broadly deltoid, glabrous shining serrate leaves. 50c.
- var. aurea Van Geertii.** VAN GEERT'S GOLDEN POPLAR. **B.** Has fine golden yellow foliage, retaining its brilliancy throughout the season; effective in masses. 75c.
- ***P. Carolina.** CAROLINA POPLAR. **B.** Pyramidal in form and robust in growth; leaves large, glossy, serrated, pale to deep green. One of the best. 50c.
- P. certinensis.** ASIATIC POPLAR. **B.** A rapid growing tree of pyramidal habit; leaves medium to large, cordate, light green, changing to dark green. 50c.
- P. crispa.** LINDLEY'S CRISPED OR CURLED-LEAVED POPLAR. **B.** A singular variety, the bark on the young wood being raised in furrows. 50c.
- P. elegans.** **B.** Of upright growth, brownish wood and fine foliage. 50c.
- P. Eugenie.** **B.** Of pyramidal habit, very rapid growth, and handsome yellowish green foliage. 50c.
- ***P. fastigiata** or **dilatata.** LOMBARDY POPLAR. **A.** Attains a height of from 100 to 150 feet. Well known and remarkable for its erect, rapid growth, and tall, spiry form. Indispensable in landscape gardening, to break the ordinary and monotonous outlines of most other trees. 50c.
- P. grandidentata pendula.** WEEPING TOOTH-LEAVED POPLAR. **C.** A variety of rapid growth, with long, slender branches, drooping gracefully to the ground; foliage large and deeply serrated. A fine weeper. \$1.
- P. Nolestii.** **B.** Asiatic species. A strong grower, rather spreading; leaves medium to large, cordate and dark green. 50c.
- P. Parasol de St. Julien.** **C.** A variety from France, of fine drooping habit. \$1.00.
- P. pyramidalis suaveolens.** **B.** A compact pyramidal grower, leaves ovate lanceolate, smooth dark green above, pale green underneath; resembles Lindley's. 50c.
- P. rotundifolia.** ROUND-LEAVED POPLAR. **C.** A distinct species from Japan. Tree of spreading habit, with large, nearly round leaves, dark green above and downy underneath. 50c.

PRUNUS. Plum and Cherry.

- P. domestica fol. var.** VARIEGATED-LEAVED PLUM. **B.** A variety with yellow variegated foliage. Bears good fruit. 50c.
- P. domestica fol. var.** (New.) VARIEGATED-LEAVED PLUM. **B.** A fine variegated small tree, with very distinct markings, the center of the leaves being deep green, with the margins a pale green. A good companion for *Prunus pissardi*. 75c.
- P. myrobolana flore roseo pleno.** (New.) **C.** Of vigorous habit. Flowers large, double, fragrant, appearing in early spring, before those of *Prunus triloba*. \$1.
- P. Padus.** EUROPEAN BIRD CHERRY. **B.** A rapid growing, beautiful tree, with glossy foliage and long bunches of white, fragrant flowers in May, succeeded by clusters of fruit like black currants. 50c.
- var. aucubæfolia.** AUCUBA-LEAVED BIRD CHERRY. **B.** A variety with large foliage, sprinkled with white blotches. 50c.
- var. fl. pl.** DOUBLE-FLOWERING BIRD CHERRY. **B.** A rapid, pyramidal grower, producing double flowers. 50c.
- var. marmorata.** **B.** A variety of the Bird Cherry, the foliage marbled with white. 50c.
- var. variegata.** VARIEGATED-LEAVED BIRD CHERRY. **B.** A handsome variety with variegated foliage; young growth slender and drooping. 50c.
- P. Simonii.** **C.** A distinct species from China. Growth erect; flowers small, white, appearing early in spring; fruit large, flattened, of the size and appearance of a nectarine, and of a brick-red color; flesh yellow, with a peculiar aromatic flavor. 50c.
- P. spinosa flore pleno.** DOUBLE-FLOWERING SLOE. **C.** A beautiful small tree or large shrub from Japan, covered in spring with small, double daisy-like white flowers, succeeded by small, dark purple fruit. 50c.
- var. pendula.** WEEPING SLOE. **C.** A variety of *spinosa* with pendulous branches. \$1.00.

PYRUS. Crab and Mountain Ash.

We invite special attention to the Double-flowering Crabs; their beauty and value seem to have been overlooked and are therefore not appreciated.

- P. malus baccata var. carnea pleno.** **C.** A Crab with delicate flesh-colored double flowers; very fine. 50c.
- P. malus communis aucubæfolia.** **C.** An Apple with spotted foliage; flowers white, shaded pink. 50c.
- P. m. coronaria odorata.** FRAGRANT GARLAND-FLOWERING CRAB. **C.** Single blush flowers, with the fragrance of sweet violets; blossoms appear about a week after those of the Double Rose-flowering; very desirable. May. 50c.

- Pyrus m. floribunda. C.** Single flower; beautiful carmine in bud; white when open. May. 50c.
P. m. floribunda atrosanguinea. C. Flowers darker than the preceding. A charming variety. May. (See cut.) \$1.00.
P. m. Halleana syn. Parkmanni. C. Habit dwarf, a compact grower. Foliage dark green, remaining late on the tree. Flowers very double, dark rose, and retain their color until they drop from the tree. A fine variety. \$1.00.
P. m. Kaido. C. Flowers single, white and pink; produced in great profusion; followed with small fruit in clusters; ornamental and fine. May. 50c.



BRANCH OF FLOWERING CRAB.
 (*floribunda atrosanguinea.*)

- P. m. spectabilis var. flore albo pleno. CHINESE DOUBLE WHITE-FLOWERING CRAB. C.** Double white fragrant flowers in clusters. May. 50c.
P. m. s. var. flore roseo pleno. CHINESE DOUBLE ROSE-FLOWERING CRAB. C. Has beautiful double, rose-colored, fragrant flowers nearly two inches in diameter in May. The best of all the crabs for ornamental planting; should be in every collection. 50c.
P. m. s. var. Riversii. RIVERS' SEMI-DOUBLE-FLOWERING CRAB. C. Rose-colored, semi-double flowers. 50c.

SORBUS. MOUNTAIN ASH, and their allied species.

Our collection of Mountain Ash is very large and complete, and embraces several sorts of more than ordinary merit.

- P. Americana. AMERICAN MOUNTAIN ASH. C.** A tree of coarser growth and foliage than the European, and producing larger and lighter colored berries. 50c.
var. nana. DWARF MOUNTAIN ASH. C. A dwarf variety, making a handsome small tree. \$1.00.
P. aria. (vestita). WHITE BEAM TREE. C. A vigorous growing tree, with broad, distinct, fine foliage, young wood downy; fruit grayish brown. One of the best. \$1.00.
var. macrophylla laciniata. C. A vigorous grower, with medium to large handsome lobed leaves; a very promising new sort. \$1.00.
***P. aucuparia. EUROPEAN MOUNTAIN ASH. B.** A fine hardy tree, head dense and regular; covered from July till winter with great clusters of bright scarlet berries. 50c.
var. pendula. WEEPING EUROPEAN MOUNTAIN ASH. C. A beautiful variety of rapid growth and decidedly pendulous and trailing habit. One of the most desirable lawn trees. \$1.00.



TREE OF FLOWERING CRAB IN BLOOM.
(*Forbunda asproangina*.)

- Pyrus Sorbus a. var. quercifolia floribunda nana.** DWARF PROFUSE-FLOWERING MOUNTAIN ASH. **C.** A remarkable dwarf variety, with oak-shaped leaves. When worked 4 to 6 feet high makes a handsome small tree. \$1.00.
- var. quercifolia hybrida nana.** DWARF HYBRID MOUNTAIN ASH. **C.** A dwarf variety of upright growth, and deep green foliage. Distinct and fine. \$1.00.
- P. aurea striata.** GOLDEN-STRIPED MOUNTAIN ASH. **C.** A slow grower, with medium sized leaves, silvery white on the under side and glossy green above. \$1.00.
- P. aurea hybrida.** GOLDEN HYBRID MOUNTAIN ASH. **C.** A vigorous grower, with large cordate leaves, very white and downy; fruit large, yellowish brown and spotted. One of the most distinct and beautiful of all the Mountain Ash. \$1.00.
- P. domestica.** TRUE SORB, OR SERVICE TREE. **B.** Foliage like the American, but more serrated; large brown fruit. 50c.
- P. hybrida.** HYBRID MOUNTAIN ASH. **C.** A fine tree, with beautiful, large foliage; distinct and valuable. \$1.00.
- var. quercifolia or pinnatifida.** OAK-LEAVED MOUNTAIN ASH. **B.** A hardy tree of fine pyramidal habit. Height and breadth from 20 to 30 feet. Foliage simple and deeply lobed, bright green above and downy beneath. One of the finest lawn trees. 50c.
- P. sambucifolia.** ELDER-LEAVED MOUNTAIN ASH. **B.** An American species, with fine foliage. 50c.

QUERCUS. Oak. EICHE, *Ger.* CHENE, *Fr.*

The Oaks, when they attain size are our most picturesque trees. The species and varieties are numerous, and the majority are adapted to ornament large grounds where they can have an abundance of room. Some kinds, however, are moderate growers, and suitable for small places, especially if kept in good shape by a judicious use of the knife. Our collection embraces a variety of forms and includes the finest.

Those preceded by a † are either new or rare, and only to be had of small size.

- Q. alba.** AMERICAN WHITE OAK. **A.** One of the finest American trees, of large size and spreading branches; leaves lobed, pale green above and glaucous beneath. 50c.
- Q. bicolor.** A native species, with handsome, large sinuate toothed leaves, which turn to a bright scarlet in autumn. \$1.00.
- Q. cerris.** TURKEY OAK. **B.** A very handsome South European species, of rapid, symmetrical growth; foliage finely lobed and deeply cut; leaves change to brown in autumn, and persist during a great part of the winter. Fine for the lawn. \$1.00.
- †**var. conferte, syn. panonica.** **B.** Leaves light green, more deeply cut than the type; tree a stronger grower. \$1.50.
- Q. coccinea.** SCARLET OAK. **B.** A native tree of rapid growth, pyramidal outline, and especially remarkable in autumn, when the foliage changes to a bright scarlet. \$1.00.
- var. tinctoria.** BLACK OAK. **B.** 50c.
- †**Q. Daimio.** JAPAN OAK. **C.** A distinct and remarkable tree; foliage very large, leathery, of a glossy dark green color. \$1.50.
- †**Q. dentata.** **C.** A fine Japanese species. Foliage deeply dentated. \$1.00.
- Q. Ilex var. Fordii fastigiata.** PYRAMIDAL EVERGREEN OAK. **B.** A variety of the European Evergreen Oak, of very upright growth. A beautiful tree. \$1.00.
- Q. macrocarpa.** MOSSY CUP OR BURR OAK. **A.** A native tree, of spreading form. Foliage deeply lobed, and the largest and most beautiful among oak leaves. Cup-bearing, acorn-fringed and burr-like. Bark corky. One of the noblest of the family. 75c.
- †**Q. nobilis.** **B.** A superb, rapid-growing tree, with very large leaves, lobed at the apex, each lobe terminating with a bristle-like point. \$1.00.
- Q. palustris.** PIN OAK. **B.** Foliage deep green, finely divided; assumes a drooping form when it acquires age. \$1.00.
- Q. phellos.** WILLOW OAK. **B.** A medium sized tree; small willow-shaped leaves; growth compact, upright, making a fine pyramid. A valuable variety. \$1.50.
- †**Q. Prinus.** CHESTNUT-LEAVED OAK. **B.** One of the finest species; leaves resemble those of the chestnut. 75c.
- var. monticola.** **B.** Handsome glossy green foliage. \$1.00.
- Q. Robur.** ENGLISH OAK. **B.** The Royal Oak of England, a well-known tree of spreading, slow growth. \$1.00.
- Q. Rob. pedunculata alba variegata.** SILVER VARIEGATED-LEAVED OAK. **B.** The best variegated-leaved Oak. \$1.50.
- †**Q. Rob. ped. var. argentea pictus.** SILVER VARIEGATED-LEAVED OAK. **B.** The old leaves are of a shining, dark-green color, and the younger ones are blotched and spotted with silver, making a very pleasing contrast. \$1.50.
- †**Q. Rob. ped. var. asplenifolia.** FERN-LEAVED OAK. **C.** A handsome variety, of moderate growth, with very pretty, deeply cut leaves. \$1.50.
- †**Q. Rob. ped. var. atropurpurea.** PURPLE-LEAVED OAK. **C.** A magnificent variety, with dark purple leaves which retain their beautiful tint the entire summer. \$2.00.
- †**Q. Rob. ped. var. comptoniæfolia.** **B.** A slender grower, with delicately cut leaves. \$1.50.
- Q. Rob. ped. var. concordia.** GOLDEN OAK. **B.** A superb variety, with orange-yellow leaves, which retain their golden tint throughout the season; one of the finest golden-leaved trees. \$1.50.
- †**Q. Rob. ped. var. contorta.** CONTORTED-LEAVED OAK. **B.** A moderate grower, with curled and twisted leaves. \$1.50.
- †**Q. Rob. ped. var. cupressoides.** **B.** A rapid grower of erect habit. \$1.50.
- †**Q. Rob. ped. var. Dauvesseii pendula.** DAUVESSE'S WEEPING OAK. **B.** A vigorous variety, with drooping branches. Forms a fine weeping tree. \$1.50.
- †**Q. Rob. ped. var. fastigiata aureo punctatis.** **C.** A slow grower of pyramidal habit; foliage spotted with silver; suitable for small grounds. \$1.50.

- †**Quercus Rob. ped. var. laciniata.** CUT-LEAVED OAK. **B.** Tree of fine habit and elegant, deeply-cut foliage. One of the best cut-leaved trees. \$1.50.
- †**Q. Rob. ped. var. nigra.** **C.** A vigorous grower, with large leaves of a purple color when young, changing to a dark green as the season advances. \$1.50.
- Q. Rob. ped. var. pulverulenta.** **B.** The leaves of the second growth are marbled with silver, and contrast finely with the deep green foliage of the first growth. \$1.50.
- †**Q. Rob. var. sessiliflora purpurea.** **B.** Fine purple foliage; good habit. \$2.00.
- Q. imbricaria.** LAUREL, OR SHINGLE OAK. **B.** A native species, with laurel-like, oblong leaves, which assume a superb carmine tint in autumn. \$1.00.
- Q. repanda.** **B.** A rapid growing tree with light green foliage. \$1.50.
- Q. rubra.** RED OAK **A.** An American species, of large size and rapid growth, foliage purplish red in the fall. 50c.

ROBINIA. Locust or Acacia. AKAZIE, *Ger.* ROBINIER, *Fr.*

- R. hispida.** ROSE OR MOSS LOCUST. **C.** A native species of spreading, irregular growth, with long, elegant clusters of rose-colored flowers in June, and at intervals all the season. 75c.
- ***R. Pseud-acacia.** BLACK, OR YELLOW LOCUST. **B.** A native tree, of large size, rapid growth, and valuable for timber, as well as quite ornamental. The flowers are disposed in long, pendulous racemes, white or yellowish, very fragrant, and appear in June. 50c.
- var. Bessoniana.** **B.** A variety of strong growth, without thorns; foliage dark green, heavy and luxuriant. We regard it as the most ornamental of all this family. \$1.00.
- var. bella rosea.** **B.** A vigorous grower, fine dark foliage; no thorns. Flowers flesh-colored, tinged with yellow. \$1.00.
- var. bullata.** **B.** A variety of *Bessoniana*, more compact; dark, glossy foliage; hardy. \$1.00.
- var. Decaisneana.** **B.** A fine variety, with delicate pink flowers. \$1.00.
- var. inermis, or umbraculifera.** GLOBE, OR PARASOL ACACIA. **C.** Thornless. A remarkable and pretty tree, with a round, regular, dense head, like a ball. \$1.00.
- var. inermis rubra.** **C.** Forms a globe-headed tree; flowers white, slightly shaded with pink. \$1.00.
- var. inermis stricta.** **C.** Another globe-headed variety. \$1.00.
- var. spectabilis.** **B.** A variety producing straight, vigorous, thornless shoots, with large leaves. \$1.00.

SALISBURIA. Maiden-Hair Tree or Gingko.

- S. adiantifolia.** **A.** A remarkable tree from Japan, combining in its habit characteristics of the conifer and deciduous tree. The tree is of medium size, rapid growth, with beautiful fern-like foliage. Rare and elegant. \$1.00 to \$2.00.

SALIX. Willow. WEIDE, *Ger.* SAULE, *Fr.*

The Willows are a most useful and ornamental class of trees. Of rapid growth, fine habit, hardy, adapted to a great variety of soils, and easily transplanted, they can be used by planters to great advantage. Several sorts are well known; others have not received the attention they deserve, for example, the Royal Willow, with its silvery foliage, is a striking tree, and most effective in landscapes; the Laurel-leaved, with handsome, shining, laurel-like leaves, and bright green bark in winter; the Palm-leaved, with glossy, beautiful leaves, and bright red bark in winter; the Golden, with bright yellow bark in winter, and the Rosemary, with silvery foliage, are all meritorious. The ease with which they can be transplanted, and the brief time they require to form good sized trees, are strong arguments in favor of their employment.

- S. Babylonica.** BABYLONIAN OR WEeping WILLOW. **A.** A native of Asia. Our common and well known Weeping Willow. 50c.
- var. Salamonii.** **A.** From France. More vigorous and upright than the species, while it retains its weeping habit. 50c.
- S. caprea var. pendula.** KILMARNOCK WEeping WILLOW. **C.** A variety of the Goat Willow or common Sallow. Grafted five to seven feet high upon the Comewell stock, it forms, without any trimming, an exceedingly graceful tree, with glossy foliage and perfect umbrella head, unique in form. Vigorous and thriving in all soils, it is probably more widely disseminated than any of the finer ornamental trees. 50c.
- var. tricolor.** THREE-COLORED GOAT WILLOW. **C.** Worked four or five feet high it forms a very pretty round-headed tree, with distinct, tri-colored foliage. 75c.
- S. laurifolia.** LAUREL-LEAVED WILLOW **B.** A fine ornamental tree, with very large, shining leaves. 50c.
- S. palmæfolia.** PALM-LEAVED WILLOW. **B.** A vigorous growing variety, foliage deep green. Young wood reddish purple. 50c.
- S. pentandra.** **B.** A distinct and handsome species, with broad, thick, shining foliage. 50c.
- S. purpurea pendula.** AMERICAN WEeping OR FOUNTAIN WILLOW. **C.** A dwarf slender species from Europe. Grafted five or six feet high it makes one of the most ornamental of small weeping trees; harder than the *Babylonica*. \$1.00.
- S. regalis.** ROYAL WILLOW. **B.** An elegant tree, with rich, silvery foliage. Very effective in groups. 50c.
- S. rigida pendula.** **C.** When grafted five or six feet high this makes a fine weeper; the branches are long and slender; the leaves large, glossy, and pale green. \$1.00.
- S. rosmarinifolia, or petiolaris.** ROSEMARY-LEAVED WILLOW. **C.** When worked five to seven feet high, a very striking and pretty round-headed small tree. Branches feathery; foliage silvery. 75c.
- S. vitellina aurantiaca.** GOLDEN WILLOW. **B.** A handsome tree. Conspicuous at all seasons, but particularly in winter on account of its yellow bark. 50c.
- S. vitellina Britzensis.** **B.** Very attractive in winter, when the bark turns red, similar in color to *Cornus Siberica*. 50c.
- S. vitellina Variety from Russia.** (New). **B.** Bark bright golden; very conspicuous in winter. A better grower than *vitellina aurantiaca*. 50c.

- Salix Sieboldii*. **B.** An elegant tree with long graceful branches and long narrow deep green leaves. 50c.
var. pendula. SIEBOLD'S WEeping WILLOW. **C.** Drooping in habit and apparently very hardy. 50c.
S. Wisconsin Weeping. **B.** Of drooping habit and hardier than *Babylonica*. Valuable on account of its ability to resist severe cold. 50c.
S. Variety from Colorado. **B.** Beautiful blue bark in winter. 50c.

TAXODIUM. Deciduous Cypress.

- T. distichum.** DECIDUOUS OR SOUTHERN CYPRESS. **B.** A beautiful, stately tree, with small, feathery, light green foliage. 50c.
var. pendulum. **C.** A fine weeping variety, with light green foliage in spring and summer, turning to a reddish brown in autumn. \$1.50.

TILIA. Linden or Lime Tree. LINDE, Ger. TILLEUL, Fr.

The Lindens are all beautiful and merit more notice than they receive. In addition to many other valuable qualities which they possess, their flowers yield a delicate perfume. Of those named below, a few possessing special merit might be mentioned, viz.: Golden-barked, Red Fern-leaved, White-leaved, White-leaved weeping and *dasystyla*.

- ***T. Americana.** AMERICAN LINDEN OR BASSWOOD. **B.** A rapid growing, large-sized, beautiful native tree, with very large leaves and fragrant flowers. 50c.
var. macrophylla. BROAD-LEAVED BASSWOOD. **B.** Has immense leaves. 50c.
***T. Europæa.** EUROPEAN LINDEN. **B.** A very fine pyramidal tree of large size, with large leaves and fragrant flowers. 50c.
var. alba. (*argentea*.) WHITE-LEAVED EUROPEAN LINDEN. **B.** From Hungary. A vigorous growing tree, of medium size and pyramidal form, with cordate acuminate leaves, downy beneath and smooth above. It is particularly noticeable among trees by its white appearance. Its handsome form, growth and foliage render it worthy, in our opinion, to be classed among the finest of our ornamental trees. \$1.00.
var. alba pendula. WHITE-LEAVED WEeping LINDEN. **B.** A beautiful tree with large foliage and slender, drooping shoots. One of the finest of the Lindens. \$1.00.
var. alba spectabile. **B.** A new and distinct variety of the white-leaved; growth rapid, tree attains large size; form upright, pyramidal; foliage very large, of fine cordate shape, of a shining dark green on the upper side and whitish green underneath. It differs from the white-leaved in having larger leaves, which are not so downy underneath. \$1.00.
var. aurea. GOLDEN-BARKED LINDEN. **B.** A variety of medium size, with golden yellow twigs. Very conspicuous in winter. \$1.00.
var. aurea platiphyllo. GOLDEN-BARKED, BROAD-LEAVED LINDEN. **B.** A very distinct and handsome variety, remarkable in winter on account of its yellow twigs. \$1.00.
var. laciniata. CUT OR FERN-LEAVED LINDEN. **B.** A medium sized tree, of fine habit, with smaller leaves than those of the *common*, and deeply and irregularly cut and twisted. Very ornamental. \$1.00.
var. laciniata rubra. RED FERN-LEAVED LINDEN. **B.** An elegant tree, of pyramidal compact habit. Bark on young wood rose-colored, and foliage deeply cut. One of the finest trees for the lawn. \$1.00.
var. platiphyllo. BROAD-LEAVED EUROPEAN LINDEN. **B.** A tree of about the same size as *T. Europæa*, but readily distinguished from it by its larger and rougher leaves. 50c.
var. pyramidalis. **B.** A rapid pyramidal growing tree, with reddish shoots. \$1.00.
var. rubra. RED-TWIGGED EUROPEAN LINDEN. **B.** A fine variety, of medium size, with branches as red as blood. 75c.
var. vitifolia. GRAPE-LEAVED EUROPEAN LINDEN. **B.** A vigorous growing variety, with very large foliage. Young wood bright red. 50c.
T. dasystyla. **B.** A vigorous tree, with cordate, dark green glossy leaves, and bright yellow bark in winter. A superb tree, destined to supersede the *Golden-barked*. \$1.00.

ULMUS. Elm. ULME, Ger. ORME, Fr.

Many of the Elms are so well known that it is unnecessary to refer to their beauty and value for ornamental planting. But several very desirable kinds fail to receive due recognition, and we therefore invite the attention of planters to them as follows: *Berardi* and *Viminalis* are unique miniature varieties. The Nettle-leaved has beautiful and curious leaves. The Monumental is of dwarf, conical habit, novel and distinct. The Variegated-leaved, Purple-leaved, Pyramidal, *Oxonienae* and *Webbiana*, are all choice sorts. *Dorvi* is a very erect, rapid growing sort, with smooth bark and large dark-green leaves: valuable for avenue planting. *Belgica*, *superba* and *Huntingdon* are also suited to the same purpose. We, of course, grow the American, than which there is no finer tree, on an extensive scale, for street and park planting.

- ***U. Americana.** AMERICAN WHITE OR WEeping ELM. **B.** The noble spreading and drooping tree of our own forests. 50c.
***U. campestris.** ENGLISH ELM. **B.** An erect, lofty tree, of rapid, compact growth, with smaller and more regularly cut leaves than those of the American, and darker colored bark. The branches project from the trunk almost at right angles, giving the tree a noble appearance. \$1.00.
***var. Belgica.** **B.** A fine variety, of large size, rapid growth, and fine spreading shape. Valuable for street planting. \$1.00.
var. Berardi. **C.** A miniature variety of the Elm. Tree of small size, slender growth, pyramidal habit, with deeply and delicately cut foliage; beautiful and distinct. \$1.00.
var. Clemmeri. **B.** Of medium size, moderate growth and fine form. Much used in Belgium for planting along avenues. \$1.00.
var. cornubiensis. CORNISH ELM. **B.** A fine, upright branched variety of the English, of more vigorous growth. \$1.00.

- Ulmus c. var. corylifolia purpurea.** PURPLE FILBERT-LEAVED ELM. **B.** A fine purple-leaved variety. \$1.00.
var. Dampierreii aurea. DAMPIERRE'S GOLDEN ELM. **C.** (New). A very striking variety; foliage of a bright golden color, center of the leaf yellowish green; a strong grower. \$1.
var. Louis Van Houtte. **C.** Another new variety with golden foliage, similar to the above but foliage a brighter golden; a good grower. \$1.
var. macrophylla punctata. **B.** Foliage handsomely and distinctly variegated with silvery blotches and stripes. \$1.00.
var. microphylla pendula. WEEPING SMALL-LEAVED ELM. **C.** A handsome variety, with slender, drooping branches and small foliage; grafted standard high, it becomes an elegant tree, well adapted for small lawns. \$1.50.
var. monumentalis. MONUMENTAL ELM. **C.** A slow growing dwarf variety, forming a straight and dense column; distinct and beautiful. \$1.00.
var. myrtifolia purpurea. PURPLE MYRTLE-LEAVED ELM. **B.** Small, elegant foliage, of beautiful purple color. \$1.00.
var. serratifolia. SERRATED-LEAVED ELM. **B.** A beautiful, compact grower, with dark foliage. \$1.00.
var. stricta purpurea. PURPLE-LEAVED ENGLISH ELM. **B.** A striking variety, with erect branches and purple leaves. \$1.00.



CAMPERDOWN ELM. (From a specimen on our grounds.)

- var. suberosa.** ENGLISH CORK-BARKED ELM. **B.** A tree of fine habit, young branches very corky; leaves rough on both sides. \$1.00.
var. suberosa pendula. WEEPING CORK-BARKED ELM. **B.** An ornamental drooping variety. \$1.00.
var. urticifolia. NETTLE-LEAVED ELM. **B.** A rapid-growing, handsome variety, with long serrated and undulating leaves; unique and beautiful. \$1.00.
var. variegata argentea. VARIEGATED ENGLISH ELM. **B.** Small leaves, sprinkled over with silvery spots; variegation constant. Very fine. \$1.00.
var. viminalis. **C.** A distinct, slender-branched, small-leaved variety; somewhat pendulous. \$1.00.
var. Webbiana. WEBB'S ELM. **C.** A handsome variety, of dwarf habit, with small, curled leaves; fine. \$1.00.
var. Wheatleyi. **C.** Compact and upright in habit, with medium to small dark green foliage; beautiful for lawns. \$1.00.
***U. Dovæi.** **B.** An upright, vigorous-growing variety, remarkably well adapted for street planting. \$1.00.
U. fulva. RED or SLIPPERY ELM. **B.** Of medium size, and straggling open head. 75c.
var. pendula. WEEPING SLIPPERY ELM. **B.** A variety of luxuriant growth and elegant drooping habit. Its branches shoot upward at first, then bend in graceful curves toward the ground. It also retains its foliage much longer than other Elms. \$1.00.
***U. montana.** SCOTCH, or WYCH ELM. **B.** A fine spreading tree, of rapid growth and large foliage. 50c.
var. Camperdown pendula. CAMPERDOWN WEEPING ELM. **C.** Grafted 6 to 8 feet high, this forms one of the most picturesque drooping trees. It is of rank growth, the shoots often making a zigzag growth outward and downward of several feet in a single season. The leaves are large, dark green and glossy, and cover the tree with a luxuriant mass of verdure. (See cut). \$1.50.

- ***Ulmus m. var. Huntingdoni.** HUNTINGDON ELM. **B.** Of very erect habit, and rapid, vigorous growth. Bark clean and smooth. One of the finest Elms for any purpose. \$1.00.
- var. pendula.** SCOTCH WEEPING ELM. **B.** A vigorous, graceful, weeping tree. Branches sometimes marked with a persistent horizontal growth, and again growing perpendicularly downwards. Foliage large and massive. \$1.00.
- var. pyramidalis de Dampierre.** DAMPIERRE'S PYRAMIDAL ELM. **C.** An elegant pyramidal growing variety. \$1.00.
- var. rugosa pendula.** ROUGH-LEAVED WEEPING ELM. **B.** A fine, pendulous variety, with large rough leaves. \$1.00.
- ***var. superba.** BLANDFORD ELM. **A.** A noble tree, of large size, and quick growth. Foliage large and dark green; bark smooth and grayish. A superb shade tree, and highly ornamental. \$1.00.
- var. stricta (oxoniense).** **C.** A dwarf, pyramidal grower, with small leaves, the margins of which are finely cut; distinct and fine. \$1.00.
- var. Wredei aurea.** GOLDEN-LEAVED ELM. **C.** A moderate grower; beautiful golden-yellow foliage; burns somewhat in the sun and should be planted in half shade. \$1.50.
- U. racemosa.** AMERICAN CORK ELM. **B.** Young wood very corky; foliage light green. A distinct variety. \$1.00.
- U. Siberica.** SIBERIAN EVERGREEN ELM. **C.** Erect habit, medium growth; holds its foliage later than any other Elm. \$1.00.
- U. Vegeta.** **B.** A rapid grower, of spreading habit, with large, deep-green foliage. \$1.00.

ZANTHOXYLUM. Prickly Ash. GELBHOLZ, Ger.

- Z. Americana.** **C.** Also known as Toothache Tree. The branches of this small tree or shrub are armed with strong brown prickles; pinnate leaves, smooth above, downy beneath. 50c.

CLASS II.—A LIST OF DECIDUOUS WEEPING OR DROOPING TREES.

DESCRIBED IN THEIR RESPECTIVE PLACES IN THE CATALOGUE.

For the purpose of enabling purchasers the more readily to make selections, we append the following list, comprising the most graceful drooping trees known:

- | | |
|--|---|
| Acer (Maple), dasycarpum var. Wierii laciniatum. | Populus (Poplar), Parasol de St. Julien. |
| Betula (Birch), alba pendula. | Prunus (Sloe), spinosa pendula. |
| “ “ laciniata. | Quercus (Oak), Robur pedunculata var. Dauvessei |
| “ “ Youngii. | pendula. |
| “ “ tristis. | Salix (Willow), Babylonica. |
| Cerasus (Cherry), acida semperflorens pendula. | “ “ var. Salamonii. |
| “ “ avium pendula. | “ “ caprea pendula. |
| “ “ pumila pendula. | “ “ purpurea pendula. |
| “ “ Japonica pendula. | “ “ rigida pendula. |
| “ “ Japonica rosea pendula. | “ “ Sieboldii var. pendula. |
| Cornus (Dogwood), florida pendula. | Taxodium (Cypress), dis. var. pendulum. |
| Fagus (Beech), sylvatica pendula. | Tilia (Linden), alba pendula. |
| Fraxinus (Ash), excelsior pendula. | Ulmus (Elm), fulva pendula. |
| Gleditschia (Honey Locust), Bujoti pendula. | “ “ campestris microphylla pendula. |
| Glyptostrobos (Cypress), Sinensis pendula. | “ “ montana Camperdown pendula. |
| Larix (Larch), Europea pendula. | “ “ pendula. |
| Pyrus Sorbus (Mountain Ash), aucuparia pendula. | “ “ rugosa pendula. |
| Populus (Poplar), grandidentata pendula. | “ “ suberosa pendula. |
| Morus, Tartarica pendula. | |

CLASS III.—TREES POSSESSING REMARKABLE CHARACTERISTICS OF FOLIAGE.

DESCRIBED IN THEIR RESPECTIVE PLACES IN THE CATALOGUE.

IN THREE SECTIONS.

Sec. 1.—Cut-leaved Trees, Comprising those with Curiously Lobed or Serrated Foliage.

Acer (*Maple*), *dasyarpum* var. *crispum*.
 “ “ *dasyarpum* var. *heterophyllum* laciniatum.
 “ “ *dasyarpum* var. *tripartitum*.
 “ “ *dasyarpum* var. *Wierii* laciniatum.
 “ “ *Japonicum*.
 “ “ *Monspessulanum*.
 “ “ *platanoides* var. *cucullatum*.
 “ “ *platanoides* var. *dissectum*.
 “ “ *platanoides* var. *laciniatum*.
 “ “ *platanoides* var. *Lorbergii*.
 “ “ *polymorphum*.
 “ “ *polymorphum* *dissectum* var. *atropurpureum*.
 “ “ *polymorphum* *dissectum* var. *palmatum*.
 “ “ *spicatum*.
 “ “ *Tartaricum*.
 “ “ *truncatum*.
Alnus (*Alder*), *glutinosa* var. *laciniata*.
 “ “ *glutinosa* var. *laciniata* *imperialis*.
 “ “ *incana* *laciniata*.

Betula (*Birch*), *alba* *pendula* *laciniata*.
Crataegus (*Thorn*), *orientalis*.
 “ “ *oxyacantha* var. *apiifolia*.
 “ “ *tanacetifolia*.
Fagus (*Beech*), *sylvatica* *cristata*.
 “ “ *sylvatica* var. *heterophylla*.
 “ “ *sylvatica* var. *incisa*.
Fraxinus (*Ash*), *cucullata*.
Juglans (*Walnut*), *rupestris*.
Pyrus Sorbus (*Mountain Ash*), *aria* var. *macrophylla* *laciniata*.
 “ “ “ “ *aucuparia* var. *quercifolia*.
Quercus (*Oak*), *Robur* *pedunculata* var. *laciniata*.
 “ “ *Robur* *pedunculata* var. *asplenifolia*.
 “ “ *Robur* *pedunculata* var. *comptoniaefolia*.
Tilia (*Linden*), *Europæa* *laciniata*.
 “ “ *Europæa* *rubra* *laciniata*.
Ulmus (*Elm*), *Berardi*.
 “ “ *campestris* var. *urticifolia*.

Sec. II.—Trees Having Curiously Variegated Foliage.

Acer (*Maple*), *pseudo* *platanus* var. *tricolor*.
 “ “ *pseudo* *platanus* var. *Worleii*.
Æsculus (*Horse Chestnut*), *Hippocastanum* *Memmingerii*.
Fraxinus (*Ash*), *alba* *argentea* *marginata*.
 “ “ *Americana* var. *aucubæfolia*.
 “ “ *Americana* var. *concavæfolia* *fol.* var.
Liriodendron (*Tulip Tree*), *tulipifera* var. *panache*.
Populus (*Poplar*), *alba* var. *nivea* *aureo-intertexta*.
Prunus Padus (*Bird Cherry*), var. *aucubæfolia*.
 “ “ “ var. *variegata*.
 “ “ “ var. *marmorata*.

Prunus (*Plum*), *domestica* var. *foliis* *variegatis*.
Pyrus Sorbus (*Mountain Ash*), *aurea* *hybrida*.
 “ “ “ “ *hybrida*.
Quercus (*Oak*), *Robur* *ped.* var. *alba* *variegata*.
 “ “ *Robur* *ped.* var. *argentea* *pictus*.
 “ “ *Robur* *ped.* var. *fast.* *aureo* *punctatis*.
 “ “ *Robur* *ped.* var. *pulverulenta*.
Salix (*Willow*), *caprea* *tricolor*.
 “ “ *regalis*.
 “ “ *rosmarinifolia*.
Ulmus (*Elm*), *campestris* var. *macrophylla* *punctata*.
 “ “ *campestris* var. *variegata* *argentea*.

Sec. III.—Trees with Colored Foliage.

Acer (*Maple*), *dasyarpum* var. *lutescens*.
 “ “ *platanoides* var. *digitatum* *fol.* *aureo* *marg.*
 “ “ *platanoides* var. *Reitenbachi*.
 “ “ *platanoides* var. *Schwedlerii*.
 “ “ *polymorphum* var. *atropurpureum*.
 “ “ *polymorphum* var. *dissectum* *atropurpureum*.
 “ “ *polymorphum* var. *sanguineum*.
 “ “ *pseudo* *platanus* var. *purpurea*.
 “ “ *pseudo* *platanus* var. *tricolor*.
Betula (*Birch*), *alba* var. *atropurpurea*.
 “ “ *populifolia* var. *purpurea*.
Catalpa, *bignonioides* var. *aurea* *variegata*.
 “ “ var. *purpurea*.
Fagus (*Beech*), *sylvatica* var. *purpurea*.

Fagus (*Beech*), *sylvatica* var. *purpurea* *major*.
 “ “ *sylvatica* var. *purpurea* *Riversii*.
Persica (*Peach*), *vulgaris* *foliis* *purpureis*.
Populus (*Poplar*), *Canadensis* var. *aurea* *Van-Geertii*.
Quercus (*Oak*), *Robur* *ped.* var. *atropurpurea*.
 “ “ *Robur* *ped.* var. *concordia*.
 “ “ *Robur* *ped.* var. *nigra*.
 “ “ *Robur* var. *sessiliflora* *purpurea*.
Ulmus (*Elm*), *campestris* var. *corylifolia* *purpurea*.
 “ “ *campestris* var. *Dampierrei* *aurea*.
 “ “ *campestris* var. *Louis* *Van* *Houtte* (*golden*).
 “ “ *campestris* var. *myrtifolia* *purpurea*.
 “ “ *campestris* var. *stricta* *purpurea*.
 “ “ *montana* var. *Wredei* *aurea*.

TREES WITH BRIGHT COLORED BARK IN WINTER.

Betula ALBA, White Bark.

" ALBA VAR. LACINIATA, White Bark.

Fraxinus AUREA, Yellow Bark.

Salix PALMIFOLIA, Red Bark.

" VITELLINA AUREA, Yellow Bark.

" VITELLINA VAR. BRITZENSIS, Red Bark.

Salix VITELLINA VARIETY FROM RUSSIA. Yellow Bark.

Tilia AUREA, Yellow Bark.

" AUREA PLATIPHYLLA, Yellow Bark.

" DASYSTYLA, Yellow Bark.

" RUBRA, Red Bark.

FLOWERING TREES.

Named in the order in which they flower; embracing some of the choicest species:

MAY.

Almond Davidiana.

Amelanchier.

Cherry, Large Double-flowering.

Judas Tree.

Chinese Magnolia, in variety.

Almonds, Large Double-flowering.

Cornus florida.

Horse Chestnuts.

Crabs, Flowering.

Bird Cherry.

JUNE.

Mountain Ash.

Thorns, in variety.

Laburnum.

White Fringe.

Locust, White.

Virgilia Lutea.

Catalpas.

Lindens, in variety.

JULY

Chestnuts, American.

Kœlreuteria.

TREES WHICH PRODUCE ORNAMENTAL FRUIT SUCCEEDING THE FLOWERS.

Amelanchier ovalis. Purple fruit in June.

Celtis occidentalis. Dull red fruit as large as peas.

Cornus florida. Oval fruit in a head.

Crataegus. Scarlet and yellow fruit in September and October.

Pyrus Sorbus (Mountain Ash). Scarlet fruit in September and October.

SELECT ASSORTMENTS OF HARDY ORNAMENTAL TREES.
AT REDUCED PRICES.

WE CANNOT AGREE TO MAKE ANY CHANGES IN THE LISTS.

Fifty of the Most Desirable Species and Varieties for the Decoration of Parks, Gardens or Lawns, as follows, for \$35.00:

Alder, Cut-leaved.
Almond, Large Double-flowering.
Ash, Aucuba-leaved.
" Single-leaved.
" Walnut-leaved.
" Weeping.
Apple, coronaria odorata.
Birch, fastigiata.
" Cut-leaved Weeping.
Beech, Cut-leaved.
" Oak-leaved.
" Purple-leaved.
Bird Cherry.
" " Aucuba-leaved.
Catalpa, speciosa.
Cherry, Double-flowering.
" Japan Weeping.
Crab, Double Rose-flowering.
Elm, Camperdown Weeping.
" Dovæi.
" Huntingdon.
" Purple-leaved.
" superba.
Horse Chestnut, Double White-flowering.
" " White-flowering.

Horse Chestnut, Red-flowering.
Linden, European.
" dasystyla.
" White-leaved.
Magnolia, Soulangeana.
" speciosa.
Mountain Ash, European.
" " Oak-leaved.
Maple, Norway.
" " Curled-leaved.
" Sugar.
" Sycamore.
" Wier's Cut-leaved.
Oak, English.
" Macrocarpa.
Peach, Double White-flowering.
" " Rose-flowering.
" Purple-leaved.
Poplar, certinensis.
" Weeping.
Thorn, Double Scarlet.
" Double White.
Willow, American Weeping.
" Laurel-leaved.
" Rosemary-leaved.

**Twenty-five of the Most Desirable Species and Varieties for the Decoration of Parks,
Gardens or Lawns, as follows, for \$18.00:**

Almond, Large Double-flowering.
Ash, Weeping.
" Aucuba-leaved.
Birch, Cut-leaved Weeping.
Beech, Cut-leaved.
" Purple-leaved.
Crab, Double Rose-flowering.
Elm, Huntingdon.
" superba.
Horse Chestnut, Double White-flowering.
" Red-flowering.
Linden, European,
" Red Fern-leaved.

Maple, Norway Curled-leaved.
" Norway Schwedler's.
" Wier's Cut-leaved.
" Sugar.
Magnolia, speciosa.
Mountain Ash, European.
" " Oak-leaved.
Oak, macrocarpa.
Peach, Double White-flowering.
Poplar, Weeping.
Willow, Rosemary-leaved.
" American Weeping.

**Twelve of the Most Desirable Species and Varieties for the Decoration of Parks,
Gardens or Lawns, for \$9.00:**

Ash, Aucuba-leaved.
" Weeping.
Beech, Cut-leaved.
Birch, Cut-leaved Weeping.
Crab, Double Rose-flowering.
Elm, Camperdown Weeping.

Elm, superba.
Linden, White-leaved.
Mountain Ash, European.
Magnolia, speciosa.
Maple, Wier's Cut-leaved.
" Norway Curled-leaved.



COLORADO BLUE SPRUCE.

CLASS IV.—CONIFERÆ. (Evergreens.)

NOTE.—Many fine conifers are entirely too tender to be cultivated successfully at the north, and we have therefore dropped them from our list. A few valuable half-hardy evergreens, which can hardly be dispensed with, and which can be grown when planted in sheltered positions, have been retained.

We are now giving special attention to the propagation and culture of perfectly hardy species and varieties, such as are most useful to the general planter.

We recommend Spring planting for Conifers.

The prices noted are for trees of the usual size. Extra-sized specimens charged for in proportion. Those preceded by a * are not quite hardy in this section.

Those preceded by a † are either new or rare, and only to be had of small sizes.

ABIES [including *Picea* and *Tsuga*], SPRUCE, FIR AND HEMLOCK.

Section 1. Abies. SPRUCE AND HEMLOCK.

Leaves needle shaped, scattered all around the shoots (including Tsuga—the Hemlocks, with flat leaves mostly two ranked).

- A. alba.** WHITE SPRUCE. **A.** A native tree of medium size, varying in height from 25 to 50 feet, of pyramidal form. Foliage silvery gray, and bark light colored. Very hardy and valuable. *See Out.* 50c.
- † **var. caerulea.** THE GLAUCCOUS SPRUCE. **B.** A small and beautiful variety, of rather loose spreading habit, with bluish green foliage; very hardy and valuable. \$1.00 to \$1.50.
- † **A. Alcocquiana.** ALCOCK'S SPRUCE. **B.** From Japan. It forms a beautiful tree of close habit. Foliage pale green, silvery underneath and glaucous above. Valuable. \$2.00.
- A. Canadensis.** HEMLOCK SPRUCE. **A.** A remarkably graceful and beautiful native tree, with drooping branches, and delicate dark foliage, like that of the Yew; distinct from all other trees. It is a handsome lawn tree, and makes a highly ornamental hedge. 50c. to \$1.00.
- A. Douglasii.** DOUGLAS' SPRUCE. **C.** From Colorado. Large, conical form; branches spreading, horizontal; leaves light green above, glaucous below. \$1.50.
- A. excelsa.** NORWAY SPRUCE. **A.** From Europe. An elegant tree; extremely hardy, of lofty, rapid growth, and pyramidal form. The branches assume a graceful, drooping habit, when the tree attains 15 to 20 feet in height. One of the most popular evergreens for planting, either as single specimen trees, or in masses for effect or shelter. It is one of the best evergreen hedge plants. 50c. to \$1.00.
- var. Barryi.** BARRY'S SPRUCE. **B.** A handsome variety of the preceding, which originated in our nurseries some years ago, from seed. To all the desirable and valuable characteristics of its parent, it adds gracefulness of outline, elegance of form, moderate compact growth, and rich deep green foliage. \$2.00.
- † **var. compacta.** **B.** A dense grower, with light green foliage. \$1.00 to \$2.00.
- var. conica.** CONICAL SPRUCE. **C.** A dwarf variety, of compact, conical habit; becomes perfectly symmetrical without pruning. *One of the best.* \$1.00 to \$2.00.
- var. Ellwangerii.** ELLWANGER'S SPRUCE. **C.** A distinct and novel dwarf variety of Norway Spruce, which originated from seed in our nurseries several years since. It possesses all the desirable and valuable qualities of its parent, such as hardiness, vigor, adaptation to soils generally, and at the same time is a dwarf, compact grower, of handsome form, with rich, deep green foliage, and peculiarly adapted for small grounds. Its leaves are short, stiff, sharp-pointed, and instead of lying closely to the branches, as is the case with the most of Spruces, they project outward, bristle-like, giving the tree quite a novel and distinct appearance. \$1.00 to \$2.00.
- † **var. Finedonensis.** THE FINEDON SPRUCE. **B.** A striking variety of compact habit, having the young leaves on the upper sides of the shoots, first of a pale yellow color, then changing to a bronzy brown, and finally to a light green. The leaves on the underside, green from the first. \$2.00.
- † **var. inverta.** PENDULOUS-BRANCHED SPRUCE. **C.** A pendulous variety of the Norway Spruce, with larger and brighter foliage than that of the species. The lateral branches of the large trees are as drooping as a Willow. \$2.00.
- † **var. parviformis.** SMALL-FORMED SPRUCE. **C.** An interesting dwarf variety, with small foliage and of slow growth. \$1.00 to \$2.00.
- † **var. pumila.** **D.** Compact dwarf, and perfectly symmetrical. This variety is especially desirable for small lawns or cemeteries. \$2.00.
- † **var. pumila compacta.** **C.** A dwarf variety, growing 5 to 6 feet in height; foliage dark green; habit compact. \$1.00 to \$2.00.
- var. tortuosa compacta.** TORTUOUS COMPACT SPRUCE. **D.** A dwarf spreading tree, with the young branches curiously twisted. \$1.00 to \$2.00.
- A. Morinda or Smithiana.** HIMALAYAN, or SMITH'S SPRUCE. **C.** A noble and elegant tree, having the character of the Deodar Cedar in foliage, distinguished by a striking and graceful drooping habit in all stages of its growth. Our stock is propagated from a particularly hardy specimen. \$1 to \$2.
- A. nigra.** BLACK SPRUCE. **B.** A fine native tree, of compact growth, with smooth blackish bark and bluish leaves; very hardy.
- † **var. Doumetti.** **D.** A handsome dwarf variety of compact growth, with bluish green leaves; very pretty. \$2.00.
- † **A. orientalis.** EASTERN SPRUCE. **B.** From the shores of the Black Sea. A handsome tree, tall and compact, and remarkable for its graceful habit and slender foliage. Needs protection here while young. \$1.00 to \$2.00.
- † **A. polita.** **B.** A distinct Japanese species. It is of erect habit, and has rigid, sharply pointed leaves of a bright green color; seems to be perfectly hardy. \$2.00.
- † **A. pungens.** COLORADO BLUE SPRUCE **B.** Known for a time under the following names: *Abies Menziesii*, *Abies Menziesii Parryana* and *Abies Engelmanni*. One of the hardiest and most beautiful of all the Spruces; in form and habit similar to the White Spruce; foliage of a rich blue or sage color; an important acquisition. \$2.00 to \$3.00.

Section 2. *Picea*. SILVER FIR.

With linear flat leaves, somewhat two ranked.

Abies balsamea. BALSAM FIR. **B.** A very erect, regular pyramidal tree, with dark green sombre foliage. Grows rapidly and is very hardy. 50c.

†**A. cephalonica.** CEPHALONIAN SILVER FIR. **B.** From Europe. A remarkable and beautiful species, very broad for its height. Leaves silvery and dagger-shaped, with a spine on the point. Quite hardy and vigorous. \$1.00 to \$2.00.

var. **Reginæ Amaliæ.** **B.** Leaves stiff, sharp pointed, dark green above, glaucous underneath. \$2.00.

†**A. cilicica.** CILICIAN SILVER FIR. **B.** A distinct and beautiful species, from the mountains of Asia Minor. It is a compact grower, the branches being thickly set on the stems, foliage dark green; quite hardy. One of the best of the Silver Firs. \$1.00 to \$2.00.

A. Nordmanniana. NORDMANN'S SILVER FIR. **B.** This majestic Fir, from the Crimean Mountains, is of symmetrical form, vigorous and quite hardy. Its foliage is massive, dark green, shining above and slightly glaucous below, rendering it a very handsome tree throughout the year. Considered here and in Europe as one of the finest of the Silver Firs. See cut. \$1.00 to \$3.00.

***A. pectinata.** EUROPEAN, or COMB-LIKE SILVER FIR. **B.** A noble tree, with spreading horizontal branches and broad, silvery foliage; young shoots somewhat tender, except when well ripened. \$1.00.

A. Pichta. PITCH SILVER FIR. From the mountains of Siberia. A medium sized tree, of compact, conical growth, with dark green foliage. Fine and hardy. \$1.00 to \$3.00.



NORDMANN'S SILVER FIR.

BIOTA. Oriental or Eastern Arbor Vitæ. *THUYA*, Fr.

All of the *Biotas* are quite tender here, and require to be well protected in winter. On this account we are often tempted to omit the genus from our catalogue. In milder climates they are the most ornamental of evergreens.

***B. orientalis.** CHINESE ARBOR VITÆ. **C.** From China and Japan. A small, elegant tree, with erect branches, and dense, flat, light green foliage; becomes brown in winter. \$1.00.

*var. **aurea.** GOLDEN ARBOR VITÆ. **D.** A variety of the Chinese, nearly spherical in outline, and with bright, yellow-tinged foliage. Beautiful. \$1.00.

*†var. **elegantissima.** ROLLINSON'S GOLDEN ARBOR VITÆ. **D.** A beautiful variety, of upright pyramidal form, with the young foliage prettily tipped with golden yellow, which tint is retained the entire summer. \$1.00.

*†var. **semper aurea.** EVER-GOLDEN ARBOR VITÆ. **D.** A variety of the *aurea*; of dwarf habit but free growth. It retains its golden tint the year round. One of the best golden variegated Evergreens. \$1.00.

CUPRESSUS. Cypress. CYPRES, Fr.

***C. Lawsoniana.** LAWSON'S CYPRESS. **B.** From California, where it forms a very large tree. It has elegant drooping branches, and very slender, feathery branchlets. Leaves dark glossy green, tinged with a glaucous hue. One of the finest Cupresses. Only half-hardy here. \$1.00.

*†**C. Nutkænsis** syn. *Thuopsis borealis*. NOOTKA SOUND CYPRESS. **C.** A desirable species from Nootka Sound. It is pyramid in habit, with light, glossy green foliage, sometimes with a bluish shade. \$1.50.

JUNIPERUS. Juniper. WACHHOLDER, Ger. GENEVIER, Fr.

***J. Chinensis.** CHINESE JUNIPER. **C.** Native of China and Japan. A handsome, dense shrub with dark green foliage, and somewhat drooping branches. \$1.00.


†var. **Reevesi.** **D.** A beautiful form of the Chinese. Tree of fine habit, with the branches somewhat drooping and spreading. Exceedingly hardy and very ornamental. \$1.00.

J. communis vulgaris. ENGLISH JUNIPER. **C.** A handsome, compact, small tree. 50c.

J. c. var. Alpina nana. DWARF JUNIPER. **D.** Of spreading, dense habit. \$1.00.

J. c. var. Hibernica. IRISH JUNIPER. **C.** A distinct and beautiful variety, of erect, dense conical outline resembling a pillar of green; very desirable. 75c.

- Juniperus c. var. Hibernica robusta.** ROBUST IRISH JUNIPER. **C.** More vigorous than the preceding, and no doubt hardier, but not quite so regular in form, nevertheless handsome. 75c.
- J. c. var. suecica.** SWEDISH JUNIPER. **C.** A small-sized, handsome, pyramidal tree, with yellowish green foliage. It is quite hardy. 75c.
- J. c. var. suecica nana.** DWARF SWEDISH JUNIPER. **D.** A dwarf, hardy variety. \$1.00.
- †**J. Japonica.** JAPAN JUNIPER. **D.** Native of China and Japan. A dwarf, dense, bushy evergreen, with light, lively green foliage. \$1.00.
- †**var. aurea.** GOLDEN JAPAN JUNIPER. **D.** An attractive variety of moderate growth and spreading habit; foliage of a beautiful golden color which it retains throughout the summer. \$1.50.
- †**var. variegata alba.** SILVER-VARIEGATED JAPAN JUNIPER. **D.** Similar to species in habit and growth, but foliage of a glaucous green color, interspersed with branchlets of a pure white tint. Very hardy. \$1.00.



AUSTRIAN PINE.

- †**J. prostrata.** *syn. repens.* PROSTRATE JUNIPER. **D.** A beautiful native species, trailing and densely branched, foliage delicate and shining dark green. Well adapted for covering rockwork. One of the best. \$1.50.
- J. Sabina.** SAVIN JUNIPER. **D.** A dwarf, spreading shrub, with trailing branches. Thrives in the poorest soils. Very suitable for rockwork. 50c.
- †**var. Alpina.** **D.** A low, spreading, trailing shrub, quite unique. \$1.00.
- †**var. tamariscifolia.** TAMARISK-LEAVED SAVIN. **D.** A trailing variety with distinct and handsome foliage, valuable for rockwork and edges of groups and borders. \$1.00.
- †**J. squamata.** SCALED JUNIPER. **D.** A low and spreading species, from the Himalayas, suitable for rockwork. \$1.00.
- †**J. venusta.** **C.** A rapid grower, of erect habit and fine silvery foliage. Very ornamental and perfectly hardy. \$1.00.
- J. Virginiana.** RED CEDAR. **B.** A well known American tree; varies much in habit and color of foliage, some being quite stiff, regular and conical, and others loose and irregular. It makes a fine ornamental hedge plant. 50c.
- var. aurea variegata.** **C.** Pyramidal in form like *Virginiana*, but the growth is finer. Golden variegation throughout the year. \$1.50.
- var. glauca.** GLAUCOUS RED CEDAR. **C.** The compact, conical habit of this variety, combined with its silvery foliage, render it very distinct and desirable. \$1.00 to \$2.00.
- †**var. Schottii.** **C.** Forms a dense bush; foliage of a light green color. Hardy and beautiful. \$1.00.

PINUS. Pine. KIEFER, *Ger.* PIN, *Fr.*

For this and similar climates, the Pines are of the greatest value.

SEC. I. Usually with two leaves in a sheath.

- P. Austriaca.** *syn. nigricans.* AUSTRIAN OR BLACK PINE. **A.** A native of the mountains of Syria. Tree remarkably robust, hardy and spreading; leaves long, stiff and dark green; growth rapid. The most valuable for this country. (See cut.) 50c. to \$1.00.
- P. Mugho.** DWARF MUGHO PINE. **D.** An upright, small pine, found on the Pyrenees and Alps. Its general form is that of a pine bush, but it has been found growing as high as 40 feet. (See cut.) \$1.00.


- † **Pinus. M. var. rotundata. C.** Of more upright growth than the dwarf, and with roundish cones. It is a native of Tyrol, where it forms a small tree. \$1.00.
- † **P. Mouspeliensis. SALZMANN'S PINE. B.** From Europe. A noble tree; leaves six to seven inches long and of a bright green color; branches are stout, numerous, and thickly covered with foliage. A vigorous, spreading and picturesque form. \$1.50.
- P. Pallasiana. B.** A large pyramidal tree with shining dark leaves, perfectly hardy. Valuable. \$1.00 to \$2.00.
- P. sylvestris. SCOTCH PINE OR FIR. A.** A native of the British Islands. A fine, robust, rapid growing tree, with stout, erect shoots, and silvery green foliage. Very hardy; valuable for shelter. 50c.

SEC. II. *Usually with three leaves in a sheath,*

- P. horizontalis. B.** A vigorous tree of conical form, with leaves six to eight inches long and of a light green color, \$1.00 to \$2.00.
- † **P. Jeffreyi. JEFFREY'S PINE. A.** This is a noble Pine, with deep bluish green leaves. It grows 150 feet high in Northern California. Hardy and very valuable. \$1.00 to \$2.00.
- † **P. ponderosa. HEAVY-WOODED PINE. A.** This also is a noble tree, attaining the height of 100 feet, found abundantly on the northwest coast of America and California. It is perfectly hardy here. Specimens in our grounds are upwards of 50 feet in height. It is a rapid grower, the leaves 8 to 10 inches in length, and of a silvery green color. \$1.00 to \$2.00.

SEC. III. *Usually with five leaves in a sheath.*

- P. Cembra. SWISS STONE PINE. B.** A handsome and distinct European species, of compact conical form; foliage short and silvery. Grows slowly when young. \$1.00 to \$2.00.
- † **P. excelsa. LOFTY BHOTAN PINE. A.** A native of the mountains of Northern India. A graceful and elegant tree, with drooping silvery foliage, resembling that of the White Pine, but longer and more pendulous. Hardy and vigorous. \$1.50.
- P. Strobis. WHITE OR WEYMOUTH PINE. A.** The most ornamental of all our native Pines; foliage light, delicate or silvery green. Flourishes in the poorest light sandy soil. Very valuable. 50c.



DWARF MUGHO PINE.

PODOCARPUS. Long-stalked Yew.

- **† **P. Japonica. C.** Native of Japan. An erect, slow-growing shrub, resembling the Irish Yew; requires protection. 75c.

RETINISPORA. Japanese Cypress.

A beautiful and valuable genus from Japan; require protection here.

- **† **R. plumosa. PLUME-LIKE RETINISPORA. C.** A dwarf shrub, with dense, slender, feathery branchlets; very ornamental. \$1.00.
- *† **var. argentea. SILVER-SPOTTED PLUME-LIKE RETINISPORA. C.** Soft, silvery, pale green foliage. \$1.00.
- *† **var. aurea. GOLDEN PLUME-LIKE RETINISPORA. C.** Beautiful, golden-tipped foliage; preserves its color throughout the year. \$1.00.

TAXUS. Yew. EIBENBAUM, Ger. IF, Fr.

Nearly all the Yews require protection here.

- *† **T. adpressa. JAPAN YEW. D.** Native of the mountains of Japan. A low spreading shrub, with short, acute, dark green leaves, and pale pink berries. \$1.00.
- † **T. baccata. ENGLISH YEW. C.** A large bush or tree, 30 to 40 feet when fully grown. It is densely branched and can be trimmed into any shape. \$1.00.

- Taxus bac. var. erecta.** (*stricta*.) ERECT YEW. **D.** An erect, dense growing variety, with small, dark, shining leaves, thickly set on the branches. One of the hardiest and finest. \$1.00.
- var. elegantissima.** BEAUTIFUL VARIEGATED YEW. **D.** One of the most valuable golden-leaved evergreens which we have. In June and July the leaves of the new growth are of a bright straw color, rendering the plant highly effective, either by itself or in connection with other conifers. One of the hardiest of the Yews. \$1.00.
- var. Fisherii.** FISHER'S VARIEGATED YEW. **D.** A variety of spreading habit having some of its branches of a deep yellow color; quite hardy. \$1.00.
- var. fructu luteo.** YELLOW-FRUITED YEW. **D.** Only differs from the common in the color of the berries, which are yellow. It is quite hardy. \$1.00.
- var. glauca.** SEA GREEN YEW. **D.** A very distinct variety; foliage dark green on the upper surface, and bluish gray underneath; a vigorous grower; quite hardy. \$1.00.
- *† **var. Washingtonii.** WASHINGTON'S GOLDEN YEW. **D.** Foliage handsomely variegated with yellow spots and stripes. \$1.00.
- T. cuspidata.** **D.** One of the hardiest; habit spreading; foliage light green. \$1.00.
- *† **var. brevifolia.** **D.** Short, petiolate, mucronate leaves. A very handsome, hardy variety. \$1.00.

THUJA. Western Arbor Vitæ.

- T. occidentalis.** AMERICAN ARBOR VITÆ. **B.** A beautiful native tree, commonly known as the White Cedar; especially valuable for screens and hedges. 50c.
- var. alba.** QUEEN VICTORIA. **D.** A dwarf form, branchlets tipped with silver. \$2.00.
- † **var. aurea.** (Douglas' New Golden Arbor Vitæ.) **D.** Golden foliage; fine. \$1.00.
- var. Burrowii.** BURROW'S ARBOR VITÆ. **D.** Originated on the Hudson River. A handsome variety of fine habit, with golden yellow foliage. 75c.
- var. compacta.** PARSONS' ARBOR VITÆ. **D.** Of dwarf, compact habit, and deep green foliage; fine. 50c.
- † **var. compacta.** **D.** Another dwarf compact form. 50c.
- † **var. Geo. Peabody.** **D.** Of dwarf compact growth, foliage bright golden color, which it retains throughout the summer; the best golden variety. \$1.00.
- var. globosa.** GLOBE-HEADED ARBOR VITÆ. **D.** Originated at Philadelphia. Forms a dense, round shrub. Very desirable. 50c.
- var. Hoveyi.** HOVEY'S GOLDEN ARBOR VITÆ. **D.** A seedling from the American; of dwarf habit, globular outline, and bright green foliage. Fine and hardy. 50c.
- † **var. intermedia.** **D.** A perfectly hardy variety, of dwarf, compact habit; valuable. 50c.
- † **var. Little Gem.** (Douglas.) **D.** New, very dwarf, and compact; foliage a beautiful dark green. \$1.00.
- var. plicata.** NEE'S PLICATE ARBOR VITÆ. **C.** A handsome hardy variety from Nootka Sound. Foliage plaited, massive and of a rich, dark green color. \$1.00.
- † **var. plicata minima.** PLICATE SMALL-LEAVED ARBOR VITÆ. Small, plicate foliage; of dwarf habit. \$1.00.
- † **var. pyramidalis.** PYRAMIDAL ARBOR VITÆ. **C.** Of upright, compact habit, like the Irish Juniper; very desirable. \$1.00.
- † **var. pyramidalis.** DOUGLAS PYRAMIDAL ARBOR VITÆ. (New.) **C.** Pyramidal in form; foliage distinct; somewhat resembling a *Retinispora*. \$1.00.
- var. sibirica.** SIBERIAN ARBOR VITÆ. **C.** The best of all the genus, for this country; exceedingly hardy, keeping color well in winter; growth compact and pyramidal, makes an elegant lawn tree; of great value for ornament, screens, and hedges. 50c. to \$1.00.
- var. Tom Thumb.** **D.** A dwarf variety of the American Arbor Vitæ, which originated on our grounds. It is remarkable for its slow growth and compact, symmetrical habit. Valuable for the decoration of gardens, lawns or cemeteries, where large trees may not be admissible. Will be found useful for small evergreen hedges. 50c.
- var. Vervæneana.** VERVÈNE'S ARBOR VITÆ. **C.** A distinct and handsome yellow marked variety. 75c.
- † **var. White-tipped.** (DOUGLAS.) **C.** (New.) Ends of branches tipped with white from the last of June till the following spring. \$1.00.

ORNAMENTAL SHRUBS.

IN FOUR CLASSES.

- CLASS I.—Deciduous Shrubs.
 CLASS II.—Variegated-leaved Deciduous Shrubs.
 CLASS III.—Evergreen Shrubs.
 CLASS IV.—Climbing and Trailing Shrubs.

CLASS I.—DECIDUOUS SHRUBS.

- C. denotes shrubs which attain 9 to 12 feet in height at maturity.
 D. " " " " 1 to 8 " " "

AMORPHA. Bastard Indigo. UNIFORM, *Ger.* AMORPHE, *Fr.*

These are fine large shrubs, with small purple or white flowers in dense terminal panicles in July.

- A. *fragrans*. FRAGRANT AMORPHA. D. A hairy shrub. Flowers a dark purple, June and July. 35c.

ARALIA. Angelica Tree. ARALIA, *Ger.* ANGELIQUE, *Fr.*

The following species form small trees, and are very useful to give a tropical appearance to gardens. They require slight protection with straw or evergreen boughs in winter.

- A. *Japonica*. C. A handsome and distinct shrub, from Japan, with large tripinnate leaves and spiny stems; flowers white, in large spikes in September. 50c.

- A. *Mandshurica*. C. Native of North China. A species with very hairy and prickly bipinnate leaves. \$1.00.
 A. *pentaphylla*. D. A pretty Japanese shrub, of medium size and rapid growth; branches furnished with spines; leaves palmate, five lobed and pale green. 50 cents.

AZALEA. Felsenstrauch, *Ger.* AZALEE, *Fr.*


- A. *mollis*. D. A splendid hardy species from Japan, and one of the most valuable flowering shrubs. Flowers large and showy, like those of the Rhododendron, in fine trusses and of various colors. Choice seedling varieties, \$1.50
 A. *nudiflora*. PINK FLOWERING AMERICAN HONEYSUCKLE, or SWAMP PINK. D. A native species, with pink flowers. 50c.
 A. *Pontica*. PONTIC AZALEA. GHENT VARIETIES. D. Native of Asia Minor. A species growing 3 to 4 feet high, with small hairy leaves, and yellow, orange and red flowers. The Ghent hybrid varieties which we offer combine nearly all colors, and possess a delightful perfume. They rank next to the Rhododendron for the decoration of lawns and pleasure grounds. The blooming season continues through the months of May and June. In this latitude plants are improved by slight protection, but farther south they are perfectly hardy. \$1.50.



BERBERIS. Barberry. BERBERITZE, *Ger.* EPINE VINETTE, *Fr.*

The Barberries are a most interesting family of shrubs, varying in size from 2 to 6 feet high, rich in variety of leaf, flower and habit. Their showy orange and yellow flowers in May or June are succeeded by bright and various-colored fruit; very ornamental in the autumn and winter.

- B. *Canadensis*. AMERICAN BARBERRY. D. A native species, forming a shrub, or low tree, with handsome distinct foliage and yellow flowers from April to June, succeeded by red berries. 35c.
 B. *ilicifolia*. HOLLY-LEAVED BARBERRY. D. Large dark green leaves, remaining on the plant until late in the winter. A fine variety. 50c.
 B. *Thunbergii*. THUNBERG'S BARBERRY. D. From Japan. A pretty species, of dwarf habit, small foliage, changing to a beautiful red in autumn. 50c.



FRUIT OF THE BARBERRY. (Reduced.)

Berberis vulgaris. EUROPEAN BARBERRY. **D.** A handsome deciduous shrub, with yellow flowers in terminal drooping racemes in May or June, followed with orange scarlet fruit. 35c.



CLETHRA. (Reduced.)

var. purpurea. PURPLE-LEAVED BARBERRY. **D.** An interesting shrub, growing 3 to 5 feet high, with violet purple foliage and fruit; blossoms and fruit beautiful; very effective in groups and masses, or planted by itself. 35c.

CALYCANTHUS. Sweet-scented Shrub. KALCHBLUME, *Ger.* CALYCANTHE, *Fr.*

The Calycanthus is one of the most desirable shrubs. The wood is fragrant, foliage rich, flowers of a rare chocolate color, having a peculiar, agreeable odor. They blossom in June, and at intervals afterwards.

C. floridus. CAROLINA ALLSPICE. **D.** A native species, growing 6 to 8 ft. high, with double purple, very fragrant flowers. 35c.

CLETHRA. Sweet Pepper Bush.

C. amifolia. **C.** Spikes of clear white fragrant flowers in August. (See cut.) 50c.

COLUTEA. Bladder Senna. BLASENSTRAUCH, *Ger.* BAGUENAUDIER, *Fr.*

C. arborescens. TREE COLUTEA. **C.** Native of the south of Europe. A large shrub, with small, delicate foliage, and yellow, pea-blossom-shaped flowers in June, followed by reddish pods or bladders. 35c.

CORNUS. Dogwood. HARTRIEGEL, *Ger.* CORNOUILIER, *Fr.*

Valuable shrubs when planted singly or in groups or masses, some distinguished by their elegantly variegated foliage, others by their bright-colored bark.

C. alternifolia. ALTERNATE-LEAVED DOGWOOD. **D.** Flowers creamy white in large bunches, very fragrant; foliage large. Distinct and curious in its habit of growth. 50c.

C. circinata. ROUND-LEAVED DOGWOOD. **D.** A native species, with round leaves, downy beneath. Flowers small, white, in flat cymes in June and July; fruit light blue. 50c.

C. mascula. CORNELIAN CHERRY. **D.** A small tree, native of Europe, producing clusters of bright yellow flowers early in spring, before the leaves. 35c.

var. elegantissima variegata. (New.) **D.** The variegation of this variety is of a pale yellow, turning to rose color in the autumn. 75c.

var. variegata. VARIEGATED CORNELIAN CHERRY. **D.** Differs only from the *mascula* in having the foliage beautifully variegated with white; one of the prettiest variegated shrubs in cultivation. 50c. (See cut.)

C. paniculata. PANICLED DOGWOOD. **D.** Smooth ash colored bark; pointed leaves, light green above, whitish beneath; flowers greenish white; fruit white. 35c.

C. sanguinea. RED-BRANCHED DOGWOOD. **D.** A native species. Very conspicuous and ornamental in winter, when the bark is blood red. 35c.

var. elegantissima variegata. **D.** One of the finest variegated shrubs; of rapid growth; the leaves are broadly margined with white, while some are entirely white. 50c.

C. siberica. RED SIBERIAN DOGWOOD. **D.** A rare and remarkable variety with bright red bark in winter. 50c.

var. foliis albo marginatis. SILVER MARGINED-LEAVED SIBERIAN DOGWOOD. A distinct and beautiful variety. 50 cents,

C. Spæthii. **D.** A companion of *C. sang. elegantissima variegata*; while the variegation in *elegantissima* is white, in this variety it is pale yellow. One of the finest of recently introduced shrubs. 50c.

C. stolonifera. **D.** A native species, with smooth, slender branches, which are usually red in winter. 35c.



CORNUS MASCULA VARIEGATA. (Reduced.)

CORYLUS. Filbert. HASELSTAUDE, *Ger.* NOISETTIER, *Fr.*

C. avellana var. atropurpurea. PURPLE-LEAVED FILBERT. **D.** A very conspicuous shrub, with large, dark purple leaves. Distinct and fine. 75c.

C. a. var. laciniata. CUT-LEAVED FILBERT. **C.** A very ornamental shrub, with deeply cut foliage. 75c.

COTONEASTER. MISPEL, *Ger.*

- C. nummularia.** **C.** Worked four to six feet high on the Mountain Ash, it makes a very handsome small lawn tree. 50c.

CYDONIA. Quince.

The flowering varieties of the Japan Quince rank among our choicest shrubs. Although of straggling growth, they bear the knife well, and with proper pruning may be grown in any form. As single shrubs on the lawn they are very attractive, and for the edges of borders or groups of trees they are specially adapted. Their large, brilliant flowers are among the first blossoms in spring, and they appear in great profusion, covering every branch, branchlet and twig, before the leaves are developed. Their foliage is bright green and glossy, and retains its color the entire summer, which renders the plants very ornamental. Special attention is invited to this plant for ornamental hedges. It is sufficiently thorny to form a defense, and at the same time makes one of the most beautiful flowering hedges. See *Hedge Plants*.

- C. Japonica.** **SCARLET JAPAN QUINCE.** **D.** Has bright scarlet crimson flowers in great profusion in the early spring. One of the best hardy shrubs in the Catalogue. 35c.
- var. alba.** **BLUSH JAPAN QUINCE.** **D.** A very beautiful variety of the Scarlet, with delicate white and blush flowers. 35c.
- var. atrosanguinea fl. pl.** **DOUBLE SCARLET JAPAN QUINCE.** **D.** A handsome variety, with semi-double scarlet flowers. 35c.
- var. grandiflora.** **D.** Flowers nearly white, very showy; fruit extremely large and almost pear-shaped. 35c.
- var. Mallardii.** **D.** A fine variety, with white flowers tinged with rose. 35c.
- var. Maulei.** **D.** Beautiful orange colored flowers; a distinct shade; fine. 50c.
- var. rosea pleno.** **D.** Has semi-double, rose-colored flowers. 35c.
- var. semi-alba pleno.** **D.** Flowers nearly white, semi-double. 35c.
- var. semi-pleno.** **SEMI-DOUBLE-FLOWERING JAPAN QUINCE.** **D.** A variety of the Scarlet, with semi-double flowers. 35c.
- var. umbellata.** **D.** Flowers brilliant rosy red, succeeded by large, showy fruit; forms a large shrub. One of the finest. 35c.



FLOWERS OF JAPAN QUINCE.
(Reduced.)

DAPHNE. *Daphne.* SEIDELBAST, *Ger.* DAPHNE, *Fr.*

- D. Mezereum.** **COMMON MEZEREON.** **D.** A native of Northern Europe. A shrub with small, erect branches, and clusters of pink flowers in March. The earliest flowering shrub we have. 50c.
- var. alba.** **D.** White flowers. 50c.

DEUTZIA. *Deutzia.* DEUTZIE, *Ger.* DEUTZIA, *Fr.*

We are indebted to Japan for this valuable genus of plants. Their hardihood, fine habit, luxuriant foliage, and profusion of attractive flowers, render them the most beautiful and deservedly the most popular of flowering shrubs at the present time. The flowers are produced the latter part of June in racemes four to six inches long.

- D. crenata var. flore pleno.** **DOUBLE-FLOWERING DEUTZIA.** **D.** Flowers double white, tinged with rose. One of the most desirable flowering shrubs in cultivation. (See cut.) 35c.
- D. c. var. flore alba pleno.** **DOUBLE WHITE-FLOWERING DEUTZIA.** **D.** Similar in habit to the preceding, but pure white and double. 35c.
- D. c. var. Pride of Rochester.** **D.** A variety raised by us from *Deutzia crenata flore pleno*, and producing large double white flowers; the back of the petals being slightly tinted with rose. It excels all of the older sorts in size of flower, length of panicle, profuseness of bloom and vigorous habit; blooms nearly a week earlier than *Deutzia crenata flore pleno*. (See cut.) 35c.
- D. gracilis.** **SLENDER-BRANCHED DEUTZIA.** **D.** A charming species of dwarf habit, introduced from Japan by Dr. Siebold. Flowers pure white. Fine for pot culture, as it flowers freely in a low temperature in the winter. The first to flower; about the middle of June. 35c.
- var. aureo variegata.** **GOLDEN VARIEGATED DEUTZIA.** **D.** (New.) A golden-leaved variety of *gracilis*. 75c.
- D. scabra.** **D.** Flowers bell-shaped, in small bunches; foliage oval, very rough underneath; said to be the true variety; dwarf habit. 50c.
- D. scabra.** **ROUGH-LEAVED DEUTZIA.** **D.** One of the most beautiful and profuse white-flowering shrubs; flowers single. We have grown this for a long time as *scabra*. June. 35c.
- D. Watererii.** (New.) **D.** Flowers similar to *crenata fl. pl.*, but more double. 50c.

DIERVILLA. *Weigela.* DIERVILLE, *Ger.* WEIGELIE, *Fr.*

Another valuable genus from Japan, introduced as late as 1843. Shrubs of erect habit while young, but gradually spreading and drooping as they acquire age. They produce in June and July superb large trumpet-shaped flowers, of all shades and colors, from pure white to red. In borders and groups of trees they are very effective, and for margins the variegated-leaved varieties are admirably suited, their gay-colored foliage contrasting finely with the green of other shrubs. They flower after the Lilacs in June.

- D. arborea grandiflora.** **D.** A variety of vigorous habit and erect growth; foliage very large; flowers long and tube-shaped; of a sulphur white or pale yellow, changing to pale rose. Flowers about two weeks after the others. 35c.
- D. candida.** **WHITE-FLOWED WEIGELA.** **D.** A valuable variety. All white varieties heretofore known have been lacking in some important characteristic. *Hortensis nivea*, the best and only really white sort, is a

poor grower and difficult to propagate. Other so-called white sorts have flesh-colored flowers; so that the introduction of *candida* supplies a long-felt want. It is of vigorous habit, an erect grower, becoming in time a large-sized shrub: flowers pure white and produced in great profusion in June, and the plants continue to bloom through the summer, even until autumn. 50c.

Diervilla Chameleon. D. A variety of robust habit, with flowers of a deep rose color. 35c.

D. hortensis nivea. WHITE-FLOWERED WEIGELA. Of dwarf spreading habit and slow growth. Flowers pure white, retaining their purity the whole time of flowering; foliage large. A profuse bloomer; difficult to propagate. 50c.

D. hortensis rubra. D. Flowers deep red when in bud, and rose-colored when in bloom. 35c.



DEUTZIA PRIDE OF ROCHESTER.

D. hortensis A. Carriere. D. Bright rose; a choice sort. 50c.

D. hortensis venosa variegata. D. A dwarf grower, forming a compact bush; the variegation is light yellow, changing to white; flowers deep rose. 50c.

D. hybrida Congo. D. (New.) Flowers large, purplish crimson. 50c.

D. hybrida Edward Andre. D. A hybrid between *arborea* and *Lavallei*; flowers brownish black. 50c.

D. hybrida Gavarni. (New.) D. Flowers of beautiful form; carmine rose. 50c.

D. hybrida Hendersoni. D. Of fine compact habit, rather slender, erect growth; flowers medium size, outside of petals red, interior a lighter shade. 35c.

D. hybrida Jean Mace. D. Flowers large, purplish red, maroon in bud. 50c.

D. hybrida John Standish. D. Flowers large, red. 50c.

D. hybrida Lavallei. D. A fine variety, producing dark reddish purple flowers; one of the darkest varieties; habit straggling. 50c.

D. hybrida Othello. D. Flowers erect, carmine; fine. 50c.

D. hybrida P. Duchartre. D. A hybrid between *rosea* and *Lavallei*; branches erect, flowers clear amaranth. 50c.

D. hybrida Pecheur Fils. D. Violet-red flowers; profuse bloomer. 50c.

D. hybrida Tenier. (New.) D. Large flowers, reddish crimson. 50c.

D. hybrida Voltaire. (New.) D. Flowers large, reddish purple. 50c.

D. rosea. ROSE-COLORED WEIGELA. D. An elegant shrub, with fine rose-colored flowers, introduced from China by Mr. Fortune, and considered one of the finest plants he has discovered; of erect, compact growth; blossoms in June. (See cut.) 35c.

var. amabilis, or splendens. D. Of robust habit, large foliage and pink flowers; blooms freely in the autumn; distinct and beautiful. 35c.

var. Desboisii. D. A beautiful variety, with deep, rose-colored flowers, resembling *rosea*, but flowers much darker. One of the best. 35c.

var. Grœnewegenii. D. Has rose-colored flowers, sometimes streaked with a deep red. 35c.

- Diervilla r. var. Gustave Mallet.** D. Flowers deep red; habit good; very free flowering. 35c.
- var. incarnata.** D. A slender grower; flowers deep red. 35c.
- var. Kosteriana foliis variegatis.** D. Of dwarf, compact growth; leaves bordered with yellow; flowers deep rose; fine. 35c.
- var. Madame Teillier.** D. Of robust habit; erect growth, foliage tomentose beneath; large pale rose flowers. 35c.
- var. Monsieur Lemoine.** D. Flowers pale flesh, then rose, then deep red; a superb sort. 35c.
- var. nana foliis variegatis.** VARIEGATED-LEAVED DWARF WEIGELA. D. Of dwarf habit, and possessing clearly defined, silvery variegated leaves; flowers nearly white. It stands the sun well, and is one of the best dwarf variegated-leaved shrubs. 35c.
- var. nova.** D. A beautiful dwarf, variegated-leaved variety, with rose-colored flowers. 50c.
- var. Sieboldii alba marginata.** D. Of upright habit. When the leaves are young the variegation is yellow; when they mature it becomes silvery white; flowers rose-colored. 35c.
- var. Stelznerii.** D. Flowers dark red; a profuse bloomer. 35c.
- var. Symondsii.** D. Rose and white flowers, forming a beautiful contrast; a distinct and beautiful variety. 35c.



ROSE-COLORED WEIGELA (Reduced).

ELÆAGNUS. WILDE OELBAUM, *Ger.* CHALEF, *Fr.*

- E. argentea.** SILVER-LEAVED OLEASTER. D. A native species of erect growth and beautiful silvery foliage. Flowers small, yellow. July and August. 50c.
- E. longipes.** D. Of dwarf spreading habit; foliage dark green above, silvery white beneath; small yellow flowers; fruit oblong, bright red covered with small white dots and is edible. Valuable on account of the ornamental character of the fruit. 50c.
- E. hortensis.** GARDEN ELÆAGNUS, or OLEASTER. D. Native of Southern Europe. A shrub of quite striking appearance on account of the silvery whiteness of its foliage. Fine in masses of trees. 50c.

EUONYMUS. Strawberry, or Spindle Tree. SPINDELBAUM, *Ger.* FUSAIN, *Fr.*

The Euonymus are all highly ornamental in autumn, when covered with showy fruit.

- E. atropurpureus.** BURNING BUSH. C. A tall growing shrub with larger leaves than the European, turning to scarlet in the autumn; fruit large, dark red. 50c.
- E. Europæus.** EUROPEAN EUONYMUS. D. Forms a tree sometimes 30 feet in height. Fruit rose colored. 50c.
- var. erectus.** D. A compact, upright growing variety, resembling in form an Irish Juniper. 50c.
- var. fructu albo.** WHITE-FRUITED EUONYMUS. D. A variety with white fruit. 50c.
- E. elatus.** CORK-BARKED EUONYMUS. D. Of dwarf compact habit; wood very corky; leaves small; fruit red. 75c.
- E. latifolius.** BROAD-LEAVED EUONYMUS. D. Forms a tree 10 to 20 feet high, with fine broad, glossy green leaves, which turn to a purplish red in autumn. Fruit large and of a deep blood red color. A very ornamental species. 50c.
- E. nanus.** D. A pretty shrub of dwarf habit; foliage narrow becoming purple in autumn, fruit red. 50c.

EXOCHORDA. EXOCHORDA, *Ger.*

- E. grandiflora.** C. From North China. A fine shrub, producing large white flowers in May. Difficult to propagate and always scarce. One of the finest shrubs of its season. (See cut.) \$1.00.

FORSYTHIA. Golden Bell. FORSYTHIE, *Fr.*

These are pretty shrubs, of medium size. All natives of China and Japan. The flowers are drooping, yellow, and appear very early in spring before the leaves. The best very early flowering shrubs.

- F. Fortunei.** FORTUNE'S FORSYTHIA. D. Growth upright, foliage deep green, flowers bright yellow. (See cut.) 35c.

- Forsythia intermedia. D.** (New.) Flowers bright golden; foliage glossy green like *viridissima*, but hardier than that variety. Valuable. 35c.
- F. suspensa. WEeping FORSYTHIA. D.** A shrub resembling *Fortunei* in its flowers, but the growth is somewhat drooping. 35c.
- F. viridissima. D.** A fine hardy shrub, introduced by Mr. Fortune. Leaves and bark deep green, flowers deep yellow, very early in spring. 35c.



EXOCHORDA GRANDIFLORA. (Reduced.)

HALESIA. Silver Bell. HALESIE, Fr.

- H. tetraptera. COMMON SNOWDROP TREE. C.** A beautiful large shrub, with pretty white, bell-shaped flowers in May. It is distinguished by its four-winged fruit, which is from one to two inches long. One of the most desirable shrubs. 50c.

HIBISCUS. *Althæa*, or *Rose of Sharon.* EIBISCH, *Ger.* GUIMAUVE, *Fr.*

The *Althæas* are fine, free-growing, flowering shrubs, of the easiest cultivation. Very desirable on account of blooming in August and September, when scarcely any other tree or shrub is in blossom.

- H. Syriacus var. Boule de Feu.** C. Large, very double, well-formed flowers, of a beautiful violet red color. Plant vigorous; flowers late. 35c.
- var. flore pleno fol. var. VARIEGATED-LEAVED DOUBLE PURPLE-FLOWERED ALTHÆA.** C. A conspicuous variety, with the foliage finely marked with light yellow, and producing double purple flowers. One of the finest variegated-leaved shrubs. 50c.
- var. Leopoldii flore pleno.** C. Large flowers, very double, flesh color shaded rose; leaves lacinated; fine. 35c.
- var. pæoniiflora.** C. Rosy purple flowers; a dwarf grower and very free flowering. 35c.
- var. purpurea.** SINGLE PURPLE ALTHÆA. C. 35c.
- var. purpurea flore pleno.** DOUBLE PURPLE ALTHÆA. C. 35c.
- var. rubra pleno.** DOUBLE RED ALTHÆA. C. Clear color; one of the best. 35c.
- var. totus albus.** C. Single, pure white; very fine. 50c.
- var. variegatis flore pleno.** DOUBLE VARIEGATED, or PAINTED LADY ALTHÆA. C. White, with purple outside; petals shaded pink. 35c.
- var. violacea flore pleno.** C. Flowers medium size, double, of violet lilac color, free flowering; one of the best. 35c.

HYDRANGEA. *Hortensie*, *Ger.* *Hydrangee*, *Fr.*

The native species are handsome shrubs of medium size, with fine large leaves, generally of a light green color, and perfectly hardy. The introductions from Japan and China, are particularly interesting and valuable. *H. paniculata grandiflora* is remarkable in foliage and flower, and being perfectly hardy, is of great value. The other Japanese varieties, like the *H. hortensia*, require protection in winter. They should be grown in pots or boxes and wintered in the cellar, and in summer placed along walks under the shade of trees. *H. Otaksa* and *H. ramulis coccineis* are especially adapted for this purpose.


Those marked with a † require to be wintered in the house.

- †**H. Japonica. var Hortensia.** GARDEN, or CHANGEABLE HYDRANGEA. D. Native of Japan, introduced in 1790. An elegant, well-known plant, with large leaves and large globular heads of rose-colored flowers; usually grown in pots or boxes; in the North requires protection out of doors in winter. 35c.
- †**var. Otaksa.** D. Foliage a beautiful deep green color. The plant produces immense trusses of rose-colored flowers in profusion in July; free blooming. (See cut.) 35c.
- †**var. ramulis coccineis.** RED BRANCHED. D. Introduced by us. A very free bloomer, producing large and magnificently-formed trusses of deep rose-colored flowers from every shoot. The best variety for forcing and pot culture. 35c.
- †**var. rosea.** D. A red flowering variety of Thos. Hogg. Possesses same freedom of growth and flowering. 35c.
- †**var. Thomas Hogg.** D. This belongs to the *Hortensia* section of the family, but it is a far more free and abundant bloomer than any other; for the florist, and for all decorative purposes it is invaluable; the flowers are of the purest white, of very firm texture, and are produced from July to September. It is as hardy as the old *Hortensia*; requires some protection in winter. 35c.
- †**var. stellata fimbriata.** WHITE FRINGED. D. Flowers large, pure white, edges of petals beautifully fringed. Fine. 35c.



HYDRANGEA OTAKSA. (Reduced.)

- H. paniculata grandiflora.** LARGE PANICLE-FLOWERED HYDRANGEA. C. A fine shrub, growing from 8 to 10 feet high; flowers white, in great pyramidal panicles a foot long, and produced in August and September, when very few shrubs are in flower; one of the finest flowering shrubs. (See cut.) 35c.
- H. quercifolia.** OAK-LEAVED HYDRANGEA. D. A hardy native shrub, remarkable for its large leaves, which are lobed like those of the Oak, and downy beneath; flowers cream-colored in medium sized panicles; August. Very desirable. 50c.



SINGLE PLANT OF HYDRANGEA PANICULATA GRANDIFLORA. (Reduced.)



HYDRANGEA PANICULATA GRANDIFLORA.

HYPERICUM. St. John's Wort. HARTHEU, *Ger.* MILLEPERTUIS, *Fr.*

H. aureum. D. From Tennessee. One of the finest in flower and foliage; continues in bloom from August to October. 75c.

H. Kalmianum. KALM'S ST. JOHN WORT. D. A fine native, low-spreading shrub, with gay, bright yellow flowers in August. Succeeds well in the shade. 50c.

KERRIA. Corchorus. KEKRIE,
Ger. CORETTE, *Fr.*

K. Japonica. JAPAN CORCHORUS. D. A slender, green-branched shrub, 5 or 6 feet high, with globular, yellow flowers from July to October. 35c.

var. flore pleno. DOUBLE-FLOWERING CORCHORUS. D. Of medium size; double yellow flowers 35c.

Kerria J. var. argentea variegata. SILVER VARIEGATED-LEAVED CORCHORUS. **D.** A dwarf variety from Japan, with small, green foliage, edged with white; very slender grower. One of the prettiest and most valuable of dwarf shrubs. 50c.

var. ramulis var. aureis. **D.** A curious dwarf variety, having its stem striped with yellow and green; very pretty in winter when the plant is divested of its leaves. 50c.

LIGUSTRUM. Privet. RAINWEIDE, *Ger.* TROENE, *Fr.*

The *Privet* in all its varieties, deserves attention as an ornamental plant. It is almost an evergreen, and grows freely in all soils; is compact and regular in its form, and bears shearing to any extent. The whole collection which we offer makes a very interesting group on the lawn; the flowers appear in June and July.

L. vulgare var. buxifolium. BOX-LEAVED PRIVET. **D.** A variety of erect habit, with short, thick, dark green leaves, which remain upon the plant till very late in the autumn. One of the best. 25c.

var. fructu albo. WHITE-BERRIED PRIVET. **D.** A variety with white berries. 25c.

var. glaucum fol. albo marginatum. WHITE-EDGED LEAVED PRIVET. **D.** Of upright habit, the leaves are of a glaucous green, margined with white. 25c.

L. laurifolium. LAUREL-LEAVED PRIVET. **D.** Has the largest leaves of any. Distinct and fine. 25c.

L. ovalifolium. CALIFORNIA PRIVET. **D.** A vigorous, hardy variety, of fine habit and foliage; valuable for hedges. 25c.

L. Pekinensis. The leaves resemble the Lilac, smooth, shining green and spikes of white flowers. 25c.

LONICERA. Upright Honeysuckle. HECKENKIRCHE, *Ger.* CHAMECERISIER, *Fr.*

The following species and varieties are of erect, shrubby habit. The climbing sorts will be found under the head of *Climbing Shrubs*.

L. Alberti. **D.** Violet bell-shaped flowers; leaves narrow. A very hardy variety, somewhat creeping. 50c.

L. cærulea. **D.** Of shrubby growth; flowers cream colored, fragrant. May. 35c.

L. fragrantissima. FRAGRANT UPRIGHT HONEYSUCKLE. **D.** A spreading shrub, with deep green foliage and very fragrant small flowers, which appear before the leaves; foliage almost evergreen; most desirable. 35c.

L. Ledebouri. LEDEBOUR'S HONEYSUCKLE. **D.** From California. A distinct species with red flowers in May. 35c.

L. Standishii. STANDISH'S HONEYSUCKLE. **D.** Native of China. Flowers creamy white, fragrant, appearing in May before the leaves; one of the earliest flowering shrubs. 35c.

L. Tartarica. TARTARIAN HONEYSUCKLE. **D.** Pink flowers, which contrast beautifully with the foliage. This and *grandiflora* appear to fine advantage planted together. June. 35c.

var. alba. WHITE TARTARIAN HONEYSUCKLE. **D.** Forms a high bush, with creamy-white, fragrant flowers. May and June. 35c.

var. grandiflora. PINK-FLOWERING HONEYSUCKLE. **D.** A beautiful shrub, very vigorous, and producing large, bright red flowers striped with white, in June. 35c.

var. grandiflora alba. **D.** A variety of upright habit, with very large, pure white flowers. 35c.

PAVIA. Smooth-fruited Horse Chestnut. PAVIER, *Fr.*

P. macrostachya. DWARF WHITE HORSE CHESTNUT. **D.** A beautiful spreading shrub producing numerous large showy spikes of flowers late in June; very valuable. \$1.00.

PHILADELPHUS. Syringa, or Mock Orange. WILDER JASMIN, *Ger.* SERINGAT, *Fr.*

The *Syringa* is an invaluable shrub. Of vigorous habit, very hardy, with large handsome foliage, and beautiful white flowers, produced in the greatest profusion at the blossoming season, it merits a prominent place in all collections of shrubbery. Most of the varieties, except those of dwarf habit, form large sized shrubs, twelve to fifteen feet high. They can of course be kept smaller by pruning. The dwarf sorts do not yield many flowers, but are such pretty, compact plants as to be very useful where small shrubs are desired. All of the varieties flower in June, after the Weigela. By planting the late flowering sorts, the season may be considerably extended.

Ph. coronarius. GARLAND SYRINGA. **C.** A well known shrub, with pure white, highly-scented flowers. One of the first to flower. 35c.

var. foliis argentea marginata. SILVER MARGINED-LEAVED SYRINGA. **D.** (New.) Of rather dwarf habit; the foliage beautifully margined with silver. \$1.00.

var. flore pleno. DOUBLE-FLOWERING SYRINGA. **C.** A variety with partially double, very fragrant flowers. 35c.

var. nanus. DWARF SYRINGA. **D.** Of low habit; makes a dense, compact bush, rarely produces flowers; useful as a dwarf shrub. 35c.

var. Zeyheri. ZEYHER'S SYRINGA. **C.** A large-flowered, odorless variety, flowers very late. 35c.

Ph. dianthiflorus flore pleno. **D.** A dwarf variety, with double cream-colored fragrant flowers; forms a handsome low shrub; does not flower much. 35c.

Ph. foliis aureis. GOLDEN-LEAVED SYRINGA. **D.** A very pretty plant of medium size of golden yellow foliage. It keeps its color the entire season, and will be found valuable for creating pleasing and striking contrasts with purple-leaved shrubs. 50c.

Ph. Gordonianus. GORDON'S SYRINGA. **C.** A vigorous grower and profuse bloomer; flowers slightly fragrant, blooms late, and valuable on that account. 35c.

Ph. grandiflorus. LARGE-FLOWERING SYRINGA. **C.** Has very showy, large flowers, slightly fragrant; branches somewhat straggling. 35c.

- Philadelphus g. var. speciosissimus. D.** Of dwarf habit, forming bushes about 3 feet in height and covered with very large white, sweet-scented flowers. Distinct and fine. See cut. 50c.
- Ph. laxus. C.** Very large, white fragrant flowers, upright habit, free flowering; a valuable sort. 35c.
- Ph. microphyllus. SMALL-LEAVED SYRINGA. D.** Recently introduced. Of dwarf habit, slender growth, and small white flowers. A very pretty small shrub. 75c.
- Ph. nivalis. C.** The stamens of this variety are cream-colored, thus rendering the whole flower snowy white. Flowers inodorous. 35c.
- Ph. Pekinensis. C.** Flowers creamy white, fragrant, distinct. 50c.
- Ph. primulæflorus. C.** Flowers almost double; pure white. 50c.
- Ph. pubescens. HOARY-LEAVED SYRINGA. C.** A beautiful shrub, with large, downy leaves and large, white flowers; late flowering. 35c.
- Ph. salicifolia. WILLOW-LEAVED SYRINGA, D.** Leaves curled at the edges, giving the plant a peculiar appearance. Dwarf habit. 50c.
- Ph. speciosus. C.** Very showy flowers; late; distinct habit. 35c.
- Ph. Yokohama. C.** A very fragrant species from Japan, of upright, compact habit; foliage plaited. Makes a beautiful shrub. 35c.



PHILADELPHUS SPECIOSISSIMUS. (Reduced.)

PRUNUS. Plum

- P. Japonica flore albo pleno.** (Erroneously *Amygdalus pumila alba*.) DWARF DOUBLE WHITE-FLOWERING ALMOND. **D.** Produces beautiful double white flowers in May. 50c.
- P. Japonica flore rubro pleno.** (Erroneously *Amygdalus pumila*.) DWARF DOUBLE RED-FLOWERING ALMOND. **D.** A beautiful small shrub, bearing in May, before the leaves appear, an abundance of small, double, rose-like flowers, closely set upon the twigs. 50c.
- P. Pissardi. PURPLE-LEAVED PLUM. C.** The finest purple-leaved small tree or shrub of recent introduction. The young branches are a very dark purple; the leaves when young are lustrous crimson, changing to a dark purple, and retain this beautiful tint till they drop late in autumn; no other purple-leaved tree or shrub retains its color like this. It transplants easily and is worthy of wide dissemination. Flowers small, white, single, covering the tree. 50c.
- P. tomentosa. D.** A very pretty species from Japan. It has beautifully plaited leaves, and bears in May, small, inconspicuous flowers, which are followed by small red fruits resembling currants. Forms a very handsome dwarf shrub. 50c.
- P. triloba. DOUBLE-FLOWERING PLUM. D.** Native of China. A highly interesting and desirable addition to hardy shrubs; flowers double, of a delicate pink, upwards of an inch in diameter, thickly set on the long, slender branches; flowers in May. 50c.
- P. virgata flore roseo pleno. D.** Flowers double, rose-colored; not so full as those of *P. triloba*, but they appear three or four days earlier. 50c.

PTELEA. Hop Tree, or Shrubby Trefoil. LEDERBLUME, Ger. PTELEA, Fr.

- P. trifoliata. C.** A large shrub or small tree, of rapid growth and robust habit. Fruit winged, and in clusters; flowers in June. 50c.
- var. aurea. GOLDEN-LEAVED HOP TREE. C.** (New.) Beautiful glossy golden foliage, holds its color well. \$1.00.

RHAMNUS. Buckthorn. WEGEDORN, *Ger.* NERPRUN, *Fr.***R. catharticus. PURGING BUCKTHORN. C.**

The popular hedge plant. A fine robust, hardy shrub, of European origin, with dark green foliage, white flowers and small black fruit. 35c.

RHODOTYPUS. SCHEINKERRIE, Ger.

Rh. kerrioides. C. From Japan. A very ornamental shrub of medium size, with handsome foliage and large, single, white flowers in the latter part of May, succeeded by numerous small fruit. See cut. 50c.



RHODOTYPUS KERRIOIDES. (Reduced.)

RHUS. Sumach. ESSIGBAUM, Ger.SUMACH, *Fr.*

R. aromatica. D. A native variety, exhaling a strong odor. Flowers greenish-white; leaves lobed. 35c.

R. Cotinus. PURPLE-FRIDGE, OR SMOKE TREE. C.

From the South of Europe. A much admired shrub for its curious fringe, or hair-like flowers, that cover the whole surface of the plant in mid-summer. It grows 10 to 12 feet high, and spreads so as to require considerable space. 50c.

R. glabra var. laciniata. CUT-LEAVED SUMACH. C.

A very striking plant, of moderate size, with deeply cut leaves resembling fern leaves; dark green above and glaucous below, and turning to a rich red in autumn. See cut. 75c.

R. Osbeckii. C. A beautiful species from China, of large size, with remarkable and very ornamental foliage, assuming a beautiful autumnal color. 75c.



RHUS GLABRA VAR. LACINIATA—CUT-LEAVED SUMACH. (Reduced.)

RIBES. Currant.JOHANNISBEERE, *Ger.* GROSEILLIER, *Fr.*

The flowering currants are gay, beautiful shrubs in early spring, and of the easiest culture.

R. alpina. D. A good old variety. Small yellow flowers. Distinct. 35c.

R. aureum. YELLOW-FLOWERING CURRANT. D. A native species, with glabrous, shining leaves, and yellow flowers. 35c.

R. Gordonianum. GORDON'S CURRANT. D. A hybrid between *aureum* and *sanguineum*. A hardy and profuse blooming shrub. Flowers crimson and yellow in pendent bunches in May. 35c.

R. sanguineum. CRIMSON-FLOWERING CURRANT. D. An American species, with deep red flowers, produced in great abundance in early spring. 50c.

var. albidum. D. This is a beautiful variety, with pinkish white flowers; contrasts well with the type. 50c.

var. flore pleno. DOUBLE CRIMSON-FLOWERING CURRANT. D. A variety of the *Crimson*, with double flowers in July; a most beautiful flowering shrub. \$1.00.

RUBUS. Bramble. BROMBERE, *Ger.* RONCE, *Fr.*

These are rather coarse looking shrubs, but can often be employed to great advantage, especially in the wild garden to produce certain effects.

R. crataegifolius. **D.** An ornamental species introduced from Manchouria; habit robust and erect, foliage large, deep green turning to a dark red color in autumn. In July the plant is covered with bright red fruit of an agreeable flavor. 35c.



CUT-LEAVED ELDER. (Reduced.)



FERN-LEAVED ELDER. (Reduced.)

R. fruticosus laciniatus. **CUT-LEAVED, OR PARSLEY-LEAVED BRAMBLE.** **D.** Of low trailing habit, foliage deeply cut and quite ornamental; produces palatable fruit. 35c.



SPIRÆA VAN HOUTTEI. (Row of Plants.)

R. phoenicolasius. **D.** A species with foliage resembling that of the Raspberry; leaves downy and of a silvery white underneath; flowers followed by a hairy fruit of a scarlet color. 35c.

SAMBUCUS. Elder. HOLLUNDER, Ger. SUREAU, Fr.

These are showy large shrubs, quite ornamental in flowers, fruit and foliage. They blossom in June. The plants should be kept in good shape by a frequent use of the pruning knife.

- S. nigra. BLACK-BERRIED ELDER. C.** A native of Europe, of medium size, with purplish-black berries in September. 35c.
- var. aurea. GOLDEN ELDER. C.** A handsome variety, with golden yellow foliage. A valuable plant for enlivening shrubberies. 50c.
- var. heterophylla. FERN-LEAVED ELDER. C.** Luxuriant in growth, with deep and delicately cut foliage. fine. See cut. 50c.
- var. laciniata. CUT-LEAVED ELDER. C.** A valuable variety, with elegantly divided leaves; one of the best cut-leaved shrubs. See cut. 50c.
- var. pulverulenta. C.** In spring the foliage is marbled with silver which continues the greater part of the summer. 50c.
- var. pyramidalis. C.** An upright grower with peculiar foliage turned back so as to conceal the stem. 50c.
- var. variegata. VARIEGATED-LEAVED ELDER. C.** Of strong healthy growth; foliage mottled with yellow and white. One of the best variegated-leaved shrubs. 35c.
- S. racemosa var. plumosa. C. (New.)** Leaves beautifully cut and drooping, giving the plant a unique and pretty effect. 75c.

SPIRÆA. Meadow-Sweet. SPIERSTRAUCH, Ger. SPIREE, Fr.

The Spiræas are all elegant, low shrubs, of the easiest culture, and their blooming extends over a period of three months.

- S. arguta. D.** Of dwarf habit; flowers clear white. The best very early flowering white Spiræa. Early May. 50c.
- S. ariaefolia. WHITE-BEAM LEAVED SPIRÆA. D.** An elegant species from North West America; habit dense and bushy; plant entirely covered with greenish white blossoms in July. 50c.
- S. Billardi. BILLARD'S SPIRÆA. D.** Rose-colored. Blooms nearly all summer. 35c.
- S. Blumei. D.** Has large panicles of deep rose-colored flowers. June and July. 35c.
- S. crenata. D.** Dwarf in habit. Flowers dull white; free bloomer. June. 35c.
- S. callosa. FORTUNE'S SPIRÆA. D.** Has large panicles of deep rosy blossoms; grows freely and blooms nearly all summer; fine. 35c.
- var. alba. FORTUNE'S DWARF WHITE SPIRÆA. D.** A white-flowering variety, of dwarf, bushy, symmetrical form. Keeps in flower all summer. A valuable small shrub. 35c.



SPIRÆA LANCE-LEAVED. (Reduced.)

DOUBLE-FLOWERING PLUM-LEAVED SPIRÆA. (Red)

- S. var. atrosanguinea. D.** In growth and habit this is similar to *callosa*; flowers a shade darker. June July. 35c.
- var. superba. D.** Of dwarf habit, greenish white flowers, in August. 35c.
- var. semperflorens. D.** Habit dwarf; red flowers in corymbs. A continuous bloomer. 35c.

uta,
ata,
bi-

- Spiræa chamædrifolia.** GERMANDER-LEAVED SPIRÆA. **D.** A beautiful species, with small wiry branches, covered in June with clusters of white flowers. 35c.
- S. conspicua.** (New.) **D.** Flowers delicate rose. 50c.
- S. crispifolia.** **D.** From Japan. Very dwarf, about 12 inches; rounded form, leaves crisped, flowers pink. Blooms nearly all summer. 35c.
- S. cratægifolia.** HAWTHORN-LEAVED SPIRÆA. **D.** A handsome sort, resembling somewhat the lance-leaved, but hardier and distinct. Flowers white, in great profusion. June. 35c.
- S. Douglasi.** DOUGLAS' SPIRÆA. **D.** Has spikes of beautiful deep rose-colored flowers in July and August. 35c.
- S. eximia.** **D.** Of dwarf habit; flowers bright rose color. July. 35c.
- S. floribunda.** FREE-BLOOMING SPIRÆA. **D.** Flowers white; an abundant bloomer. 35c.
- S. Fontenaysii.** **D.** Vigorous, and a very free bloomer. Large panicles of greenish white flowers. Latter part of June. 35c.
- var. **rosea.** **D.** A slender grower, with panicles of rose-colored flowers. 35c.
- S. Foxii.** **D.** Resembles *callosa*, but corymbs of flowers immense, sometimes measuring a foot across. 50c.
- S. hypericifolia.** HYPERICUM-LEAVED SPIRÆA. **D.** (New.) A dwarf species; flowers white in racemes; foliage small, narrow; blooms early. 50c.
- S. luxuriosa.** **D.** A strong grower, pretty foliage, white flowers. 35c.




SPIRÆA ROBUSTA. (Reduced.)



SPIRÆA ULMIFOLIA. (Reduced.)

- S. Niconderti.** NICONDERT'S SPIRÆA. **D.** Small, smooth, soft leaves; small spikes; greenish white flowers in great profusion; one of the first to flower. May. 35c.
- S. opulifolia aurea.** GOLDEN-LEAVED NINE BARK. **D.** An interesting variety, with golden-yellow tinted foliage, and double white flowers in June. Very conspicuous. 35c.
- S. paniculata rosea.** **D.** A vigorous grower, with cymes of rose-colored flowers. July. 35c.
- S. prunifolia flore pleno.** DOUBLE-FLOWERING PLUM-LEAVED SPIRÆA. **D.** A beautiful shrub from Japan, with pure white flowers like white daisies, in May. Keeps in flower a long time and justly merits to be placed in the front rank among flowering shrubs. (See cut.) 35c.



SPIRÆA BUMALDA. (Reduced.)

- S. Reevesii, or lanceolata.** LANCE-LEAVED SPIRÆA. **D.** A charming shrub with narrow, pointed leaves, and large, round clusters of white flowers that cover the whole plant, and render it exceedingly effective. Blooms in June. (See cut.) 35c.
- var. **flore pleno, or lanceolata flore pleno.** LANCE-LEAVED DOUBLE SPIRÆA. **D.** A beautiful double-flowering variety. 35c.
- var. **robusta.** **D.** A superior variety of the *lanceolata*. Of more vigorous growth, hardier, and flowers much larger. Blooms in June and September. (See cut.) 35c.
- S. rotundifolia alba.** **D.** Leaves roundish; flowers white. A distinct variety. (See cut.) 35c.
- S. rupestris.** **D.** Dwarf in growth, with white flowers. May and June. 35c.
- S. salicifolia.** WILLOW-LEAVED SPIRÆA. **D.** Long, narrow, pointed leaves, and rose-colored flowers in June and July. 35c.
- S. sorbifolia.** SORB-LEAVED SPIRÆA. **D.** A vigorous species, with leaves like those of the Mountain Ash, and long, elegant spikes of white flowers in July. 35c.
- S. species japonica. (Bumalda.)** **D.** A very handsome species from Japan. Habit dwarf but vigorous, foliage narrow, flowers rose-colored, appearing in great profusion during midsummer and autumn. (See cut.) 35c.
- var. **tenissima.** **D.** A very early flowering variety; flowers greenish white. Fine. 35c.

- Spiræa Thunbergii.** THUNBERG'S SPIRÆA. **D.** Of dwarf habit and rounded, graceful form; branches slender and somewhat drooping; foliage narrow and yellowish green; flowers small, white, appearing early in spring, being one of the first Spiræas to flower. Esteemed on account of its neat, graceful habit. Forces well in winter. 35c.
- S. trilobata.** THREE-LOBED SPIRÆA. **D.** A vigorous grower. Three-lobed leaves; white flowers. 35c.
- S. ulmifolia.** ELM-LEAVED SPIRÆA. **D.** Leaves somewhat resembling those of the elm, and large, round clusters of white flowers in June. (See cut.) 35c.
- S. Van Houttei.** **D.** Without doubt the finest variety in the collection. At the flowering season in early June the plant is covered with a mass of large, white flowers, presenting a beautiful appearance. Hardy. (See cut.) 35c.



SPIRÆA VAN HOUTTEI. (Reduced.)

The SPIRÆAS flower in the following order, from the middle of May to the middle of August: (1.) *Arguta*, *prunifolia* fl. pl., *Thunbergii*. (2.) *Niconderti*, *tenissima*. (3.) *chamædrifolia*. (4.) *Van Houttei*, *crataegifolia*, *lanceolata*, *lanceolata* fl. pl., *lanceolata robusta*. (5.) *ulmifolia*. (6.) *opulifolia aurea*, *crenata*. (7.) *Fontenaysii*, *salicifolia*, *sorbifolia*. (8.) *Billardi*. (9.) *arizifolia*. (10.) *callosa*, *callosa alba*, *callosa superba*, *species japonica*.

STAPHYLEA. Bladder-Nut. PIMPERNUSS, *Ger.* STAPHYLEE, *Fr.*

- S. colchica.** **D.** One of the finest early flowering shrubs. Flowers white, fragrant, disposed in clusters. Flowers at the same time as the Lilacs. 50c.
- S. Bumalda.** **D.** A handsome shrub with large clusters of cream colored flowers. 50c.

SYMPHORICARPUS. St. Peter's Wort, or Waxberry. SCHNEEBEERE, *Ger.*
SYMPHORINE, *Fr.*

- S. racemosus.** **SNOWBERRY. D.** A well-known shrub, with small, pink flowers, and large white berries that hang on the plant through part of the winter. 35c.
- S. vulgaris.** **RED-FRUITED or INDIAN CURRANT. D.** A shrub of very pretty habit. Foliage, flowers and fruit small; fruit purple; hangs all winter. 35c.
- var. variegatis.** **VARIEGATED ST. PETER'S WORT. D.** A variegated form of the above. 35c.



NEW LILAC—FRAU DAMMANN (Reduced).

SYRINGA. Lilac. FLEIDER, *Ger.* LILAS, *Fr.*

Well-known, beautiful shrubs, indispensable in every collection. They flower in May. Attention is invited to the new varieties described on page 100.

- S. Josikæa.** **JOSIKA'S or CHIONANTHUS-LEAVED LILAC. C.** From Transylvania. A fine, distinct species, of tree-like growth, with dark, shining leaves and purple flowers in June, after the other Lilacs have done flowering. Esteemed particularly for its fine habit and foliage. 35c.
- S. Persica.** **PERSIAN LILAC. C.** Native of Persia. From 4 to 6 feet high, with small foliage and bright purple flowers. 50c.

- Syringa P.* var. *alba*. WHITE PERSIAN LILAC. D. Delicate white fragrant flowers, shaded with purple. A superb variety. \$1.00.
- var. *laciniata*. PERSIAN CUT-LEAVED LILAC. A variety with deeply cut leaves and reddish purple flowers. 50c.
- S. *rothomagensis* var. *rubra*. ROUEN LILAC. C. A distinct hybrid variety, with reddish flowers; panicles of great size and very abundant. One of the finest Lilacs. 50c.
- S. *Siberica alba*. SIBERIAN WHITE LILAC. C. A vigorous grower; foliage small and narrow; flowers white with a bluish tint. Fragrant and free flowering. 50c.
- S. *Verschaffeltii*. VERSCHAFFELT'S LILAC. C. Dark red in bud, lilac when open; large, compact panicle; distinct. 50c.
- S. *vulgaris*, COMMON LILAC. C. Bluish purple flowers. 35c.
- var. *alba*. COMMON WHITE LILAC. C. Cream-colored flowers. 50c.
- var. *alba grandiflora*. LARGE-FLOWERED WHITE LILAC. C. Very large, pure white trusses of flowers. 50c.
- var. *Albert the Good*. C. An erect, vigorous grower, with large spikes of reddish purple flowers. 50c.
- var. *Beranger*. C. A seedling from *Gloire de Moulins*. Has large panicles of a purplish lilac red color; fine. 50c.
- var. *Charleberg*. C. A distinct variety; flowers very small, light purple, shaded with pink. Compact truss. 50c.
- var. *Charles X*. C. A strong, rapid-growing variety, with large, shining leaves; trusses large, rather loose, reddish purple. 50c.
- var. *Colmariensis*. COLMAR'S LILAC. C. Very large, pale blue flowers, and fine glossy foliage; distinct and fine. 35c.
- var. *Croix de Brahy*. C. Flowers red in bud, becoming almost pink; beautiful; panicles compact. 50c.
- var. *Dr. Lindley*. C. Large, compact panicles of purplish lilac flowers. Very fine. 50c.



LILAC—ROTHOMAGENSIS.

- var. *cærulea superba*. E. & B. SEEDLING. C. Flowers light purple in bud, but when fully open a clear blue; truss very large. A superb variety. 50c.
- var. *de Croncels*. C. Carmine red in bud, lilac when open; truss large; superb. 50c.
- var. *flore pleno*. DOUBLE PURPLE LILAC. C. Has a double row of petals; valuable for cut flowers; very neat and pretty. 50c.
- var. *gigantea*. GIANT LILAC. C. A vigorous, erect grower, with large leaves and spikes. Flowers blue. 35c.
- var. *Gloire de Lorraine*. C. Individual flowers large, red in bud, lilac when open. 50c.

- Syringa v. var. Gloire de Moulins.** C. Long panicle; individual flowers very large, rosy lilac in color and very fragrant. 50c.
- var. Jacques Calot.** C. One of the finest Lilacs; very large panicles of delicate rosy pink flowers, the individual flowers unusually large; distinct. 50c.
- var. Lemoinei flore pleno.** LEMOINE'S DOUBLE-FLOWERED LILAC. C. Panicles large; flowers reddish purple, semi-double; fine. 50c.
- var. Louis Van Houtte.** C. Large panicles of red flowers. 50c.
- var. Marie Legraye.** C. Large panicles of white flowers. Valuable for forcing. 50c.
- var. nana.** DWARF LILAC. D. Distinct, large and compact spike of dark reddish purple fragrant flowers. Very fine. 50c.
- var. Noisettiana alba.** C. Large trusses of white flowers. 50c.
- var. President Massart.** C. Red in bud, purple when open; large panicle; fine. 50c.
- var. Princess Alexandra.** C. A variety with pure white flowers; panicles medium to large. One of the finest white flowering varieties. 50c.
- var. Prince of Wales.** C. Panicles medium to large; flowers purplish lilac, the petals slightly curling near the edge, giving the flowers the appearance of being striped. 50c.



NEW LILAC—LUDWIG SPÆTH (Reduced).

- var. Prof. E. Stockhardt.** C. Lavender-colored flowers, large truss; fine. 50c.
- var. rubra insignis.** C. Dark red in bud, purple or lilac when open; large truss; superb. 50c.
- var. Ville de Troyes.** C. A fine variety, with large panicles of dark purple flowers. 50c.
- var. virginalis.** C. Flowers pure white; large, compact panicles more delicate than the common 50c.



NEW LILAC—LAMARCK. (Reduced.)

NEW VARIETIES OF LILACS.

Attention is especially directed to the double-flowered varieties remarkable for their large trusses and beautiful flowers. The descriptions in some cases are those of the originator.

- Syringa Japonica.** C. A new species from Japan, becoming a good sized tree. Foliage dark green, glossy, leathery; flowers creamy white, odorless, in great panicles. A month later than other lilacs. \$1.00.
- S. ligustrina Pekinensis pendula.** CHINESE WEEPING LILAC. C. Of graceful drooping habit; flowers white; fragrant. \$1.00.
- S. villosa.** C. A new species from Japan. Large branching panicles; flowers light purple in bud, white when open; fragrant; foliage resembles that of the *White Fringe*. Especially valuable, as its flowers appear two weeks after those of other Lilacs. \$1.00.
- S. vulgaris** var. **Alphonse Lavallo.** C. Very large panicle, beautiful blue, shaded violet. \$1.00.
- var. **Comte Horace de Choiseul.** C. "Flowers deep violet red." Small plants. \$1.
- var. **Condorcet.** C. "Long panicles; very large semi-double flowers, pale blue." Small plants. \$1.50.
- var. **Emile Lemoine.** C. "Flowers very large; of fine globular form; rosy lilac; beautiful." Small plants. \$1.
- var. **Frau Dammann.** C. This is the best white lilac in our collection; the panicle or truss is immense, flowers of medium size and pure white. This and *Ludwig Späth* are the two best lilacs of recent introduction. (See cut.) \$1.
- var. **hyacinthiflora plena.** C. Double flowers; lilac rose; red in bud; early. 75c.
- var. **Jean Bart.** C. "Panicle large and compact; flowers rosy carmine." Small plants. \$1.
- var. **Lamarck.** C. Very large panicle; individual flowers large, very double, rosy lilac; superb when open. (See cut.) \$1.00.
- var. **Langius.** C. A new lilac which blossoms quite late. Panicle large; individual flowers medium, rosy lilac; a distinct shade. Good. \$1.00.
- var. **La Tour d'Auvergne.** C. "Flowers very large; violet purple." Small plants. \$1.
- var. **le Gaulois.** C. "Panicle very large and compact; flowers deep peach color." Small plants. \$1.
- var. **Leon Simon.** C. "Panicle compact; flowers bluish crimson." Small plants. \$1.
- var. **Lovaniensis.** C. Silvery pink, a distinct and beautiful shade; panicle large and very erect, showing off the individual flowers to good advantage. An acquisition. \$1.00.
- var. **Ludwig Späth.** C. Panicle long; individual flowers large, single; dark purplish red; distinct; superb. The finest of its color. (See cut.) \$1.
- var. **Mme. Julius Finger.** C. "Flowers large, satiny rose; very fragrant." Small plants. \$1.
- var. **Madame Moser.** C. White. \$1.00.
- var. **Mathieu de Dombasle.** C. Panicle of medium size; flowers small, very double; color reddish mauve. Very free flowering. \$1.00.
- var. **M. Maxime Cornu.** C. "Flowers lilac rose." Small plants. \$1.
- var. **Michael Bucher.** C. Plant dwarf; panicle erect, very large; individual flowers medium, very double; color pale lilac, very distinct and fine. An acquisition. \$1.
- var. **President Grevy.** C. A beautiful blue; individual flowers very double and very large, measuring three-quarters of an inch in diameter; the panicle is magnificent and measures eleven inches in length and five inches across. One of the finest Lilacs. (See cut.) \$1.
- var. **Professor Sargent.** C. "Buds cherry red, dark violet when fully open; fine." Small plants. \$1.
- var. **pyramidalis.** C. "Panicles large and dense; flowers large and full; color fine azure rose; carmine in bud." Small plants. \$1.
- var. **Renoncule.** C. Very double; azure mauve; very fragrant. \$1.00.
- var. **rubella plena.** C. Flowers large, very double, clear violet red. \$1.00.
- var. **Rouge de Trianon.** C. Very large panicle; individual flowers large, reddish lilac. Fine. \$1.00.
- var. **Senateur Volland.** C. "Flowers rosy red." Small plants. \$1.
- var. **virginite.** C. "Flowers large, double, tender rose, shade of *Souvenir de la Malmaison* rose." Small plants. \$1.

TAMARIX. Tamarisk. TAMARISKE, Ger. TAMARISC, Fr.

These are very beautiful shrubs, with small leaves, somewhat like those of the Juniper, and delicate small flowers in spikes. They are invaluable for planting by the seaside, where scarcely anything else will grow.

- T. Africana.** D. Handsome foliage, upright habit; flowers in May. 35c.
- T. Chinensis.** D. A vigorous, upright grower, with delicate foliage of a lively green color; flowers rose-colored, in September. 35c.
- T. Narbonne.** D. Of straggling habit. Foliage glaucous green; flowers in May before the leaves appear. 35c.

VIBURNUM. Arrow Root. SCHLINGE, OR SHNEEBALL, Ger. VIORNE, Fr.

- V. dentatum.** DENTATED-LEAVED VIBURNUM. D. Flowers greenish white, much like *Nepalense*, but not so coarse. 50c.
- V. Japonicum.** D. Resembles *plicatum* in foliage and habit; the cymes are bordered with a circle of large, white, barren flowers. 75c.
- V. lantana.** EARLY WHITE LANTANA-LEAVED VIBURNUM. C. A large, robust, shrub, with soft, heavy leaves, and large clusters of white flowers in May, succeeded with red fruit; retains its foliage very late. 35c.
- var. **rugosum.** ROUGH-LEAVED VIBURNUM. C. Has larger and rougher leaves than *lantana*, and terminal cymes of white flowers in May. Very ornamental in foliage and fruit. 35c.
- V. Lentago.** SHEEPBERRY. D. Flowers creamy white, very fragrant; foliage a light glossy green. Growth and habit like *pyrifolium*. 50c.
- V. macrocephalum.** D. Growth and habit similar to *rugosum*, but the leaves are coarser. 50c.



NEW LILAC—PRESIDENT GREVY. (Reduced.)

Viburnum nepalense. C. A robust growing shrub, with cymes of white flowers, which appear later than those of the other Viburnums. 50c.

V. Opulus. HIGH, OR BUSH CRANBERRY. C. Both ornamental and useful. Its red berries, resembling cranberries, esteemed by many, hang until destroyed by frost late in the fall; resembles the *Snowball* in wood and foliage. 35c.

var. nanum. D. A very dwarf variety, forming a small bush two feet in height; does not produce any flowers. A pretty dwarf plant. 75c.

var. sterilis. GUELDER ROSE. SNOWBALL TREE. C. A well known, favorite shrub, of large size, with globular clusters of pure white, sterile flowers the latter part of May. (See cut.) 35c.



VIBURNUM PLICATUM.
($\frac{1}{2}$ Natural Size.)



VIBURNUM OPULUS VAR. STERILIS—SNOWBALL.
($\frac{1}{2}$ Natural Size.)

V. plicatum. PLICATE VIBURNUM. D. From North China. Of moderate growth; handsome, plicated leaves, globular heads of pure white neutral flowers early in June. It surpasses the common variety in several respects. Its habit is better, foliage much handsomer, flowers whiter and more delicate. One of the most valuable flowering shrubs. (See cut.) 75c.

V. prunifolium. PLUM-LEAVED VIBURNUM. C. Has smooth, glossy foliage, and white flowers in May and June. 50c.

V. pyrifolium. PEAR-LEAVED VIBURNUM. C. A native shrub. Flowers white; fragrant; the last of all to flower, being about ten days later than the others. 50c.

V. Sieboldii. D. Large, long, thick leaves of a glossy green color. 75c.

XANTHOCERAS.

X. sorbifolia. C. From Central China. Forms a shrub or small tree, foliage resembling that of the Service Tree or Mountain Ash; flowers five-petaled, white, reddish copper-colored at base, disposed in racemes about eight inches long; flowers expand in April or May with the leaves. It is very floriferous, young plants flowering freely. Requires protection until established. Small plants. \$1.00.

CLASS II.—FLOWERING SHRUBS WITH VARIEGATED OR COLORED FOLIAGE.

DESCRIBED IN THEIR RESPECTIVE PLACES IN THE CATALOGUE.

Berberis (*Barberry*), vulgaris var. purpurea.

Cissus variegata.

Cornus (*Dogwood*), mascula variegata.

“ mas. var. elegantissima.

“ Siberica foliis albo marginatis.

“ variegata.

“ sang. var. elegantissima variegata.

“ Spæthii.

Diervilla (*Weigela*), hortensis var. venosa variegata.

“ rosea var. Kosteriana fol. var.

“ rosea var. nana fol. var.

Diervilla, rosea var. nova.

“ rosea var. Sieboldii alba marginata.

Hibiscus (*Althæa*), Syriacus var. fl. pl. fol. variegatis.

Kerria (*Corchorus*), Japonica argentea variegata.

Ligustrum (*Privet*), var. glaucum marginatum.

Philadelphus (*Syringa*), foliis aureis.

Prunus (*Plum*), Pissardi.

Ptelea (*Hop Tree*), trifoliata var. aurea.

Sambucus (*Elder*), nigra variegata.

“ nigra var. aurea.

Symphoricarpus (*St. Peter's Wort*), vulgaris variegatis.

FLOWERING SHRUBS.

Named in the order in which they flower, embracing some of the choicest species.

APRIL.

Daphne Mezereon.

MAY.

Forsythia, in variety.

Japan Quince, in variety.

Prunus triloba.

Almond, dwarf double-flowering.

Spiræa prunifolia flore pleno.

Lilacs, in variety.

Spiræa Nicorderti.

Viburnum lantana.

“ “ *rugosum.*

Honeysuckle Tartarian.

Wistaria.

Tree *Pæonies*, in variety.

JUNE.

Halesia tetraptera.

Deutzia gracilis.

Spiræa lanceolata.

“ “ *robusta.*

Viburnum Opulus var. *sterilis.*

Viburnum plicatum.

“ *pyrifolium.*

Weigela, in variety.

Cornus sanguinea.

Lilac *Josikæa.*

“ *Japonica.*

“ *villosa.*

Syringa, in variety.

Rhododendrons, in variety.

Pæonies Herbaceous, in variety.

Clematis Jackmanni, and others.

Elder.

Deutzia crenata flore pleno.

JULY.

Spiræa Billardii.

“ *Bumalda.*

“ *callosa alba.*

“ *callosa.*

AUGUST and SEPTEMBER.

Althæa, in variety.

Hydrangea paniculata grandiflora.

SHRUBS WHICH PRODUCE ORNAMENTAL FRUIT SUCCEEDING THE FLOWERS.

Barberry. Scarlet and violet fruit in September.

Cornus sanguinea. White berries in September.

Cotoneaster nummularia. Red fruit, changing to dark purple in August.

Elæagnus edulis. Red fruit.

Euonymus. Red fruit.

“ White fruit.

“ *latifolius.* Red fruit.

Cornus mascula. Fruit red, very large and showy in August.

Sambucus. Purple fruit, changing to black in August and September.

Symphoricarpus racemosus. White berries all winter.

Viburnum lantana. Dark purple, nearly black, in September.

“ “ *rugosum.* Very showy fruit in September.

Viburnum Opulus. Red fruit. Very ornamental.

Mahonia. Bluish berries in July.

SELECT ASSORTMENTS OF HARDY FLOWERING SHRUBS.

AT REDUCED PRICES.

WE CANNOT AGREE TO MAKE ANY CHANGES IN THE LISTS.

Fifty of the Most Desirable Species and Varieties for \$12.00.

Althæa, Double Variegated.

“ Double Red.

Amorpha, fragrans.

Barberry, Common.

“ Purple.

Calycanthus, floridus.

Colutea, arborescens.

Cornelian Cherry, Variegated.

Deutzia, crenata flore pleno.

“ *gracilis.*

“ *scabra.*

Dogwood, Red-branched.

“ *paniculata.*

Elder, cut-leaved.

Euonymus, European.

Forsythia, Fortunei.

“ *viridissima.*

Honeysuckle, White Tartarian.

“ *grandiflora.*

Hydrangea, paniculata grandiflora.

Kerria, Japonica.

Lilac, *Josikæa.*

“ *rothomagensis.*

“ *Princess Alexandra.*

“ Double-flowering.

Privet, Californian.

Prunus, triloba.

Purple Fringe.

Quince, Japan Scarlet.

“ *Japan alba.*

“ *Japan umbelicata.*

Ribes, aureum.

Spiræa, Billardii.

“ *callosa, alba.*

Spiræa, callosa superba.

“ *lanceolata.*

“ *Van Houtteii.*

Symphoricarpus, racemosus.

Syringa, coronarius.

“ *grandiflorus.*

“ *golden.*

Tamarix, African.

Viburnum, lantana.

“ *Snowball.*

“ *nepalense.*


“ *rugosum.*

Weigela, rosea.

“ *candida.*

“ *Desboisii.*

“ *Mme. Teillier.*



CLEMATIS PANICULATA.

Twenty-five of the Most Desirable Species and Varieties for \$7.00

Althæa, Double Variegated.	Lilac, rothomagensis.	Spiræa, Van Houtteii.
“ Double Red.	Prunus, triloba.	Snowball.
Barberry, Purple.	Quince, Japan Scarlet.	Syringa, golden.
Calycanthus, floridus.	“ Japan umbellicata.	“ coronarius.
Cornelian Cherry, Variegated.	Deutzia, crenata flore pleno.	Tamarix, African.
Honeysuckle, grandiflora.	“ gracilis.	Weigela, rosea.
“ White Tartarian.	Elder, cut-leaved.	“ Desboisii.
Hydrangea, paniculata grandiflora.	Forsythia, Fortuneii.	
Lilac, Princess Alexandra.	Spiræa, callosa.	

Twelve of the Most Desirable Species and Varieties for \$3.50.

Althæa, Double Red.	Forsythia, Fortuneii.	Quince, Japan.
Calycanthus, floridus.	Honeysuckle, White Tartarian.	Spiræa, lanceolata.
Cornelian Cherry, Variegated.	Lilac, Prince of Wales.	Syringa, coronarius.
Deutzia, crenata flore pleno.	Prunus, triloba.	Weigela, rosea.

CLASS III.—EVERGREEN SHRUBS.**ANDROMEDA.**

A. floribunda. D. A very pretty, evergreen plant, of dwarf, compact habit, with rich dark green foliage and pure white flowers in great abundance in spring; requires same treatment as the Rhododendron. \$1.50.



A BED OF RHODODENDRONS.

BUXUS. Box. BUXBAUM, Ger. BUIS, Fr.

The species and varieties of the *Tree Box* are beautiful lawn shrubs or small trees, well adapted to small places. They flourish best when partially shaded. In this climate they require protection.

- B. sempervirens. COMMON TREE BOX. D.** From England. A handsome shrub with deep green foliage. 35c.
var. argentea. SILVER STRIPED-LEAVED BOX. D. 35c.
var. aurea. D. GOLD STRIPED-LEAVED BOX. D. 35c.
var. Handsworthii. HANDSWORTH'S BOX. D. An upright, vigorous variety, with oval leaves; very hardy and ornamental. 35c.
var. Jacksoni. JACKSON'S WEEPING. D. A pendulous variety; leaves blotched with yellow. 35c.
var. latifolia. BROAD-LEAVED BOX. D. Broad foliage; distinct. 35c.
var. microphylla. SMALL-LEAVED BOX. D. 35c.
var. rosmarinifolia. ROSEMARY-LEAVED BOX. D. Forms a beautiful small bush; foliage glaucous. 35c.
var. nana. DWARF BOX. D. The well-known sort used for edging. 30c. per yard.

KALMIA. LÖEFFELBAUM, Ger.

K. latifolia. MOUNTAIN LAUREL OR CALICO BUSH. D. A beautiful native evergreen shrub, with shining foliage and dense clusters of pink or nearly white flowers in spring. Requires same treatment as the Rhododendron. \$1.00.

MAHONIA. Ashberry. MAHONIEN, Ger. MAHONIE, Fr.

M. Aquifolium. HOLLY-LEAVED MAHONIA. D. A native species of medium size, with purplish, shining, prickly leaves, and showy, bright yellow flowers in May, succeeded by bluish berries. Its handsome, deep green, glossy foliage and neat habit, render it very popular for decorative planting. 35c.

RHODODENDRON. Rosebay.

The Rhododendrons are magnificent flowering Evergreen Shrubs. All prefer a peaty soil and a somewhat shaded situation. The Catawbiense varieties are the most hardy, and succeed in our climate better than any other. In this latitude they require to be protected in winter.

- Rh. Catawbiense Seedlings. CATAWBA ROSEBAY. D.** Round clusters of lilac and violet flowers. Plants with flowering buds about 18 to 24 inches. \$1.50.
- Rh. Named Varieties—Budded Plants. D.** Fine assortment of colors. Plants with flowering buds, about 18 to 24 inches. *See cut.* \$2.00.

CLASS IV.—CLIMBING AND TRAILING SHRUBS.

A most useful class of plants for this country, for covering cottages, verandas, walls, trellises, etc.

ACTINIDIA. STRAHLENGRIFFEL, Ger.

- A. polygama.** A climbing plant from Japan. The flowers are white with a purple center, and sometimes cover the whole vine. The fruit is round, edible, and has a fine flavor. 35c.
- A. var. polygama.** A variety of the above with long fruit. 35c.



AKEBIA QUINATA. (Reduced.)

AKEBIA. AKEBIE, Fr.

- A. quinata.** A singular Japanese climbing shrub, with fine foliage, purple flowers and ornamental fruit. *See cut.* 35c.

AMPELOPSIS. JUNGFERNWEIN, Ger. VIGNE-VIERGE, Fr.

- A. bipinnata.** PEPPER VINE. A species with compound pinnate leaves. 35c.
- A. dissecta.** A very pretty variety, with finely cut leaves. 50c.
- A. quinquefolia.** AMERICAN IVY, or VIRGINIAN CREEPER. Has beautiful digitate leaves that become rich crimson in autumn; a very rapid grower. Like the *Bignonia* and *Ivy*, it throws out tendrils and roots at the joints, by which it fastens itself to anything it touches. One of the finest vines for covering walls, verandas or trunks of trees; affords shade quickly. 35c.
- A. var. aconitifolia.** Leaves digitate and leaflets much cut. A slender grower. 50c.
- var. Engelmanni.** Shorter jointed than *quinquefolia*. A good climber, grows 6 to 10 feet in a season. 35c.
- var. muralis.** Resembles the American, but is more slender in growth and shorter jointed, with smaller leaves. 50c.
- A. Roylei.** From Japan. Resembles the American, but is more vigorous; foliage larger, and remarkably high-colored in autumn. 35c.
- A. Veitchii.** JAPAN CREEPER. BOSTON IVY. Leaves smaller than those of the American, and overlap one another, forming a dense sheet of green. The plant is a little tender while young, and requires protection the first winter; but once established, there is no further risk. It grows rapidly and clings to wall or fence with the tenacity of Ivy; the foliage is very handsome in summer, and changes to crimson scarlet in autumn. For covering walls, stumps of trees, rockeries, etc., no plant is so useful. For the ornamentation of brick and stone structures, it can be specially recommended. 35c.

ARISTOLOCHIA. Birthwort. OSTERLUZEI, Ger. ARISTOLOCHE, Fr.

- A. Siph.** DUTCHMAN'S PIPE. A native species, of climbing habit and rapid growth, with magnificent light green foliage; 10 to 12 inches in diameter, and curious pipe-shaped, yellowish brown flowers. 75c.

CELASTRUS. Staff Tree. BAUMMÖRDER, Ger. CELASTRE, Fr.

- C. scandens.** CLIMBING CELASTRUS. A native climbing or twining plant, with fine large leaves, yellow flowers, and clusters of orange-capsuled fruit. It grows 10 to 12 feet in a season. 35c.


CISSUS.

- C. variegata.** VARIEGATED-LEAVED CISSUS. A handsome running vine like a grape, with handsome variegated three-lobed leaves, and small clusters of dark colored fruit. 35c.

CLEMATIS. Virgin's Bower. WALDREBE, Ger. CLEMATITE, Fr.

None among hardy perennials exceed in beauty and effectiveness the finer sorts of Clematis. As a climber for the veranda, a screen for fences, for pillars along the garden walks, for training on walls or arbors, in masses on rockwork, or cultivation in pots, it has no rival among strong-growing blossoming plants. The Clematis should be grown in rich, deep, sandy loam, and be well mulched with rotten manure in winter. The richest sheets of bloom and largest flowers are obtained where it has partial shade and a liberal supply of water at the roots.

After many years' experience we have come to the conclusion to grow only a few varieties which have proved worthy of general cultivation. The leading and best varieties are *Jackmanni*, *Henryi* and *Sieboldii*.



HALL'S HONEYSUCKLE.

- Clematis Henryi.** (*Anderson-Henry*.) Very large, fine form; free grower and bloomer; creamy white. \$1.00.
C. Hybrida Sieboldii. Large, bright blue flowers; fine. \$1.00.
C. Flammula. EUROPEAN SWEET CLEMATIS. Flowers small, white and very fragrant. 50c.
C. Jackmanni. (*Jackman*.) Large, intense violet purple; remarkable for its velvety richness; free in growth and an abundant and successive bloomer. \$1.00.
C. paniculata. Native of Japan. Panicles of small, pure white, fragrant flowers in wonderful profusion. Fine. (See cut.) 35c.
C. Virginiana. AMERICAN WHITE CLEMATIS. A remarkably rapid climbing plant, growing to the height of twenty feet, producing an immense profusion of flowers in August. 35c.

HEDERA. Ivy. EPHEU, *Ger.* LIERRE, *Fr.*

The Ivies are evergreens and frequently suffer from exposure to the sun in winter. For this reason, the north side of a wall or building is a better situation than the south.

- H. canariensis, or hibernica.** IRISH IVY. The well-known old sort. 35c.
H. rhombea variegata. Small leaves, prettily variegated. 35c.

LONICERA. Honeysuckle, or Woodbine. GEISBLATT, *Ger.* CHEVREFEUILLE, *Fr.*

- L. brachypoda aureo reticulata.** JAPAN GOLDEN-LEAVED HONEYSUCKLE. A handsome and very desirable variety, with the foliage beautifully netted or variegated with yellow. 35c.
L. Canadensis. CANADIAN HONEYSUCKLE. A very robust, rapid grower, with large glaucous leaves and yellow flowers. 35c.
L. flava. YELLOW TRUMPET HONEYSUCKLE. A well-known native vine, with yellow trumpet flowers. 35c.
L. Halleana. HALL'S JAPAN HONEYSUCKLE. A strong, vigorous, almost evergreen sort, with pure white flowers, changing to yellow. Very fragrant, and covered with flowers from July to December; holds its leaves till January. The best bloomer of all. (See cut.) 35c.
L. Heckrottii. A new variety; flowers rose color on the outside, yellow in center; said to bloom all summer. 50c.
L. Japonica. CHINESE TWINING HONEYSUCKLE. A well-known vine, holding its foliage nearly all winter. Blooms in July and September, and is very sweet. 35c.
L. pallida. White and straw-colored fragrant flowers; shining, deep-green leaves. 35c.

- Lonicera Periclymenum.** COMMON WOODBINE. A strong, rapid grower, with very showy flowers, red outside, buff within. June and July. 35c.
- var. Belgica.** MONTHLY FRAGRANT, OR DUTCH HONEYSUCKLE. Blooms all summer. Red and yellow, very fragrant flowers. 35c.
- L. sempervirens.** SCARLET TRUMPET HONEYSUCKLE. This and its varieties are the handsomest in cultivation. It is a strong, rapid grower, and produces scarlet inodorous flowers. 35c.
- var. Brownii.** BROWN'S SCARLET TRUMPET HONEYSUCKLE. Large dark scarlet flowers. 35c.

MENISPERMUM. Moonseed. MONDSAME, Ger. MENISPERME, Fr.

- M. Canadense.** CANADIAN MOONSEED. A pretty, native, twining, slender-branched shrub, with small yellow flowers and black berries. 35c.

PERIPLOCA. Silk Vine. SCHLINGE. Ger.

- P. Græca.** Native of Southern Europe. A rapid-growing, beautiful climber. Will twine around a tree or other support to the height of 30 or 40 feet. Foliage glossy, and purple brown axillary clusters of flowers. 35c.

TECOMA. Trumpet Flower. BIGNONE, Fr.

- T. Radicans.** AMERICAN CLIMBING TRUMPET VINE. A splendid, hardy, climbing plant, with large, trumpet-shaped scarlet flowers in August. 35c.
- var. atrosanguinea.** DARK RED, OR PURPLE TRUMPET-FLOWER. A vigorous shrub with purplish crimson flowers. 50c.

WISTARIA. WISTARIE, Ger. GLYCINE, Fr.

- W. brachybotrys.** From Japan. Flowers light blue and fragrant; clusters short. 50c.
- W. Sinensis.** CHINESE WISTARIA. One of the most elegant and rapid growing of all climbing plants; attains an immense size, growing at the rate of 15 or 20 feet in a season. Has long, pendulous clusters of pale blue flowers in May and June and in autumn. (See cut.) 50c.



CHINESE WISTARIA.

- var. alba.** CHINESE WHITE WISTARIA. Pure white flowers. Introduced by Mr. Fortune, from China, and regarded as one of his greatest acquisitions. \$1.00.
- var. flore pleno.** A strong grower when established; flowers in racemes; purple, very double; rather a shy bloomer. \$1.00.
- W. frutescens.** SHRUBBY, OR CLUSTER-FLOWERED WISTARIA. American. In habit less vigorous than the Chinese. Flowers pale blue in short clusters. 35c.
- var. alba.** WHITE AMERICAN WISTARIA. Flowers clear white; bunches short; free bloomer. \$1.00.
- W. magnifica.** Flowers in dense drooping racemes of the same size as the Chinese, and of a pale lilac color; vigorous and perfectly hardy. 35c.
- W. multijuga.** From Japan. Dark blue flowers. Similar to Chinese but darker. \$1.00.

HEDGE PLANTS.

WHICH MAY BE EMPLOYED

FOR ORNAMENT SHELTER, SCREENS, AND DEFENSE

For these purposes we recommend Evergreens like the *American and Siberian Arbor Vitæ*, *Norway Spruce*, *Austrian and Scotch Pines*, and many of the Deciduous and Evergreen shrubs, such as the *Japan Quince*, *Tamarix*, *Deutzias*, *Spiræas*, *Mahonia*, &c., and for defensive hedges, the *Honey Locust* and *Osage Orange*.

FOR ORNAMENT.

The *Siberian Arbor Vitæ*, in our opinion, takes the precedence among Evergreens as an Ornamental Evergreen Hedge Plant. Its thrifty, compact growth, fine form, great hardihood and deep green color, which its foliage retains throughout the year, adapt it specially for dividing lines between lawns or gardens, or for hedges along streets or avenues.

The *American Arbor Vitæ*, though not quite so ornamental in character, being less dense in growth and spreading in habit, forms a handsome hedge. It may be obtained at less cost than any other Evergreen hedge plant.

For a low, ornamental hedge, the *Tom Thumb Arbor Vitæ* is useful.

With careful pruning the *Norway Spruce* may be kept low and in good shape, and grown in this manner is highly ornamental.

The flowering shrubs are ornamental hedge plants *par excellence*; among them the *Japan Quince* is particularly desirable, on account of its good habit and handsome foliage. We are growing it largely for hedges.

FOR SHELTER AND SCREENS.

For planting in belts to afford shelter from violent winds, or for concealing unsightly objects or views, or for boundary lines, we recommend the *Norway Spruce* and *Austrian and Scotch Pines*. Their robust habit, rapid, dense growth, and entire hardiness, are characteristics not easily to be found in other Evergreens.

The *American Arbor Vitæ* also is particularly valuable, either for shelter or screens.

DEFENSIVE HEDGES.

For turning cattle and as a farm hedge for general purposes, the *Honey Locust*, in this locality and farther north, is the most valuable. It is of vigorous growth, perfectly hardy, and thrives with ordinary care, and is sufficiently thorny to be impenetrable. It bears the shears with impunity, and can be grown in any desired form. South of us, the *Osage Orange* is in great favor, but it is not hardy enough to be serviceable here.

DIRECTIONS FOR SETTING.

Evergreens must be handled with care, so as not to allow the roots to become dried by the wind. Plants for hedges being generally set when quite small, should be placed about nine inches apart; larger sized plants will require more space.

Honey Locust and *Osage Orange* are generally planted in double rows, about nine inches apart.

PRUNING.

Evergreens should be pruned in spring, just before they commence growing. Summer pruning may be practiced on the *Arbor Vitæ* should the growth be too rapid.

EVERGREEN.

	Per 100
<i>Arbor Vitæ</i> , AMERICAN, 12 to 18 inches.....	\$ 8 00
“ “ “ 18 to 24 inches.....	12 00
“ “ DWARF, TOM THUMB, 6 to 9 inches (bushy plants).....	15 00
“ “ SIBERIAN, 12 to 18 inches.....	15 00
“ “ “ 18 to 24 inches.....	18 00
<i>Mahonia aquifolium</i> , 18 to 24 inches.....	15 00
<i>Norway Spruce</i> , 12 to 18 inches.....	12 00
“ “ 18 to 24 inches.....	15 00
<i>Pine Austrian</i> , 18 to 24 inches.....	15 00
“ <i>Scotch</i> , 18 to 24 inches.....	15 00
<i>Tree Box</i> , in variety, 12 to 18 inches.....	12 00

DECIDUOUS.

	Per 100	Per 1000
<i>Privet California</i>	\$ 5 00	
<i>Tamarix</i>	10 00	
<i>Spiræas</i> , assorted varieties, our selection.....	15 00	
<i>Japan Quince</i>	10 00	
	Per 100	Per 1000
<i>Honey Locust</i> , 1 year.....	\$1 00	\$5 00
“ “ 2 years.....	1 50	6 00
<i>Osage Orange</i> , 1 year.....	1 00	5 00
“ “ 2 years.....	1 50	6 00
<i>Buckthorn</i> , 1 year.....	1 50	6 00
“ 2 years.....	2 00	8 90

PÆONIA

Pæony. PIVOINE, *Fr.*

CLASS I.—PÆONIA MOUTAN. (Tree Pæonies.)



TREE PÆONIA (Reduced).

P. Moutan, the parent species, is a native of China. The varieties are handsome flowering shrubs, attaining from 6 to 8 feet in height in about ten years, with proper care. The flowers are remarkably striking, of gorgeous colors, very numerous, and enormous in size, often measuring 6 to 9 inches across, and appearing in May. All are very effective amongst shrubs, or on the margins of borders. Although hardy, the plants are greatly improved by a slight protection in winter.

P. Banksii. CHINESE DOUBLE BLUSH PÆONY. Very large, fragrant flowers; rosy blush, with purple center. One of the finest. Price, \$1.00 each; extra size, \$2.00.

SELECT VARIETIES OF PÆONIA MOUTAN.

12 varieties, our choice, \$12.00.

- P. alba plena.** Double white, shaded with purple at the center. \$1.50.
- P. Arethusa.** Light rose, shaded with purple; large and fragrant. \$1.00.
- P. Bijou de Chusan.** Flesh white; beautiful. \$1.00.
- P. Blanche Noisette.** Superb; flowers very double, and white. \$3.00.
- P. Cornélie.** Semi-double flowers, brilliant light red, back of petals marked with white; fragrant. \$1.00.
- P. Extensa.** Very large; rose, clouded with purple. \$1.00.
- P. Josephine Imperatrice.** Dark rose, with purple shade; distinct. \$1.00.
- P. Kochlerii.** Dark rose, turning to purple. \$1.00.
- P. Pride of Hong Kong.** Cherry red, with purple center; semi-double, large and distinct. \$1.00.
- P. Reine Elizabeth.** Rosy crimson in center, shaded off to a light rose towards the margin; full and of immense size; extra. \$2.00.
- P. Roi des Cerises.** Pink or flesh-colored, changing to creamy white, purple at base of petals; full and fine. \$1.00.
- P. rosea fl. pl. minor.** Deep rose, becoming purple; medium size; compact and fine. \$1.00.
- P. rosea superba plena.** Dark rosy-violet; fine. \$1.50.
- P. rubra plena.** Bright rose, almost single but fine. \$1.00.
- P. Zenobia.** Double purple; distinct and fine. \$1.50.

CLASS II.—HERBACEOUS PÆONIES.

It is surprising that so noble a flower, almost rivalling the Rose in brilliancy of color and perfection of bloom, and the Rhododendron in stately growth, should be so neglected. Amateurs seem to have lost sight of the many improved varieties introduced within the last few years, and our finest gardens, perfect in other respects, are singularly deficient in specimens of the newer kinds. The first point in their favor is hardiness. It may be truly said of them that they are "hardy as an oak." In the severest climate the plants require no other protection than that which they afford themselves. Then their vigorous habit and healthy growth, freedom from all diseases and insects are important arguments in favor of their cultivation. Growers of roses know well that their flowers are obtained by great vigilance and care. Not so with the Pæony, which, when once planted, all is done. Each succeeding year adds to their size and beauty. The foliage is rich and glossy and of a beautiful deep green color, thus rendering the

plants very ornamental even when out of flower. The newer varieties produce very large, handsome, regularly formed cupped blooms resembling large roses. No other flower is so well adapted for large, showy bouquets. The Pæony may be planted either singly on the lawn or in borders. Where the lawn is extensive a large bed makes a grand show, surpassing a bed of Rhododendrons. It is really a flower for the million. We place them in three divisions: first, the *Officinalis* and its hybrids; second, *Paradoxa*. These are European, and bloom from the middle to the end of May. The third is *Chinese*, and blooms through June and July. A selection from the three divisions will give a fine display of flowers during three months. Our collection has been made with great care and includes the best and most distinct varieties.

FIRST DIVISION—PÆONY OFFICINALIS.

- P. anemonæflora rubra plena*. Semi-double; red, good. 75c.
P. alba plena. Double white, tinged red. 75c.
P. maxima. Double red, changing to blush; large and double. 50c.
P. rosea. Double crimson, changing to rose; fragrant; fine. 50c.
P. rosea pallida plena. Double, bright rose, changing whitish. 75c.
P. rubra. Double crimson; of large size; fragrant. 50c.
P. tenuifolia. Single, dark crimson; very rich fern-like foliage, and flowers distinct; the earliest flowering. 50c.
P. tenuifolia flore pleno. Double, fennel-leaved; flowers of a bright scarlet crimson and quite double and globular; rare and fine. \$1.00.

SECOND DIVISION—PARADOXA PÆONIES.

- P. amarantescens spherica*. Dark crimson, very double. 50c.
P. pulcherrima plena. Crimson, with purple shade; center petals small and compact. 50c.

THIRD DIVISION—CHINESE PÆONIES.


12 varieties, our choice, \$4.00.

- P. Ambroise Verschaffelt*. (*Calot*.) Purplish crimson; very full, flower fragrant. One of the finest. 50c.
P. Artemise. Rose of several tints; good form. 50c.
P. atrosanguinea. Purplish red, tinted with violet. 50c.
P. Auguste Lemonnier. (*Calot*.) Velvety red; large, full and beautiful. 50c.
P. Baron James Rothschild. Outside petals rose, center salmon; very large and fine. 50c.
P. carnea elegans. Flesh color, with a few carmine marks in the center; good. 50c.
P. carnea striata. (E. & B.) Flesh color, striped with red; very fine. 50c.
P. Charles Verdier. Light lilac rose; very large, and of perfect form; a superb variety; late. 50c.
P. Constant Devred. Soft clear purple, imbricated like a rose; fragrant; superb. 50c.
P. Daniel d'Albert. Deep rose, shaded purple; large globular flower. 50c.
P. delicatissima. Delicate fine rose; very large, full and sweet. 50c.
P. Delachii. Dark purplish crimson, shaded violet; fine. 50c.
P. Dr. Bretonneau. (*Verdier*.) Rosy violet; very large and fine; fragrant. 50c.
P. Duchesse d'Amaule. Light rose, center straw color, tipped with red; beautiful. 50c.
P. edulis, or fragrans. Violet rose, all of one color; very full and sweet. 50c.
P. Eugene Verdier. Blush, shaded with pink; fine form, large, very full, fragrant; extra fine. \$1.00.
P. festiva. Pure white, with a few marks of carmine in the center; perfectly globular, beautiful and sweet. 75c.
P. festiva maxima. Resembles the preceding, but flowers are much larger, and in clusters; fragrant. \$1.00.
P. fulgida. Crimson; profuse flowering; extra fine. 50c.
P. Gen. Bertrand. (*Guerin*.) Rosy violet, center salmon; large and showy; very fine. 50c.
P. globosa. Pure white; full, globular and large; beautiful; fragrant; one of the best. 50c.
P. globosa grandiflora. White, large globular flowers; sweet; one of the best. 50c.
P. grandiflora carnea plena. Very large; outside petals delicate blush; center fringed, yellowish; sweet and fine. 50c.
P. Henri Demay. (*Calot*.) Violet purple; very large and full; fragrant; late; fine. 50c.
P. Henri Laurent. Rosy pink; large and fine; fragrant; very late. 50c.
P. Humel. Purplish rose; very full and double; has no stigma, and never produces seed; very large and showy, and one of the latest in bloom; as much as three weeks later than the earliest of the Pæonies. 50c.
P. Jeanne d'Arc. Outside petals rose colored, inside straw colored, with crimson spots. 50c.
P. Jules Lebon. (*Calot*.) Bright carmine red. \$1.00.
P. latipetala. Outside petals flesh color; center ones yellowish white; very large and fine. 50c.
P. Louis Van Houtte. Dark crimson; very compact. 50c.
P. Louis Van Houtte. (*Calot*.) Bright purple cherry; large, globular and full; fragrant; superb. 50c.
P. Madame Geissler. Silvery rose, shaded with crimson; very large and full; fine form; one of the best. 50c.
P. Madame Lebon. Very large; bright cherry, some petals white; fragrant; good. 50c.
P. Madame Lemoine. Large; flesh white; fine dwarf habit; a fine sort. \$1.00.
P. Madame Victor Verdier. Crimson rose, with light violet; very large and full; late. 50c.
P. Marechal Vaillant. Dazzling purple violet; fine form. 50c.
P. Modeste. (*Guerin*.) Deep rose; bright, showy; very large, distinct and fine-shaped; fragrant; superb variety. 50c.
P. Monsieur Boucharlat. Bright rosy lilac; large and full flower, imbricated like a rose; very late; fragrant; superb. 50c.
P. multicolore. White, rose and flesh color; fragrant. 50c.
P. papaveriflora. White, lightly tinged with yellow and marked with red in center; very fine. 50c.
P. papilionacea. Outside petals rose, center ones yellow, changing to white; superb. 50c.



PÆONIA TENUIFOLIA FL. PL. (Reduced).

- Pæonia purpurea superba.** Very large, purplish-crimson flower, good shade; outside petals large; center small and compact; tall and showy. 50c.
- P. President Wilder.** (E. & B.) Flowers large and double; color delicate blush, with an occasional red spot; of dwarf habit; fine. 50c.
- P. rubra triumphans.** Dark purplish crimson; petals large; very sweet. 50c.
- P. Stanley.** Rosy lilac, with crimson stripes; large, full, imbricated; fragrant. 50c.
- P. Triomphe de l'Exposition de Lille.** Delicate rose; dwarf habit; fine. 50c.
- P. Triomphe du Nord.** Violet rose, shaded with lilac, a fine color; beautiful. 50c.
- P. Van Dyck.** Outside petals rosy lilac; inside salmon, shaded with rose, with an occasional crimson spot and stripe; beautiful; one of the best. 50c.
- P. Victoria tricolor.** Outer petals pale rose, mottled with pink; center ones yellowish white, with a few red marks; very large and full; sweet; good. 50c.
- P. Vicomtesse Belleval.** Blush; center creamy white, beautifully fringed; fragrant. 50c.
- P. Violacea.** Deep violet purple; very large and full; beautiful. 50c.
- P. Virgo Maria.** Pure white. 50c.



A BED OF CHINESE PÆONIES.

NEW VARIETIES OF CHINESE PÆONIES.

PRICE \$1.00 EACH.

- Bernard Palissy.** Flowers flesh white, well formed, very double; fine.
- Charles Binder.** Violet red; fragrant; good.
- Charlemagne.** Enormous flowers, very double, imbricated; flesh white, center tinted lilac and chamois; very fine.
- Decaisne.** Fine form; purple violet, a beautiful shade; showy and fragrant. A first-class sort.
- De Candolle.** Currant red, tinged amaranth; distinct color, best of its shade; very large and very double; fine.
- Insignis.** Carmine rose; fine form; fragrant good.
- Jussieu.** Deep black purple; good.
- Madame Crousse.** Open flower, pure white center, occasionally marked with carmine; fine.
- Prince Galitzin.** Yellow white, petals flesh; good form; large and fine.
- Prince de Talindyke.** Very dark purple; flower of good form, glossy petals; late distinct and choice. One of the best of the new varieties.
- Solfaterre.** White with yellowish tinge; fine globular form; one of the best.
- Ville de Naney.** Deep brilliant crimson; late.

SELECT PHLOX.

This, when properly grown, is unquestionably one of the finest autumn flowers—like the Pæony, a flower for the million. It is of vigorous habit, easy culture, and produces in great profusion during a long season, flowers of fine form and substance, and of bright and varied colors. Just as the Roses are fading, the Phlox puts forth her first flowers, producing a fine succession of bloom, and prolonging an interesting season at least six weeks. As regards their culture, it may be briefly stated that they succeed in any good garden soil, but they are greatly improved by being liberally manured, and an occasional supply of liquid manure during the growing season will greatly increase the size of their trusses. When in flower they should be watered freely every evening. The Phlox usually flowers in July and August, and in order to render it autumnal flowering it is necessary to pinch the shoots about the first of June and again in July. The plants will then flower in September. For early flowers some of the plants may be left unpinched. When two years old the finest trusses are produced. The third year the plants flower tolerably well, and they will not keep thrifty and healthy after that. The old plants should then be lifted in the fall, divided and transplanted. But the better plan is to keep up a succession of young plants from cuttings by securing a fresh collection every year. We annually introduce all new and desirable varieties of home and foreign production.

PHLOX DECUSSATA

With erect flower stems growing 3 to 4 feet high. Price 15 cents each; \$1.50 per dozen.

Choice distinct varieties selected from among 100 sorts.


- Abundance**—Dwarf; bright purple; large truss.
Adonis—China rose, carmine center, fine.
Amazone—Large flower; pure white, fine.
Avalanche—Dwarf; flowers medium size; creamy white.
Caran d' Ache—Bright carmine rose, distinct.
Diademe—Dwarf; large flower; pure white, fine.
Eclatant—Large flower; round, brownish red, purplish center, fine.
Epopee—Dwarf; large flower; clear violet, marbled rose, fine.
Flambeau—Large flower; bright orange red, darker center, fine.
Henri Murger—Flowers very large; pure white, large, carmine center; one of the very finest.
La Vague—Large flower; silvery rose.
La Siecle—Dwarf; large flower, compact panicle; salmon rose, fine.
Le Vengeur—Large flower; bright carmine, fine.
Lothair—Large flower; rich salmon color, crimson eye, large spreading spike, one of the finest varieties.
Madame Audry—Crimson purple; a clear shade.
Madame Lechurval—Silvery rose, crimson eye, large truss, fine.
Matador—Large flower; bright orange red, distinct and fine.
Oberon—Coppery red; a popular variety.
Pantheon—Flowers large, beautiful; pink or salmon rose; one of the best and most distinct.
Phocoon—Large flower; lilac rose, carmine eye.
Pont Biquet—Dwarf; large flower; lively red, fiery center.
Queen—Pure white, fine.
Richard Wallace—White with violet center; a good sort.
Sesostris—Large flower; bright carmine amaranth; extra fine.
Sylphide—Dwarf; flowers large, pure white.
William Robinson—Flowers very large; pale salmon, with rose center, fine.



PHLOX.

THE ABOVE COLLECTION OF 26 CHOICE VARIETIES, 1 OF EACH FOR \$2.50.

ALTHÆA ROSEA (HOLLYHOCK).



HOLLYHOCKS.

Considerable attention is now given to this superb flower. We can furnish a collection of fine double sorts, of several colors. 30 cents each; \$3.00 per dozen.

HARDY HERBACEOUS FLOWERING PLANTS.

The following collection embraces the most desirable species and varieties. They are all showy and beautiful plants, of easy cultivation, and of various seasons of flowering, from May to November. By a judicious selection, a continuous display of flowers may be obtained from early spring to the end of autumn.

PRICES OF ASSORTMENTS.

12 species and varieties, our choice.....	\$ 2 00
25 " " " "	4 00
50 " " " "	7 00
100 plants of 50 species and varieties, our choice.....	12 00

ACHILLEA. Yarrow, or Milfoil.

The various species grow from 18 to 24 inches high. Flowers red, white and yellow, in flattish or corymbose heads, from June to August.

- A. aurea.** Of low habit, with delicate foliage and golden yellow flowers. 25c.
- A. Egyptica.** Silvery, fern-like foliage; yellow flowers. 12 to 18 inches. 25c.
- A. filipendula.** Hoary-leaved; bright yellow flowers; 2 feet. July. 25c.
- A. macrophylla.** White; attractive foliage. 25c.
- A. Millefolium rosea.** ROSE-FLOWERED YARROW. Rosy lilac flowers; 15 inches. June to August. 25c.
- A. Millefolium rubra.** RED-FLOWERED YARROW. Deep red flowers; ornamental foliage; 2 feet. June to August. 25c.
- A. Ptarmica var. fl. pl.** DOUBLE-FLOWERING SNEEZEWORD. Of dwarf spreading habit, with small, pure white, double, daisy-like flowers; profuse bloomer. Valuable for cutting. One of the most useful border plants. August. 25c.

ACONITUM. Monkshood, or Wolfsbane.

Erect growing plants, with palmately divided foliage. Flowers in racemes, blue, purple, yellowish or white.

- A. Californicum.** CALIFORNIA MONKSHOOD. Pale blue, veined with purple; robust; 2 to 3 feet. Valuable for its fall flowers. September to October. 25c.

ACORUS. Sword-Grass.

Marshy plants of easy culture.

- A. graminea variegata.** VARIEGATED SWORD-GRASS. Foliage distinctly striped with white. 25c.

ADONIS.

- A. vernalis.** One of the finest early spring-flowering plants, with finely divided leaves, and growing about six inches high. Flowers bright yellow, about two inches in diameter. May. 50c.

**AIRA. Hair-Grass.**

- A. foliis variegatis.** A distinct yellow striped grass. One of the finest hardy grasses; useful for edging. 25c.

AJUGA. Bugle.

Pretty dwarf plants, with flowers in whorls in the axils of the leaves.

- A. reptans var. rubra.** RED-LEAVED BUGLE. Flowers blue, foliage purple; spreading. May. 25c.
A. reptans var. fl. alba. White flowers. May. 25c.

ALSTREMERIA. Peruvian Lily.

- A. aurantiaca.** A vigorous species, flowering in summer and autumn, in umbels. Flowers lily-like, orange; 2 to 4 feet. 25c.



ADONIS.

AMSONIA.

- A. salicifolia.** WILLOW-LEAVED AMSONIA. Large, smooth foliage; fine blue flowers. May. 2 feet. 25c.

ANCHUSA. Alkanet.

- A. Italica.** A fine species, with rough leaves and stems, and fine blue flowers; 4 to 5 feet. June, July and August. 25c.

ANEMONE. Wind-flower.

- A. Japonica.** A distinct and beautiful species; flowers $2\frac{1}{2}$ inches in diameter; bright purplish rose, with golden yellow centers, borne in great profusion from September to November. Height, $2\frac{1}{2}$ feet; habit neat and compact; very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. 30c.
var. alba. (*Honorine Jobert.*) A distinct and beautiful variety of the preceding; flowers $2\frac{1}{2}$ inches in diameter; pure white, center golden yellow, borne in great profusion from September to November; very desirable and effective as a pot plant, and in lines or masses in beds or mixed borders. 30c.



WHITE ANEMONE.

ANTENNARIA. Cat's-Ear.

- A. dioica.** MOUNTAIN EVERLASTING. A dwarf plant with creeping stems, and silvery foliage, producing small white flowers in summer, on stems six inches high. 25c.

ANTHEMIS. Chamomile.

- A. tinctoria.** YELLOW CHAMOMILE. Flowers golden yellow, one to two inches across, from July to November; valuable. 12 to 18 inches. 25c.

ANTHERICUM. St. Bruno's Lily.

A pretty genus with white flowers.

- A. liliastrum.** ST. BRUNO'S LILY. A beautiful plant, with narrow, grass-like foliage, and spikes of small, white, fragrant, lily-like flowers; valuable. May to August. 25c.
var. major. GIANT ST. BRUNO'S LILY. Long spikes of pure white, lily-like, fragrant flowers; fine. 25c.
A. ramosum. White flowers; 18 inches. June. 25c.

AQUILEGIA. Columbine.

- A. alpina.** A native of the higher parts of the European Alps. Stems 9 to 18 inches high, bearing showy blue flowers. 50c.
A. Canadensis. Our well-known native species, with scarlet sepals and bright yellow petals; easily cultivated. 25c.
A. Olympica. Flowers red and yellow. 25c.
A. formosa hybrida. Syn. **Californica Hybrida.** The sepals and petals yellowish, tinged orange and orange red spurs; 2 to 4 feet. May to September. 50c.
A. glandulosa. A Siberian species with large white flowers, with sepals bright lilac-blue and petals white; very pretty; 12 inches. April and May. 25.
A. Skinnerii. Crimson sepals lined with light green; light green petals and long straight crimson spurs; 3 feet. June to September. 50c.

ARABIS. Rock-Cress.

Dwarf, early, free-flowering perennials, well adapted for rock-work and general culture.

- A. alpina.** ALPINE ROCK-CRESS. Flowers white, in small racemes in early spring; 6 to 8 inches. 25c.
var. variegata. Of low habit and finely variegated foliage. Very ornamental in rock-work; blooms in early spring. 25c.

ARENARIA. Sandwort.

- A. cæspitosa.** A handsome little Alpine plant, growing in dense masses; moss-like foliage; flowers starry-white, all summer; 3 inches. May. 25c.

ARMERIA. Thrift, Sea Pink.

- A. argentea.** Small white flowers; narrow foliage. 4 inches. July and August. 25c.
A. dianthoides. White; fine. 25c.
A. formosa. Narrow, grass-like leaves; white flowers in heads on long stems. 25c.

ARTEMISIA. Wormwood.

- A. pontica.** An interesting plant, with handsome silvery foliage. 25c.
A. vulgaris. Common Wormwood. 25c.

ARUM. Cuckoo Plant.

Erect, or dwarf perennials, with tuber-like roots, and pedate or hastate leaves. Flowers clustered on a spadix, surrounded by a large spathe, as in the Caladium, Calla, etc.

- A. Drauculus.** Stems covered with dark purplish blotches. Spathe green outside, and purplish within. May. 1 foot. 50c.
A. Italicum. Attains 12 to 18 inches in height; leaves sagittate, striped with yellow. June. 50c.

ARUNDINARIA. Ribbon-Grass.

- A. foliis variegatis.** VARIEGATED RIBBON-GRASS. One of the prettiest hardy grasses, with handsomely striped foliage. 25c.

ARUNDO. The Reed.

Invaluable for creating tropical aspects in a garden.

- A. Donax.** A handsome Reed, growing from 10 to 15 feet high. Its attractive foliage renders it very effective on lawns. 25c.
var. foliis variegatis. VARIEGATED ARUNDO. A magnificent variety of the preceding; leaves beautifully striped with white; 6 to 8 feet. \$1.00.

ASCLEPIAS. Milkweed.

Fine native plants; flowers in terminal umbels of various colors.

- A. incarnata.** Flowers flesh-colored; 3 to 4 feet. July. 25c.
A. tuberosa. Bright orange flowers; showy and beautiful; 2 feet. July. 25c.

ASPERULA. Woodruff.

- A. odorata.** A very pretty dwarf plant, with whorled leaves and small, white, fragrant flowers in summer. May be used for edgings. The Germans use it in their *Maitrank*. 25c.

ASTER. Starwort.

Tall, leafy perennials, blooming in the fall when flowers are scarce.

- A. alpinus.** ALPINE ASTER. Flowers purple, 2 inches in diameter. 6 in. 25c.
A. Amellus. ITALIAN STARWORT. Light blue; 3 feet. September, 25c.

- A. coccineus Nevadensis.** Red, yellow center. 25c.
A. floribundus. Light blue; 2 feet. 25c.
A. Himalayensis. Small white flowers; 2 feet. September. 25c.
A. horizontalis. Blue; 2 feet. 25c.
A. lancifolium Californicum. Azure blue; 3 to 4 feet. September. 25c.
A. lilacinus Nevadensis. Lilac; 4 feet. September. 25c.
A. longifolius var. formosus. A distinct sort; suitable for borders; purple, white center; 2 to 3 feet. 25c.
A. Novæ-Angliæ. NEW ENGLAND ASTER. Bluish purple; 4 feet. 25c.
A. Novæ-Belgii. Blue; 3 to 5 feet. 25c.
A. novæ cæruleus. Bluish purple; 4 to 5 feet. 25c.
A. oblongifolius. Purple; 2 to 3 feet. September. 25c.



ASPERULA.

ASTILBE. Japan Spiræa.

- A. Japonica.** Known generally as *Spiræa Japonica* or *Hoteia Japonica*. A handsome plant, with small, pure white flowers, in large, branching panicles. Blooms in May, in the open air, but is cultivated chiefly for forcing in winter. 30c.
var. grandiflora. (New.) Compared with the type, the individual flowers are much more numerous, and the flower spikes are larger, borne more freely and are more compact. See cut. 50c.

AUBRETIA. Purple Rock-Cress.

Valuable rock-plants.

- A. deltoidea.** Of dwarf tufted habit; purple flowers, produced very abundantly in early spring; 3 inches. April or May. 25c.

BAPTISIA. False Indigo.

- B. australis.** BLUE FALSE INDIGO. Deep blue Lupin-like flowers in racemes; 2 to 5 feet. June. 25c.
B. cærulea. Fine blue Lupin shaped flowers; 2 feet. June and July. 25c.



ASTILBE JAPONICA.



SPIRÆA (ASTILBE) JAPONICA GRANDIFLORA.

BELLIS. Daisy.

Very popular spring flowers. The handsome, double-flowered varieties are very effective plants, and suitable for edging.

- B. perennis.** Red, white and pink; double. 15 cents each; \$1.00 per dozen.
var. Snowflake. (New.) Double white, fine. 25c.

BETONICA. Betony.

- B. officinalis.** Flowers purple; spikes crowded; 2 feet. July. 25c.

BOCCONIA. Plume-Poppy.

Beautiful hardy plants, with large foliage which produces a picturesque effect.

- B. cordata.** An attractive plant, growing 6 to 8 feet high, with large foliage and long spikes of white flowers in August. Well adapted for single lawn specimens, or for the sub-tropical garden. 25c.

BOLTONIA. False Chamomile.

- B. latisquamæ.** Aster-like flowers in a broad head; rosy purple; free blooming, showy and fine; 5 feet. July to October. 25c.

BUPTHALMUM. Ox-eye.

- B. cordifolium.** Very showy and ornamental; large foliage and yellow flowers; 4 feet. June and July. 25c.

CAMPANULA. Bellflower. Harebell.

An elegant genus of plants, rich in color, profuse in bloom, and of easy culture.

- C. barbata.** BEARDED HAREBELL. An Alpine sort, with a beard at the mouth of its pretty, pale, sky-blue flowers, nearly 1½ inch long. 50c.
C. grandis. Forms a bush 2 to 3 feet high, composed of a number of spikes thickly set with large blue salver-shaped flowers. June and July. 25c.

- Campanula Grosseki.** Purplish blue; 3 feet. July. 25c.
C. Lamarqueii. Pale azure; 3 feet. June and July. 25c.
C. latifolia. Purplish blue; large leaved; 1 foot 6 inches. July and August. 25c.
C. macrantha. Rich purple flowers; 2 to 3 feet. June. 25c.
C. Medium rosea. A pleasing variety of the Canterbury Bell. 25c.
C. nobilis. Purple, semi-double; 2 to 2½ feet. June. 25c.
C. nobilis fl. alba. A large-flowered, tall-stemmed Chinese kind, with creamy-white blossoms. May. 25c.
C. persicifolia alba. Single white; 2 to 3 feet. June. 25c.
C. persicifolia cærulea plena. Double blue; valuable; 2 feet. June. 25c.
C. pyramidalis. Erect stalk, pyramid-shaped; flowers large and of a handsome blue. 25c.
C. rutanica. Blue; 3 feet. June. 25c.
C. sarmatica. Bluish purple; compact; 2 to 3 feet. July. 25c.
C. Trachelium. Large, heart-shaped foliage, and double blue flowers; 2 feet. July and August. 25c.
C. turbinata. A compact growing native of Transylvania, which blooms in profusion throughout the summer. Excellent for either the border or rock-work. 25c.
C. urticifolia. Nettle-leaved; pale purple double flowers; 3 feet. July. 25c.
C. urticifolia alba. White; 2 to 3 feet. June. 25c.
C. versicolor. Purple, tinged with white; 2 feet. July. 25c.



CENTAUREA MONTANA.

CALTHA.

- C. flore plena.** Bright golden yellow double flowers, blossoming in spring. 50c.

CASSIA. Wild Senna.

- C. Marilandica.** AMERICAN SENNA. Flowers pea-shaped, bright yellow, in axillary clusters. A splendid herbaceous plant; 3 to 4 feet. July and August. 25c.
C. Schraderii. Yellow, dark spotted flowers in racemes; 2 to 3 feet. July and August. 25c.

CENTAUREA. Knapweed.

Very showy border plants.

- C. atropurpurea.** Purplish crimson; 3 feet. June. 25c.
C. dealbata. Clear lilac; silvery foliage; 2 feet. June. 25c.
C. macrocephala. Large, bright yellow flowers; 3 feet. June. 25c.
C. montana. A handsome border plant; flowers blue; 12 in. June. 25c.

CENTRANTHUS. Valerian.

Very showy, free-flowering perennials, with flowers in handsome corymbose panicles.

- C. ruber.** RED VALERIAN. Flowers red, in dense cymes; 2 ft. June. 25c.
var. alba. A variety with white flowers; 2 feet. June. 25c.

CERASTIUM. Mouse Ear. Chickweed.

- C. tomentosum.** Of low spreading habit, with woolly foliage; flowers white; fine for edging; 3 in. June. 25c.

CLEMATIS.

- C. Davidiana.** Large axillary clusters of fragrant blue flowers. 3 feet. 50c.
C. integrifolia. Fine blue, bordered with white; 2 feet. June. 50c.
C. recta. Large panicles of small, fragrant, white flowers, on long stalks; 3 to 4 feet. June. 50c.
C. tubulosa. Erect species, small purple flowers. 50c.

CONVALLARIA. Lily of the Valley.

- C. majalis.** LILY OF THE VALLEY. Large, luxuriant foliage; flowers small, bell-shaped, in pretty racemes, and very fragrant. 25c.
var. foliis striatus. Beautifully striped foliage. 30c.



CONVALLARIA.

COREOPSIS. Tickseed.

Showy and valuable free flowering perennials.

- C. auriculata.** A showy perennial; flowers solitary, on long stalks; yellow; 2 to 3 feet. June. 25c.
C. lanceolata. Large golden yellow flowers; profuse bloomer; keeps in flower throughout the summer; one of the best hardy plants; 1 to 3 feet; very handsome. June. 25c.
C. præcox. Yellow flowers; makes a showy plant; 3 to 4 feet. August. 25c.
C. verticillata. Flowers yellow; 2 feet. June to Sept. 25c.

CORONILLA. Wild Pea.

C. varia. A handsome perennial, of trailing habit; flowers bluish and white, often varying from deep rose to white; 2 to 3 feet. June. 25c.

DACTYLIS. Cocksfoot.

D. glomerata var. A striped-leaved grass. 25c.

DAPHNE.

D. Cneorum. GARLAND FLOWER. A pretty dwarf, evergreen shrub, bearing a profusion of rosy lilac flowers in May; fine for rockwork. 50c.

DELPHINIUM. Larkspur.

A remarkably showy class of tall growing plants, producing magnificent spikes of blue flowers in summer. We know of no plants which will afford greater satisfaction than these. 25c.



DELPHINIUM.

DICENTRA, or DIELYTRA. Bleeding-Heart.

D. eximea. Rose color; foliage fern-like; flowers all summer; valuable; 12 inches. 25c.

D. spectabilis. A handsome, most curiously formed, rosy-crimson flower, with white and blue tinged protruding stamen; one of the finest border plants; is quite hardy; well adapted for blooming in the winter; one to two feet. May and June. 25c.

DICTAMNUS, FRAXINELLA, or GAS PLANT.

A choice perennial, forming a bush about two feet high, and bearing spikes of curious red and white flowers, which are fragrant.

D. alba. White; twelve to eighteen inches. June. 50c.

D. rubra. Red; twelve to eighteen inches. June. 50c.

DORONICUM. Leopard's Bane.

Beautiful showy early yellow flowering Perennials. Indispensable in any collection.

- D. caucasicum.** A fine perennial, about eighteen inches high; flowers yellow, 1½ inches across; solitary, in early spring. 25c.
- D. Clusii.** Similar in habit to the preceding, with larger flowers and later; two feet. May. 25c.

ECHINACEA. Hedgehog Cone-Flower.

- E. intermedia.** Very pretty pink flowers; a showy plant; three to four feet. August. 25c.

ELYMUS. Lyme-Grass.

- E. arenarius.** A long, narrow, gray-colored grass; quite ornamental; eighteen inches. 25c.

EPIMEDIUM. Barren-Wort.

- E. pinnatum elegans.** ALPINE BARREN-WORT. Bright yellow flowers in summer; 1 to 2 feet. 25c.

ERIANTHUS.

- E. Ravennæ.** RAVENNA GRASS. Resembles the Pampas Grass, but blooms more abundantly. Attains a height of from nine to twelve feet. Being perfectly hardy, is a valuable grass for the decoration of lawns. 25c.

ERIGERON. Flea Bane.

- E. speciosum.** Large purplish aster-like flowers, with conspicuous orange centers. June and July, and again in the autumn. 2 feet. 25c.



ERIANTHUS RAVENNÆ.

ERYNGIUM. Sea-Holly.

- E. amethystinum.** Flowers in globular heads, amethystine blue; foliage spiny and lacinated; three feet. July and August. 25c.

EULALIA.

These beautiful hardy grasses are deserving of the highest commendation. For the garden they are invaluable, being very showy and ornamental and of easy cultivation. They should be in every collection.

- E. Japonica.** The type; a vigorous grower with large plumes; 3 feet. 25c.
- var. gracillima univittata.** A new and beautiful ornamental grass with narrow graceful foliage. Very valuable. (See cut.) 25c.
- var. variegata.** Handsomely variegated leaves; 4 feet. 25c.
- var. zebрина.** ZEBRA-STRIPED EULALIA. One of the most beautiful of ornamental grasses; foliage marked crosswise with bands of white and green. (See cut.) 25c.

EUPATORIUM. Snake Root.

- E. ageratoides.** A fine species with large heads of handsome pure white fragrant flowers; 5 feet. June to August. 25c.

FUNKIA. Plantain Lily.

A very interesting and beautiful genus, with luxuriant foliage and handsome lily-like flowers.

- F. cærulea.** Light blue, with dark green, glossy foliage; one foot. June and July. 25c.
- F. Fortuneii maculata.** Foliage broadly marked with golden yellow; distinct and fine; six to nine inches. 50c.
- F. grandiflora.** Large blue flowers. 25c.
- var. alba.** Pure white, fragrant flowers in summer. 50c.
- var. fol. aureo var.** Leaves variegated with yellow. 25c.
- F. Japonica.** Lavender; 2 feet. August and September. 25c.
- var. alba marginata.** Foliage edged with white; pretty. 25c.
- F. Sieboldiana.** Silver-gray foliage; one of the most distinct; light purple flowers. 25c.
- F. undulata media picta.** One of the best variegated-leaved plants; fine for edgings; lavender flowers. 25c.



EULALIA JAPONICA ZEBRINA.

GENISTA. Rock-Broom.

- G. sagittalis.** ARROW-POINTED BROOM. A fine dwarf perennial; flowers pea-shaped, yellow in a terminal spike. 50c.


GERANIUM. Crane's Bill.

Not Pelargonium or Scarlet Geranium.

- G. ibericum.** Bluish purple; one foot. July and August. 25c.
- G. pratense.** Lilac purple; crow foot leaved; one foot. July and August. 25c.
- var. flore pleno.** Crow-foot leaved; double flowering; one foot. July and August. 25c.
- G. sanguineum.** Purplish red; spreading; 6 inches. June. 25c.

GILLENIA. Indian Physic.

- G. trifoliata.** BOWMAN'S ROOT. White, rosy-tinged, bell-shaped flowers; two to three feet. July. 25c.



EULALIA GRACILLIMA UNIVITTATA.

GYPSOPHILA. Chalk Plant.

- G. acutifolia.** Small white flowers, in large panicles; four feet. July. 25c.
- G. paniculata.** A fine herbaceous plant, forming a compact bush about four feet high; flowers small, white, in large, loose panicles. Valuable for bouquets. July. 25c.
- G. repens.** Dwarf trailing habit; flowers white or rose; 6 inches. July to September. 25c.

HARPALIUM.

An attractive and showy plant.

- H. rigidum.** PRAIRIE SUNFLOWER. (*Helianthus*.) Flowers large, golden yellow, produced abundantly; a showy plant; three to five feet. August. 50c.

HELENIUM.

- H. Hoopesii.** HOOPES' SNEEZEWORT. Large, bright orange, showy flowers in summer; three to five feet. 25c

HELIANTHUS. Sunflower.

- H. decapetalus.** Flowers yellow in large panicles, valuable late flowering plant. 5 feet. September. 50c.
- H. orgyalis.** GRACEFUL SUNFLOWER. Tall and graceful; flowers three to four inches in diameter, produced abundantly in September; six to eight feet. 25c.
- H. multiflorus fl. pl.** DOUBLE SUNFLOWER. A blaze of gold in late summer and early autumn, and altogether one of the showiest of hardy perennials. 25c.

HELLEBORUS. Christmas Rose.

The following are all evergreens, and bloom in March or April.

- H. atrorubens.** Flowers purplish red, in clusters. April. 50c.
- H. niger.** Beautiful white flowers. 50c.
- H. olympicus.** A handsome species, twelve to fifteen inches high; flowers purple. April. 50c.
- H. purpurascens.** A dwarf species, with purplish red flowers. April. 50c.

HEMEROCALLIS. Day Lily.

Fine tall-growing plants, with large, lily-shaped, sweet-scented flowers.

- H. Dumortierii.** Bright orange-colored flowers in summer, 2 feet. 50c.
- H. flava.** YELLOW DAY LILY. One of the finest hardy plants; flowers large in clusters, golden yellow, and very fragrant; plant vigorous; three feet. June. 25c.

- Hemerocallis fulva.** Orange flowers in large clusters; two feet. July. 25c.
 var. fl. pl. Double flowers. 25c.
H. graminea. Deep yellow; narrow foliage; fine; two feet. June. 50c.
H. Kwanso fl. pl. Double flowers, of a rich, orange-copper color. 25c.



PLANTAIN LILIES.

HEPATICA. Liver Leaf.

Very effective and charming early spring flowering perennials.

- H. triloba.** ROUND-LOBED HEPATICA. Flowers blue, purple, or almost white. Should be planted in clumps. 25c.

HERNIARIA.

- H. glabra.** Forms tufts and mats of dense green foliage, which turns to a bronzy red in winter. 25c.

HESPERIS. Rocket.

- H. matronalis fl. alba plena.** DOUBLE-FLOWERING ROCKET. One of the finest hardy herbaceous plants, with spikes of clear white flowers from 10 to 18 inches long; very fragrant. June. 30c.

HIERACIUM. Hawkweed.

- H. aurantiacum.** Deep orange-red flowers; 1 foot. June. 25c.

HIBISCUS. Rose Marrow.

The Hibiscus are valuable border plants, having handsome broad leaves, and large showy blossoms.

- H. grandiflorus albus.** Large, showy, white flowers in August; 4 to 5 feet. 25c.
H. grandiflorus roseus. Large, showy, rose flowers in August; 4 to 5 feet. 25c.

HYPERICUM. St. John's Wort.

- H. calycinum.** A very showy, trailing shrub; flowers bright yellow; all summer; 12 inches. 50c.

HYSSOPUS. Hyssop.

- H. officinalis.** Blue flowers in a terminal spike. 25c.
 var. alba. White flowers in a terminal spike. 25c.



IBERIS SEMPERVIRENS.

IBERIS. Perennial Candytuft.

Profuse blooming evergreen, shrubby plants of dwarf habit, well suited for rockeries, stumps, edgings, etc.

- I. correfolia.** Compact heads of pure white flowers in early spring; later than the others. 30c
- I. Gibraltaria.** Flowers large, white tinted with red; fine. 30c.
- I. sempervirens.** EVERGREEN CANDYTUFT. Of spreading habit; flowers pure white, completely covering the plant with bloom; one of the finest border plants. Valuable for forcing. April or May. 30c.

IRIS. Iris, or Fleur de Lis.

- I. Apollon.** Golden yellow, striped with plum color; 18 inches. June. 25c.
- I. atropurpurea.** Purple; one of the best. 25c.
- I. Augustina.** Deep yellow, marked with maroon, giving a coppery hue. 25c.
- I. aurea.** Clear golden yellow; fine. 25c.
- I. Bougere.** Lilac and velvety purple; distinct. 18 inches. June. 25c.
- I. Celeste.** Delicate light lavender blue. 25c.
- I. Common Purple.** Purple; one of the best. 25c.
- I. Deloismison.** Lavender and purple; 2 feet. June. 25c.
- I. Eugene Sue.** Creamy white, with purple spots and stripes; 18 inches. June. 25c.
- I. falcata.** Yellow, tinged with purple and purple stripes; 2 feet. June. 25c.
- I. flava.** Pale yellow, fine; 2 feet. June. 25c.
- I. florentina.** White, tinged with blue and yellow; 2 feet. May. 25c.
- I. Hector.** Light bronze, stained with purple. Fine. 25c.
- I. Ignititia.** White, suffused with purple. 25c.
- I. Jacquesiano.** Deep maroon velvet, tinged with bronze and crimson; a rare and remarkable color; 2 feet. June. 25c.
- I. Jordain.** Deep purple, shaded with rose. 25c.
- I. Kämpferi.** JAPAN IRIS. Flowers differ from the ordinary kinds, in being broad and flat. They exhibit a wonderful variety of colors and shades and appear later than the others. They rank among the most desirable of hardy plants; succeed best in a moist soil; 3 to 4 feet. 50c.
- I. L'Avenir.** Lavender, a beautiful shade. 25c.
- I. Lemon.** White, spotted with purple, and deep purple stripes; fine; 2 feet. 25c.
- I. Liabaud.** Yellow and maroon; fine. 25c.
- I. Louis Van Houtte.** Salmon, tinged and striped with purple; 2 feet. June. 25c.
- I. Madame Chereau.** Clear white, handsomely feathered and bordered with blue; undulated edge. 25c.
- I. ochroleuca.** Golden yellow; 2 feet. June. 25c.
- I. Pancrea.** Buff and purple; distinct; fine. 25c.
- I. pumila.** Bluish purple; first to flower; 3 to 6 inches. April and May. 25c.
- I. reticulata superba.** Center lavender, outer purple; fine. June. 25c.
- I. Sampson.** Rich golden yellow; crimson maroon veined with white; fine. 25c.
- I. Sappho.** Clear blue and indigo, beautifully blended. 25c.



IRIS.

LAMIUM. Dead Nettle.

Excellent for rock-work.

- L. album. fol. var.** White flowers; variegated foliage; spreading. May. 25c.
- L. purpureum fol. var.** Purple flowers. May. 25c.

LATHYRUS. Perennial Pea.


Very desirable climbers, producing a profusion of flowers during the summer. Should be trained on a trellis.

- L. latifolius albiflorus.** Pure white flowers, in clusters; valuable for cut flowers all summer. 50c.
- L. grandiflorus.** EVER-BLOOMING PEA. Clusters of rose-colored flowers; trailing; 3 to 4 feet; a charming plant; valuable for cut flowers. June to September. 30c.

LIATRIS. Button-Snake Root or Blazing Star.

Showy plants with long spikes of purple and pink flowers.

- L. blanche nova.** Clear lilac; 1 foot. July and August. 25c.
- L. elegans.** Bluish purple; in habit like *pumila*; 1 foot. August. 25c.
- L. pumila.** Compact spikes of purple flowers; root of a bulbous nature; 6 inches. July. 25c.
- L. spicata.** Large purple spikes. Very compact. 25c.



LINUM PERENNE.

LINOSYRIS. Goldilocks.

- L. vulgaris.** A showy perennial; flowers pale yellow in terminal panicles, in autumn. 3 feet. 25c.

LINUM. Flax.

- L. perenne.** PERENNIAL FLAX. Fine blue flowers. July. 25c.

LOPHANTHUS. Giant Hyssop.

- L. anisatus.** Lavender blue-flowers; anise-scented leaves; 2 feet. June. 25c.

LOTUS. Bird's Foot Trefoil.

- L. corniculatus.** A very desirable trailing plant, with beautiful bright yellow pea-shaped flowers in clusters. 25c.

LYCHNIS. Lamp Flower.

Very effective plants in the mixed border.

- L. Chalcedonica.** SCARLET LYCHNIS. Brilliant scarlet; large truss; 3 feet. July and August. 25c.

LYSIMACHIA. Loosestrife.

- L. clethroides.** Long, dense spikes of starry-white flowers; 2 feet. July. 25c.
L. nummularia. MONEYWORT. Creeping habit; small, yellow, bell-shaped flowers in June; fine for hanging baskets and covering rock-work. 25c.
L. thyrsiflora. Yellow flowers, smaller than those of *L. vulgaris*; 3 feet. July. 25c.
L. vulgaris. Yellow, bell-shaped flowers; 2 to 3 feet. June. 25c.

LYTHRUM. Purple Loosestrife.

- L. roseum.** Long, branching spikes of pink flowers; 2 to 3 feet. July and August. 25c.
L. Salicaria. SPIKED LOOSESTRIFE. Reddish purple flowers; very showy; 2 to 3 feet. July and August. 25c.

MALVA. Mallow.

- M. Morenii.** Rosy blush flowers, two and one-half inches across; leaves resemble those of the Oak; 2 to 3 feet. June or July. 25c.
M. multifida alba. White flowers; 2 feet. July. 25c.

**MONARDA. Horse-mint, or Balm.**

Pretty plants producing bright red flowers.

- M. didyma.** BEE-BALM, OR OSWEGO TEA. Scarlet flowers; 2 to 3 feet; a very showy plant in the garden. June to August. 25c.

OROBUS. Bitter-Vetch.

- O. vernus.** SPRING BITTER-VETCH. Dark purple flowers; early; the most beautiful of its family. 25c.

PAPAVER. Poppy.

Showy perennials with large flowers, of rich and striking colors.

- P. bracteatum.** Scarlet; handsome, finely cut foliage; 18 inches. June. 30c.
P. nudicaule. A fine dwarf kind, with deeply lobed and cut leaves, and pretty yellow flowers on hirsute stems. Excellent for the rockery. 30c.
var. album. A pretty white variety of the preceding, and equally free-flowering. 30c.
P. orientale. ORIENTAL POPPY. Deep scarlet; large; very showy; eighteen inches. June. 30c.
var. Parkmanni. Flowers darker than the type. 30c.

PENTSTEMON.


Very ornamental plants, producing long spikes of flowers in great abundance.

NAMED VARIETIES ASSORTED. 25c. each.

PHLOX.

These are justly esteemed as the finest of herbaceous plants. They are of dwarf habit, perfectly hardy, of very easy culture and yield a profusion of bright, showy bloom. They are hardly equalled by any other hardy plant for the decoration of the garden.

- P. amœna.** LOVELY PHLOX. Flowers pinkish purple, completely covering the plant in spring. One of the best early-flowering species. 25c.
P. procumbens. Lilac, with violet marks near the eye; three inches. May. 25c.
P. subulata. MOSS PINK. Spreading stems and narrow, moss-like leaves; flowers pinkish purple, with a darker center, and produced in wonderful profusion in April or May. 25c.
var. alba. A white flowering variety of the above. Very showy when in flower, presenting to the eye masses of bloom like sheets of snow. 25c.



PAPAVER.

PLATYCODON. Campanula.

Ornamental showy plants, of erect habit of growth and showy bell-shaped flowers.

- P. grandiflorum.** Large, fine blue flowers; one to two feet. June and July. 25c.
P. grandiflorum album semi-pleno. White; eighteen inches to two feet. 25c.

POLEMONIUM. Greek Valerian.

- P. reptans.** A low, spreading plant; blue; 12 inches. May. 25c.

POTENTILLA. Cinquefoil.

- P. insignis.** Pale yellowish; 18 inches. June. 25c.
P. O'Briana. Blush and salmon; fine; two feet. July and August. 25c.
P. pyrenaica. Yellow; dwarf. May. 25c.
P. Russelliana. Deep red, shaded with maroon; two feet. July and August. 25c.

PRIMULA. Primrose.

All very desirable plants for the garden.

- P. acaulis.** COMMON EUROPEAN PRIMROSE. A fine collection. 25c.
P. auricula. All colors mixed. 25c.
P. cortusoides. A pretty little plant, six to nine inches high, with lilac flowers. 25c.
P. elatior. OX-LIP PRIMROSE. 25c.
P. veris. COWSLIP. Flowers bright yellow in terminal umbels, in spring and early summer. 25c.



PHLOX SUBULATA.

PULMONARIA. Lungwort.

- P. angustifolia.** Fine violet flowers, one foot. April. 25c.
P. maculata. Distinct, blotched foliage; a very fine border plant. 25c.

PYRETHRUM.

A most valuable class of hardy plants. Flowers of good size and form, double like an aster; very useful for bouquets or cut flowers. The plants make showy specimens in the garden. May or June.

FINE NAMED VARIETIES, 25 Cents.

RANUNCULUS. Buttercup.

These are among the best of early spring flowers, being very effective.

- R. aconitifolius luteo pleno.** Double orange yellow Crowfoot; 2 feet. May and June. 25c.
R. bulbosus. Yellow; double; handsome foliage; 15 inches. May. 25c.
R. montanus. MOUNTAIN BUTTERCUP. Bright, yellow flowers; 6 to 9 inches, May. 25c.

RHEUM. Rhubarb.

- R. officinale.** Leaves large and quite ornamental; stems branching; flowers greenish; 5 to 6 feet. 25c.

RUDBECKIA, Cone-flower.

Among the most valuable hardy plants, producing showy golden yellow flowers.

- R. hirta.** Large yellow flowers, with dark center; 1 to 2 feet; a valuable summer flowering plant. June and July. 25c.
R. nitida. Large light yellow flowers; a splendid late flowering plant; 3 to 4 feet. September. 50c.

SALVIA. Sage.

All species here named are very ornamental and desirable.

- S. afasea.** Fine blue; 2 feet; July and August. 25c.
S. bicolor. Blue and white. 25c.
S. rubicunda. Rosy purple flowers; 1 foot. June. 25c.
S. spelmia. Deep blue; 2 feet. July. 25c.
S. verticillata. Lilac blue; 2 feet. July. 25c.

SAPONARIA. Soapwort.

- S. ocymoides.** ROCK SOAPWORT. A beautiful dwarf perennial; completely covered in summer with rosy pink flowers. 25c.

SANGUINARIA. Bloodroot.

- S. Canadensis.** One of the most desirable and handsome native plants, with roundish palmate-lobed leaves; flowers pure white in April or May. 25c.



PRIMULA AURICULA.

SAXIFRAGA. Saxifrage.

A very interesting and beautiful group of plants, with large, handsome, luxuriant foliage, and showy flowers in early spring; strongly recommended for decorative purposes.

- S. cordifolia.* Blush, heart-shaped foliage; 6 inches. April and May. 25c.
S. cuneifolia. Rose-colored. May. 25c.
S. lingulata rubra. Red, with dark red foliage; earliest; 6 inches. April and May. 25c.
S. Siberica. Rose-colored. 6 inches. April and May. 25c.
S. Schmidtii. Red; fine. May. 50c.

SCABIOSA. Scabious.

- S. caucasica.* The finest of the tribe, forming a large, spreading plant, growing from 1½ to 3 feet high. Flowers pale lilac blue, on long, slender stalks. 50c.

SEDUM. Stone-crop.

The Sedums are of spreading habit, and are valuable for rockeries, baskets, etc. The collection embraces the finest varieties.



SEDUM ACRE.

- S. acre.* Good for edging; yellow flowers; 3 inches.—25c.
S. Aizoon. Flat heads of yellow flowers; long, narrow leaves; 18 to 24 inches. 25c.
S. album. White, with small foliage; 3 inches; very pretty. 25c.
S. anacampseros. Purple flowers. 25c.
S. atropurpureum. Dark red foliage and flowers. 25c.
S. cruceatum. White, cross-shaped foliage; 6 inches. July. 25c.
S. hybridum. Pale yellow; small foliage; 6 inches. June. 25c.
S. Kamschatkium. Golden yellow, lance-leaved; 9 inches. July. 25c.
S. Maximowiczii. Yellow; 1 foot. July. 25c.
S. oppositifolium. White, opposite-leaved; 3 inches. July. 25c.
S. populifolium. Poplar-leaved; creamy white; 6 inches. August. 25c.
S. purpurascens. Purple; coarse habit; 1 foot. July. 25c.
S. robustum, or monstrosum. Young growth, sometimes flattened, giving it a fan-shaped appearance; curious; 3 inches. June. 25c.
S. spectabile. SHOWY SEDUM. A splendid fall flowering species; 2 to 3 feet high, and bearing showy clusters of rosy purple flowers. 25c.
S. spurium. White; 6 inches. July. 25c.
S. Telephium hybridum. Dark purple foliage, contrasting finely with *album*; distinct. 25c.
S. Telephium purpureum. Purple flowers and foliage; 1 foot. August. 25c.
S. villosum. White; very dwarf; 2 inches. June. 25c.

SEMPERVIVUM. House-Leek.

- S. tectorum.* A splendid rock plant. 25c.

SILENE. Catchfly.

- S. alpestris.* ALPINE CATCHFLY. Flowers large, white, in panicles; 3 to 6 inches. June. 25c.
S. maritima. SEA-CATCHFLY. A dwarf plant, 2 to 4 inches high; flowers white, about 1 inch across. June. 25c.
S. Vallesii. SWISS-CATCHFLY. White flowers in summer; 6 to 8 inches. June. 25c.
S. viscosa plena. Bright rose and double; one of the best perennials; 1 foot. June. 25c.

SILPHIUM. Rosin-Plant.

- S. perfoliatum.* CUP-PLANT. Tall growing plants with large, showy yellow flowers; suitable for large gardens. 25c.



SEMPERVIVUM TECTORUM.

SPIRÆA. Meadow-Sweet.

Among the most ornamental and valuable of Herbaceous Plants, and of easy culture.

- S. Aruncus.* GOAT'S BEARD. Large panicles of creamy-white flowers; one of the best border plants. June. 25c.
S. Filipendula. DROPWORT. Large showy heads of white flowers, tinged rose; fine foliage; 1 to 2 feet. June. 25c.
 var. fl. pl. DROPWORT. Double white flowers; fern-like foliage; 2 to 3 feet. One of the best and most showy perennials. 25c.
S. Humboldtii. Greenish flowers. June. 25c.
S. lobata. QUEEN OF THE PRAIRIE. Flowers deep rose, in large heads; of a robust habit; contrasts finely with *Ulmaria fl. pl.*; 1 ft. June. 25c.
S. Ulmaria fl. pl. DOUBLE WHITE, MEADOW SWEET. A very desirable hardy plant; 2 feet. June. 25c.
 var. fol. var. Golden variegated foliage; a remarkably handsome plant, not appreciated as it should be. 25c.
S. venusta. Branching, feathery flowers of soft rose color; one of the finest. 25c.

STACHYS. Woundwort.

- S. lanata.* Purple spikes with soft and silvery foliage; 1 foot. July. 25c.

STATICE. Sea-lavender.

- S. alba.** Large, compact, white flowers. 15 inches. July and August. 50c.
- S. grandiflora.** Purplish flowers. 25c.
- S. latifolia.** Broad, luxuriant foliage; large trusses of lilac flowers; very fine for bouquets when dried. July. 25c.
- S. maritima.** SEA-PINK, or THRIFT. Rosy lilac; one of the best for edging; 6 inches. June and July. 25c.
- S. undulata.** Wavy-leaved; large trusses of pale lilac flowers; 10 inches. August and September. 30c.

SYMPHYTUM. Comfrey.

- S. asperillum.** A tall, vigorous species with rough leaves, and covered with prickles; flowers blue in terminal racemes; 2 to 3 feet. May. 25c.
- S. officinale.** COMFREY. A branching, rough-leaved plant, 1 to 2 feet high; flowers yellowish white. May. 25c.
var. fol. var. One of the finest variegated-leaved plants, enduring the hottest suns. 30c.

TANACETUM. Tansy.

- T. Balsamita.** Small, pale yellow flowers in autumn; foliage pleasantly scented. 25c.

THYMUS. Thyme.

- T. vulgaris.** COMMON THYME. Small lilac flowers, with a robust habit, of exceedingly aromatic flavor and fragrance; six inches. June and July. 25c.

TRADESCANTIA. Spiderwort.

Showy native plants, forming erect bushes eighteen to twenty-four inches in height; flowers produced in the greatest profusion all summer.

- T. Virginica.** Blue; eighteen to twenty-four inches. May. 25c.
var. alba. White; eighteen to twenty-four inches. May 25c.

TRICYRTIS.

- T. grandiflora.** Flowers resemble those of an orchid; are quite fragrant, and being produced in October and November, make the plant valuable. 25c.

TRILLIUM. Wake-Robin.

Very effective and showy early flowering native plants, deserving a place in every garden.

- T. erectum.** Maroon; six to nine inches. April. 25c.
- T. grandiflorum.** White; six to nine inches. April. 25c.

TRITOMA. Kniphofia. (Flame-flower.) Torch Lily.

Splendid late blooming plants; flower stems three to five feet in height, with racemes a foot or more in length of rich, pendent, orange red and scarlet tubulous flowers. Require a slight covering in winter. (See cut.)

- T. Uvaria glauca.** 30c.
- T. Uvaria grandis.** 30c.

TROLLIUS. Globe Flower.

- T. Europæus.** Flowers yellow; very pretty, 18 inches. June. 25c.

TUNICA.

- T. saxifraga.** Small rose-colored flowers; blooms all summer; of dwarf habit; delicate foliage; fine for edging. 25c.

UVULARIA. Bellwort.

- U. grandiflora.** Pale yellow, bell-shaped flowers, from the axils of the leaves. April. 25c.

VALERIANA. Valerian.

- V. officinalis.** Blush white, in large trusses; three feet. June. 25c.

VERATRUM.

- V. viride.** Handsome foliage; flowers in long clusters; green. 50c.

VERONICA. Speedwell.

- V. amethystina.** Amethyst blue; twelve to eighteen inches. June. 25c.
- V. gentianoides.** Pale blue, with azure; one to two feet. May and June. 25c.
- V. verbenacea.** A trailing species; blue flowers. 25c.
- V. Virginica.** White spikes; three to five feet. August and September. 25c.



TRITOMA.



TUNICA SAXIFRAGA.

VINCA. Myrtle or Periwinkle.

- V. cærulea minor.** A blue flowering, trailing evergreen. 25c.
V. elegantissima alba. White flowers and glossy green oval foliage. 25c.
V. herbacea. Blue flowers; early; narrow foliage; very pretty. 25c.
V. major variegata. Trailing habit; leaves broadly margined with yellow. A fine basket plant. 25c.
V. minor aurea variegata. Golden variegation. 25c.
V. purpurea pleno. Double purple flowers. 25c.

VIOLA TRICOLOR. Heart's-Ease, or Pansy.

A large collection of the most approved varieties. \$1.00 per dozen.

VIOLA ODORATA. Sweet Violet.

- V. Double Blue.** A very desirable variety. Flowers large, very double, deep blue, fragrant and very hardy. 25c.



PANSY.



YUCCA FILAMENTOSA.

- V. cornuta.** Large pale blue and white flowers. 25c.
V. Madame Millet. Large double reddish purple flowers; fragrant and very distinct in color. 25c.
V. Marie Louise. Very large, double fragrant flowers, lavender blue and white; forces well. 25c.
V. Marie de Savoie. Flowers very large, double; blue; very fragrant. 25c.
V. Neapolitan. Lavender blue; large, double, fragrant flowers; a fine winter bloomer. 25c.
V. odoratissima. Single, dark blue, one of the best. 25c.
V. obliqua striata. Flowers single, dark blue, striped with white; scentless; plant bushy and free blooming. 25c.
V. Queen Victoria. Large, violet-blue flowers, single; very fragrant; one of the hardiest of all. 25c.
V. Swanley White. Large, double white flowers; very fragrant. 25c.



VIOLA ODORATA—SWEET VIOLET.

YUCCA. Spanish Bayonet.

Has a fine appearance; the stem is two feet above the ground, covered with large, bell-shaped flowers on laterals, forming a perfect pyramid; valuable for rockwork.

- Y. filamentosa. ADAM'S NEEDLE.** Thread-leaved, creamy white; three to four feet. July. 50c.

SUMMER AND AUTUMN FLOWERING BULBS.

To be planted in spring, taken up in autumn, and kept from freezing, in a dry cellar.

AMARYLLIS.

- A. formosissima. JACOBÆAN LILY.** Flowers large and deep red. 25c.
A. longiflora alba. White, of medium size, in clusters. 50c.
A. longiflora rosea. Rose-colored. 50c.

GLADIOLI.

Fine Hybrid varieties. 15 cents each, \$1.50 per dozen and upwards.

POLIANTHES TUBEROSA. Double Tuberose.

One of the choicest summer flowering bulbs. The flowers are white, very fragrant and produced on spikes 2 to 4 feet high; indispensable for making bouquets. Plant about first of May. 10 cents each, \$1.00 per dozen.

BULBOUS FLOWERING ROOTS.

HARDY

The following should be planted in the fall. They can be planted in the spring, but are not so certain to bloom.

LILIUM. Lily.

These require a good mellow soil. In the open ground they should be planted five inches deep, in as warm a situation as possible. Nothing can exceed the beauty of this well-known flower. The following are choice sorts which will improve from year to year. They should be planted in clumps of six to eight, and thus become very effective.

- L. atrosanguineum.** Orange red. 15c.
- L. auratum.** GOLDEN-RAYED QUEEN OF LILIES. The magnificent Japan Lily. 25c.
- L. Canadense.** Our native lily, drooping, yellow and red flowers, stem 2 to 5 feet. 15c.
- L. candidum.** The well-known white garden lily. 15c.

- L. Harrisii.** BERMUDA EASTER LILY. Flowers large, trumpet shaped; in general appearance resembling *L. longiflorum* and possessing a delightful fragrance. It is a remarkably free bloomer, and is valuable either for forcing or for out-door planting. 20c.

- L. Japonicum longiflorum.** EASTER LILY. Trumpet shaped, snow white, fragrant. 20c.



L. AURATUM.



L. LANCIFOLIUM ALBUM.

- L. lancifolium album.** White spotted, fragrant. (See cut). 25c.
- L. lancifolium rubrum.** Rose, spotted with crimson. 20c.
- L. superbum.** Our native lily, and one of the finest of them all. 25c.
- L. tenuifolium.** Flowers medium size, vermilion scarlet, foliage narrow, growth slender and graceful. 25c.
- L. tigrinum.** TIGER LILY. Orange salmon. 15c.
- L. tigrinum flore pleno.** Double Tiger Lily. 15c.
- L. Thunbergianum grandiflorum.** Dark red flowers. 15c.

MISCELLANEOUS BULBS.

FOR FALL PLANTING.

See Catalogue of Hardy Bulbs, issued in July.

CANNAS.

Our collection is very large and complete, embracing the choicest varieties. Price, 25 cents each, \$2.50 per dozen, except the new varieties described among the novelties.

DAHLIAS.

We offer a choice collection, embracing Large-flowering, Bouquet, and Single-flowering. Price, 20 cents each, \$2.00 per dozen.

PART III.

ROSE DEPARTMENT.

In order to supply the increasing demand for Roses, we have enlarged our facilities and are now propagating plants on a more extensive scale than ever.

We annually import all new varieties of apparent merit and carefully test them, retaining only such kinds as prove meritorious, and the same course is pursued with regard to novelties originated in this country, so that our collection embraces the best.

We endeavor, in our Catalogue, to present the merits of each variety fairly and faithfully, being cautious not to overpraise, preferring to say too little rather than too much. Recognizing the importance of robust healthy habit, hardiness and freedom of bloom, combined with beauty of flower, we propagate largely varieties possessing these characteristics, and most strongly and confidently recommend such kinds for general planting; and we also give due attention to those choice and beautiful varieties which are less vigorous or robust, and which therefore require extra care to be grown to perfection. In the hands of the rose lover these moderate growers receive the attention they justly deserve, and amply repay the skill and care bestowed upon them.

Our immense stock and great variety, both of tender and hardy Roses, enable us to furnish assortments adapted to various purposes, and intending purchasers are invited to examine our lists, and whenever we can be of any assistance in making selections our services will be cheerfully given.

We expect to have several acres of Roses in flower during the last three weeks in June and the first two weeks in July. This will be a fine opportunity for those interested in the Queen of Flowers to study the comparative merits of the different kinds, and visitors will be cordially welcomed.

Attention is directed to the list of New and Recently Introduced Roses. These have been selected from among the many kinds offered as the most promising. Varieties which have not been fully tested by us, appear with the originator's description.

For the convenience of our customers we have placed on page 154 an alphabetical list of all the roses described in this Catalogue.

MANETTI STOCK.

We grow Roses in two ways, viz: on their own roots from cuttings, and budded low on the Manetti. Most of the tender and climbing sorts are grown from cuttings, the Hybrid Perpetuals, Mosses and Summer Roses are grown in both ways. The Manetti stock was obtained many years ago from Como, Italy, by Thomas Rivers, and has largely superseded the Dog Rose and other stocks. We find many varieties of Roses grown on this stock adapt themselves to a greater range of climate and soil, bloom more profusely, endure better the heat of the Summer, and make far stronger plants than if grown on their own roots. Many object to budded Roses on account of the suckers they sometimes throw out; but if proper attention is paid to the planting, this will rarely be an annoyance.

Budacé Roses should be planted sufficiently deep, so that the junction of the bud with the stock is from two to three inches below the surface of the earth. We cannot too forcibly direct attention to the above rule.

BRIEF DIRECTIONS FOR PLANTING, ETC.

When to Plant. Tender Roses, and all such as are pot-grown, should be planted in the Spring or Summer in this or similar climates; the hardy sorts if dormant, can be planted both in the Fall and the Spring. If the situation be not too much exposed where the Roses are to be set out, we prefer *Fall planting for all hardy kinds*. Dormant plants set out in the spring should be planted early, for no plant suffers more from being set out late than does the Rose. The Tea-scented and others that are pot-grown, should not be planted until all danger of Spring frosts are past. There need be no hurry for these, since Roses that have been grown in pots are sent out with the balls of earth, and the roots not being disturbed, or only to a slight extent, the plants go right on growing. The plants should be put in friable, rich soil, and *firmly pressed in with the foot, or (if pot-grown plants) with the hands*, taking care not to bruise the roots.

Pruning. This operation is best performed during March. Most Roses do better if moderately pruned; some sorts require two-thirds of the past year's growth removed; for others to remove one-half or one-third is sufficient. *All must be more or less pruned when planted; do not neglect this.* As a general rule, the more vigorous the variety the less it should be pruned. All weak or decayed wood should be entirely cut out, and also any shoots that crowd the plant, and prevent free entrance of light and air. Besides Spring pruning, many kinds of Hybrid Perpetuals require to be pruned as soon as their first blossoming is over, in order to induce a free display of flowers in Autumn.

Protection. All of the Tea, Bengal, Noisette, and most of the Bourbon classes need protection if left out during the Winter in this and similar climates; indeed, all Roses would be better for a light covering. This may be done by hilling up with earth; or, better, by strewing leaves or straw lightly over the plants and securing them with evergreen branches, *oftentimes the latter are in themselves sufficient.*

Insects. These are the *bugbears* which prevent many from cultivating the Queen of Flowers, but they offer little discouragement to loyal subjects, for generally it is only the careless and indolent who greatly suffer from these pests. If proper attention is paid to soil, planting, watering, etc., and a few simple directions heeded, you will not often be greatly troubled. The Aphis is among the most annoying foes, and particularly infest plants in houses; healthy plants in the garden are but little liable to their attacks. There are numerous recipes for their destruction, and the cultivator can use those which are most convenient and efficacious.

The vapor of tobacco is not only very effective in destroying insects where it can be confined, as in greenhouses, but it is less injurious to delicate plants than either the smoke or the liquid. Hence, instead of fumigating greenhouses, it is customary now to strew the ground under the plants with tobacco stems, which being moistened by the syringing, creates a vapor, which is destructive to insect life. This method will probably supersede the old way of fumigating with tobacco smoke, which we have always found up to the present time, the best mode where appliances can be had for confining the smoke; this, however, is not very convenient for use in dwelling houses, but we have other excellent remedies which are more practicable. Take four ounces of quassia chips, and boil them ten minutes in a gallon of soft water; strain off the chips and add four ounces of soft soap, which should be dissolved in it as it cools, stirring well before using. It may be applied with a clean painter's brush of moderate or small size, brushing every leaf and shoot that is infested. After fifteen or twenty minutes have elapsed, the plants should be washed or syringed with pure water. Another good remedy is the same as above only tobacco stems—say a quarter of a pound—are used instead of quassia.

In the month of May, or as soon as the leaves have pushed forth, the rose caterpillar makes its appearance; he can readily be detected, for he glues a leaf or two together to form his shelter. Every day the bushes should be gone over, and these glued leaves pinched between the finger and thumb, so as to crush the caterpillar; let no fastidious grower neglect this, or be induced to try other remedies; this is the only one that is simple and effective. For other insects, such as the saw fly, larvæ, and all such as come at a later date than the caterpillar, an occasional syringing, vigorously applied, will prove an excellent preventive. When they have made their appearance, a sprinkling of powdered white hellebore over the plants will often destroy or disperse them; but the plants should be well moistened before the hellebore is applied, so that it will remain. The red spider may be generally kept off by keeping the plants daily syringed with water. When plants are once infested with this dreaded insect, the fumes of sulphur will alone disperse or destroy them. This application will, of course, cause the foliage to drop off, but it is the only remedy we know to be efficacious. The red spider very seldom attacks plants in the open air, but confines itself to the plants under glass.

For the rose bug, hand picking must be resorted to, for, like the red spider, it is proof against hellebore, whale-oil soap, and all such applications.

Mildew. This disease is generally caused by extremes of heat and cold, and by a long continuance of damp, cloudy weather. The best remedies are sulphur and soot; one of these should be applied the moment the disease makes its appearance. It is a good plan to previously sprinkle the plants with water, so that the substance applied will adhere.

ADVICE TO CORRESPONDENTS.

See also Page 6.

In case *budded* plants are ordered, state whether we shall send the same varieties on own roots, in case we cannot supply them budded. This is necessary where parties ordering have any preference for either mode. *When nothing is said we exercise our best judgment, and if out of budded plants send those on their own roots, and "vice versa."*

Amateurs, in ordering will do well to leave the selection to us so far as possible, *but our list is open to all to make their own selections.* Purchasers, however, will please say if they wish us to substitute in case all the varieties ordered cannot be supplied. In such case we always endeavor to send something *better* where it is possible, than the kind called for. *We do not substitute without being requested to do so.*

Roses by Express. *When no directions are given as to what way the plants are to be sent, we always forward by Express at the purchaser's cost.* The plants which we send in this way (except the new and very scarce varieties) are one-year-old buds, or one to two-year-old plants on own roots, and in the case of hardy sorts, are generally dormant. *These plants are the only ones suitable for immediate effective results.* The Tender Varieties, such as Teas, Bourbons, Hybrid Teas, etc., are all growing in pots, and must be sent by express.

Note carefully the habit of growth as stated in the description, and you will not be disappointed in the size of the plants; it would be very unreasonable to expect plants of *Eugenie Verdier* as large as *La Reine*, or *Xavier Olibo* as strong as *Jacqueminot*. We have the very best quality of each kind that it is possible to grow.

ARRANGEMENT.

We divide the Rose Department of the Catalogue into two divisions.

DIVISION 1. Summer Roses, or those which bloom in June and July only. This includes the Ayrshire, Banksia, Prairie, Austrian, Damask, French, Provence, Hybrid China or Gallica, and Moss classes.

DIVISION 2. Perpetual or Autumnal Roses, or those which bloom more than once in one season; many of them bloom at intervals from May to November, notably the Teas, Hybrid Teas and some of the Bourbons. This division includes the Bourbon, Bengal, Noisette, Tea, Perpetual Moss, Polyantha, Hybrid Tea, Hybrid Perpetual, Hybrid Noisette and Rugosa classes.

In each class some superior varieties for general cultivation will be found printed in **CAPITALS**. These are commended to inexperienced amateurs, as being of good constitution and the most desirable in limited collections. Whenever known, we give the raiser's name and the year when the variety was sent out.

ABBREVIATIONS USED, DESCRIBING THE HABIT OF GROWTH.

Vig.—For vigorous, being those varieties which are most rampant in growth and produce long, strong shoots.

Free.—Varieties which rank next to the above in growth.

Mod.—Moderate; these make a fair, compact growth, but less strong than the preceding.

Dwf.—Dwarf; these are the most delicate or slow growing sorts. Among hardy Roses, those marked *dwf.* should almost invariably be budded.

MANNER OF DESCRIPTION.

1st.—**Habit of Growth.**—*Vig.*, *free*, *mod.*, *dwf.*

2d.—**Color.**—The prevailing shade in the most perfect development of the flower.

3d.—**Size.**—Small. Flowers from 1 to 2 inches in diameter.

Medium. " " 2 3 " "

Large. " " 3 4 " "

Very large. " " 4 5 " "

4th.—**Fullness.**—**SEMI-DOUBLE.** With 2 to 4 rows of petals. **DOUBLE.** Having more than 4 rows of petals, but which show the stamens when fully blown. **FULL.** When the stamens are hid.

5th.—**Form.**—**CUPPED.** Inner petals shorter than the other ones, the latter stand erect and are generally somewhat incurved; example *Baroness Rothschild*. **GLOBULAR.** Outer petals are concave with convex edges, folding richly one about the other, tapering from the center. Example *Comtesse de Serenye*. **FLAT.** The surface of the flower is level or nearly even, and all the petals are exposed to view. Example, *Mme. Hardy*.

6th.—Peculiarities of foliage, thorns, number of leaflets, fragrance, etc.

It is hoped that the above will make intelligible the terms used to describe the different varieties.

PRICES OF ROSES.

LARGE PLANTS BY EXPRESS.

Single plants, the price set after each variety.

VARIETIES PRICED AT 50 cts. EACH.—\$3.50 per doz., \$20 per 100.

All large planters who have not bought of us are urged to visit our grounds and see the quality of the plants we offer; we are sure they will be convinced of the superiority of our stock, and that the best are the cheapest.

Particular attention is called to the care we have always exercised in keeping our stock true to name, and, also that with a very few exceptions, separately noted, we grow those sorts only that are thoroughly distinct, and of healthy habit. Plants that are false to name, or are constitutionally of weak growth and sickly habit, are dear at any price.

BUDED PLANTS.

There are a number of varieties which propagate from cuttings with so much difficulty, some of them utterly refusing to grow, that in order to obtain good plants it is necessary to bud them on the Manetti stock. Varieties that can only be furnished as budded plants are so noted in the description.

GENERAL LIST.

(See Price List, page 132.)

DIVISION I--SUMMER ROSES.

BLOOMING IN JUNE AND JULY.

CLASS I.—CLIMBING OR SARMENTOUS ROSES.

Ayrshire Roses (*Rosa arvensis hybrida*).

These are of slender, rapid growth, often running fifteen feet in one season, and are used in covering buildings, etc. They do not require rich soil, and should be pruned very little or not at all; they are somewhat less hardy and less valuable than the Hybrid Climbing and Prairie Roses.

Bennett's Seedling, *vig.* (*Bennett, 1840.*) Pure white double flowers of medium size. On own roots. 50c.

Banksia Roses (*Rosa Banksia*).

ON OWN ROOTS AND GROWN IN POTS.

Most of the varieties in this class have small white flowers, resembling double cherry blossoms. The wood is very smooth, slender, and of rapid growth, the foliage quite small. Not being hardy, they have no great value in the North except for culture in the greenhouse, but in the Southern States they form a very desirable group.

White Banksia, *vig.* Pure white; small, full flower; violet scented. On own roots. 50c.

Yellow Banksia, *vig.* Clear yellow; small double flowers. On own roots. 50c.

Prairie Roses (*Rosa rubifolia*).

These are much the most valuable of all the non-remontant climbers. The foliage is rough, large, with five leaflets generally of a dark color; for rapidity of growth they equal the Ayrshires, and surpass all climbers in hardiness. The flowers are produced in large clusters late in the season when other Summer Roses are gone. When it is desired to cover walls, unsightly buildings, etc., with Roses, none will be found to do the work so efficiently as varieties of the Prairie Rose.

Anna Maria, *vig.* (*Samuel Feast, 1843.*) Blush; cluster large; has few thorns. On own roots. 50c.

BALTIMORE BELLE, *vig.* (*Samuel Feast, 1843.*) Pale blush, becoming nearly white; compact and fine. On own roots. 50c.

Gem of the Prairies, *free.* (*Adolphus Burgess, 1865.*) Red, occasionally blotched with white; a supposed cross between *Queen of the Prairies* and *Mme. Laffay*. Large, flat flowers; the only variety in the class which is fragrant. Budded plants. 50c.

Mrs. Hovey, *vig.* (*Joshua Pierce, 1850.*) Pale, delicate blush, becoming almost white; resembles *Baltimore Belle*. On own roots. 50c.

QUEEN OF THE PRAIRIES, *vig.* (*Samuel Feast, 1843.*) Bright rosy red, frequently with white stripe. Foliage large and quite deeply serrated. On own roots. 50c.

Triumphant, *vig.* (*Joshua Pierce, 1850.*) White, tinted with flesh; double and compact; distinct. Seven leaflets are not uncommon. On own roots. 50c.

CLASS II.—AUSTRIAN OR YELLOW ROSES.

(*Rosa lutea*.)

These require careful pruning. Remove weakly wood altogether, and only shorten a few inches the shoots left for flowering. If pruned close they will not bloom, as the flowers are produced from the terminal shoots of the old wood. They are not grown on own roots, but only as budded plants.

Harrison's Yellow, *free.* (*Harrison, 1830.*) Golden yellow; medium size; semi-double. A freer bloomer than Persian. Budded plants. 50c.

PERSIAN YELLOW, *free.* (*Willcock, 1830.*) Bright yellow, small, nearly full. It is desirable to grow more than one plant, and by pruning one this year in the usual way, and the other plant the next year, annual crops of flowers may be had. Budded plants. 50c.

CLASS III.—MOSS ROSES.

(*Rosa centifolia muscosa*.)

This is a favorite class with every one, on account of the beautiful buds, which, for bouquets and cut flowers, are invaluable.

They are subject, as a class, to mildew, and require close pruning and high culture. They amply repay careful attention by the increased size and beauty of the flowers. They are all very hardy. The foliage is generally somewhat crimped, and has mostly seven leaflets.

The charm of a Moss Rose is the bud. Such kinds as the *Common*, *Gracilis* and *Crested*, with graceful buds, are especially recommended. *Princess Adelaide* is good both in bud and flower, and is grown upon its own roots. The other varieties are difficult to propagate, and are grown as budded plants.

Capt. John Ingram, *free.* (*Laffay, 1876.*) Purplish crimson. Budded plants. 50c.

Cheveral, *vig.* (*Moreau-Robert, 1887.*) Large, full, very double; rich bronze red changing to dark purplish crimson; fragrant. Budded plants. 50c.

Common Moss, *free.* Pale rose, very beautiful buds. A great favorite. Budded plants. 50c.

Comtesse de Murinais, *vig.* (*Vibert, 1843.*) White, tinged with flesh. Budded and on own roots. 50c.

CRESTED MOSS, *free.* (*Vibert, 1827.*) Deep pink colored buds, surrounded with a mossy fringe and crest; free from mildew. A fragrant, very beautiful rose. Budded plants. 50c.

- GRACILIS**, *free*. Deep pink buds, surrounded with delicate fringe-like moss. The most beautiful of all the Moss Roses. Budded plants. 50c.
- Laneii**, *mod.* (*Laffay*, 1854.) Red; good foliage with five leaflets; not subject to mildew. Budded plants. 50c.
- Little Gem**, *dwarf.* (*W. Paul*, 1880.) A miniature Moss Rose, forming compact bushes densely covered with small double crimson flowers, beautifully mossed. Budded plants. 50c.
- Madame Moreau**, *vig.* (*Moreau-Robert*, 1872.) An upright, compact grower, well formed; bud and flower clear shade of rose; fragrant and free bloomer. Budded plants. 50c.
- Mousseline**, *vig.* (*Moreau-Robert*, 1881.) White, lightly marked with rose, changing to pure white. A good grower. Budded plants. 50c.
- PRINCESS ADELAIDE**, *vig.* (*Laffay*, 1845.) Pale rose, of medium size and good form. Foliage often blotched or variegated. Good in bud and flower. Do not prune this variety severely. On own roots. 50c.
- WHITE BATH**, *mod.* (*Salter*.) White, sometimes tinged with flesh; attractive in bud and open flower. The best White Moss. Budded plants. 50c.

CLASS IV.—MISCELLANEOUS ROSES.

In this class we place all the varieties of Summer Roses grown by us, that are not described in the three preceding classes. Many of the groups of Summer Roses, by hybridization, are greatly intermixed; in some classes but one or two varieties are considered worth growing; on this account we see no use in a catalogue for a multitude of divisions, and therefore place them all in one class.

- Blanchefleur**, *free.* (*Vibert*, 1846.) White, tinged with flesh; medium size, flat; very fragrant and good. Blooms in great profusion very early in the season. A valuable garden rose. Budded plants. 50c.
- Centifolia**, **Cabbage** or **Common Provence**, *free.* Rose color; large size, globular form; very fragrant. A superb variety. Budded plants. 50c.
- Charles Lawson**, *vig.* (*Lawson*, 1853.) Rose color; large, full flowers, fragrant. Budded plants. 50c.
- Chenedolle**, *vig.* (*Thierry*.) Bright red, large and double; shoots very spiny. Budded plants. 50c.
- Coupe d' Hebe**, *vig.* (*Laffay*, 1840.) Deep pink; moderately large, cupped shaped flowers; seven leaflets. A fine Rose. Budded plants. 50c.
- Dawson**. A true hybrid obtained by Mr. Jackson Dawson of the Arnold Arboretum, by crossing the *rosa multiflora* with the well known Hybrid Perpetual *General Jacqueminot*, the latter being its pollen parent; the result is a vigorous and hardy plant with a tendency to climb high. The spines and foliage are like those of the pollen parent, but the flowers are clustered like those of the *Rosa Multiflora*. They are quite full, of a deep pink color and very fragrant. Own roots. 50c.
- Madame Hardy**, *vig.* (*Hardy*, 1832.) White, large, very full, flat form; highly fragrant. Budded plants. 50c.
- Madame Lacharme**, *dwarf.* (*Lacharme*, 1872.) From *Jules Margottin* and *Sombreuil*. White, slightly shaded with pink; medium size; globular, full flowers. The habit is bushy; small, crimped foliage; quite hardy. Budded plants. 50c.
- MADAME PLANTIER**, *free.* (*Plantier*, 1835.) Pure white, above medium size; full. Produced in great abundance early in the season. Foliage rather small, seven leaflets. One of the best white roses for hedges and for massing in groups. Budded and on own roots. 50c.
- Madame Zetman**, *mod. or free.* Delicate flesh, changing to white; large, very full, flat form. Budded plants. 50c.
- MAGNA CHARTA**, *vig.* (*W. Paul*, 1876.) Pink, suffused with carmine; full globular. Foliage and wood light green, with numerous dark spines. A fragrant, excellent Rose. Valuable for forcing. On own roots. 50c.
- Ceillet Flammande**, *free.* (*Vibert*, 1855.) White, striped with rose, like a variegated Carnation; medium sized double flowers. Budded plants. 50c.
- Paul Verdier**, *vig.* (*C. Verdier*, 1866.) Carmine red; large, well built flowers. Budded plants. 50c.
- Stanwell Perpetual**, *mod.* (*Lee*.) Blush, medium size; double, delicately scented; foliage very small. A hybrid which blooms in the autumn. Blossoms very early in Spring. Budded plants. 50c.
- Wichuraiana**. A distinct and valuable variety from Japan; it is a low trailing species, its stems creeping on the earth almost as closely as the Ivy. The flowers are produced in the greatest profusion in clusters on the end of every branch, after the June roses are past, from the first week in July throughout the month. They are pure white, $1\frac{1}{2}$ to 2 inches across, with yellow stamens, and have the strong fragrance of the *Banksia* rose. It is quite hardy, with the exception of the latest immature growth, which may be cut back to some extent. This variety has proved valuable as a covering for banks, rockeries, etc., and for use in cemeteries. own roots. 50c. (See cut below.)



DIVISION II.

PERPETUAL OR AUTUMNAL ROSES.

BLOOMING CONTINUALLY, OR AT INTERVALS FROM JUNE TO NOVEMBER.

CLASS I.—BENGAL OR CHINA ROSES.

(Rosa Indica.)

ALL ARE ON THEIR OWN ROOTS AND GROWN IN POTS.

These are mostly of moderate growth, and though not fragrant are very appropriate and beautiful for beds on a lawn, and for pot culture in the house. The foliage is in five leaflets, rather small. They bloom all Summer and Autumn in the open ground; but are more tender than any other class except the Teas. This class is admirably adapted for the Window Garden.

AGRIPPINA, OR CRAMOISI-SUPERIEUR, mod. (*Plantier*, 1834.) Rich, velvety crimson, moderately double, fine in bud; a valuable bedding variety. One of the best. 50c.

Red Pet, mod. A miniature Rose with dark crimson flowers produced continuously. 50c.

CLASS II.—BOURBON ROSES.

(Rosa Bourboniana.)

ALL ARE ON THEIR OWN ROOTS AND GROWN IN POTS.

These are not quite hardy, but a very slight protection suffices them. Those of moderate growth require close pruning. They are continual bloomers, mostly of rapid growth, with rich, luxuriant foliage, and are the most beautiful in the Autumn. The flowers for the most part are produced in clusters, and are generally of light color, well shaped and somewhat fragrant. The moderate growers are mostly suitable for low beds on the lawn. Owing to hybridization with other classes, the varieties differ very greatly in their characteristics.

Apolline, vig. (*V. Verdier*, 1878.) Rosy pink; large cupped flowers, the best of all the Bourbons in open air. 50c.

George Peabody, mod. (*Pentland*, 1857.) Rich crimson with a shade of carmine; a bright attractive shade; full; fragrant. One of the best. 50c.

HERMOSA, mod. (*Marcheseau*, 1840.) Bright rose; a most constant bloomer. One of the best. 50c.

Louise Odier, vig. (*Margottin*, 1851.) Bright rose; large and of good shape; hardy. 50c.

Mrs. Degraw. Resembles Apolline somewhat in leaf and flower, but is more compact in growth. In color it is a rich glossy pink, very fragrant, and is a remarkably prolific and continuous bloomer. It is said to be perfectly hardy south of New York. 50c.

Mrs. Paul, vig. (*Paul & Son*, 1891.) Large open flower like a Camellia, with very bold, thick petals, perfectly arranged; blush white, with rosy peach shading; very distinct. A fine autumnal rose. 50c.

SOUVENIR DE LA MALMAISON, mod. (*Beluze*, 1843.) Delicate flesh, tinted with fawn; flat form; very large and full, with rich foliage. A superb rose. 50c.

CLASS III.—NOISETTE OR CHAMPNEY ROSES.

(Rosa moschata hybrida.)

ALL ARE ON THEIR OWN ROOTS AND GROWN IN POTS.

The Noisette Rose is a product of America, and obtains its name from Phillippe Noisette, a florist of Charleston, South Carolina.

John Champney, of Charleston, from the seed of the White Musk Rose, fertilized by the Blush China, raised a variety which was called Champney's Pink Cluster. A few years after this, Phillippe Noisette, from the seed of Champney's Pink Cluster, raised the Blush Noisette, and this he sent to his brother, Louis Noisette, of Paris, under the name of Noisette Rose. The true name, therefore, for this class, should be the Champney, but the change cannot now be made.

The Group is naturally of vigorous growth, nearly hardy, and produces large clusters of flowers; but, through hybridization with the Tea section, the original characteristics have, in part, disappeared. The varieties now generally grown are less hardy, and have partially lost the clustering tendency; but the flowers have much more substance and are far more beautiful. As they now exist, they are valuable as Sarmentous or Pillar Roses in sheltered positions, and particularly so under glass. Nothing can be finer than a wall covered with Lamarque or Cloth of Gold. The leaflets are five to seven in number.

Cloth of Gold, or Chromatella, free. (*Coquereau*, 1843.) Raised from Lamarque. Deep yellow center, with sulphur edges; large double flowers. A magnificent variety but difficult to grow. Prune sparingly. 50c.

LAMARQUE, vig. (*Marechal*, 1830.) White with sulphur centre; flowers in clusters; generally seven leaflets. A magnificent climbing rose under glass. 50c.

MARECHAL NIEL, free. (*Pradel*, 1864.) Said to be a seedling from *Isabella Gray*. Deep yellow; very large; very full; globular; highly scented. It is of delicate constitution and requires careful treatment; it should not be severely pruned. The finest of all Yellow Roses. 50c.

Solfaterre, vig. (*Boyeau*, 1843.) syn. **Augusta.** Raised from Lamarque. Sulphur yellow, large, full, slightly fragrant. 50c.

CLASS IV.—TEA ROSES.

(Rosa Indica odorata.)

ALL ARE ON THEIR OWN ROOTS AND GROWN IN POTS.

The Tea Rose may well be taken as a synonym for all that is delicately beautiful. What refinement of color, what subdued yet powerful fragrance do they possess! They may justly be called the sweetest of all roses. The flowers, many of them, are large and very delicate in their shades of colors, such as white, straw, salmon and various tints of rose combined with these. While as a rule they are inferior to the Hybrid Perpetuals in brilliancy of color and fulness of flower, the distinction between varieties is equally marked, and for bouquets and cut-flowers they greatly excel all other classes. Like other tender Roses their flowers improve in quality as the season advances, and reach perfection in Autumn. In judging the merits of a Tea Rose we do not always consider fulness of flowers a requisite. A Hybrid Perpetual is nothing if not at least moderately full, but some of our most valued Teas have but very few petals, and are comparatively single.

- Such as Bon Silene, Isabella Sprunt, Safrano, etc. All these have exquisitely formed buds, and are therefore prized as invaluable. The Teas are more tender than any of the other classes, and need a little more care in their protection. We have rejected all varieties that are of feeble growth (excepting *Niphetos*) and unhealthy habit, retaining only such as combine beauty of flower with good constitution.
- BON SILENE OR SILENE**, *free*. (*Hardy*, 1839.) Rosy carmine, shaded with salmon; fragrant and very free-flowering. Valuable for the buds. 50c.
- BRIDE**, *free*. (*J. N. May*, 1885.) A sport from *Catharine Mermel*. Pure white, large, fine form, very fragrant, free bloomer, admirably adapted for forcing. 50c.
- Bridesmaid**, *mod*. (*Moore*, 1892.) A new sort which has proved a valuable acquisition; it is a sport of *Mermel* and is similar to that admirable variety in every respect, save in color, it being a deeper and clearer pink. There is no question as to the value of this introduction, and we predict for it wide-spread popularity, especially for forcing. 50c.
- CATHARINE MERMET**, *mod*. (*Guillot-fils*, 1839.) Bright flesh color, with the same peculiar silvery lustre possessed by *La France*; large, full, and of beautiful form; when the flowers expand they yield a delightful perfume; decidedly one of the finest Teas; cultivated extensively by florists for cut flowers. 50c.
- Climbing Perle des Jardins**, (*J. Henderson*, 1890.) A sport from the well known variety. Identical with the parent except in growth, the sport being of vigorous climbing habit. 50c.
- Comtesse Riza du Parc**, *free*. (*Schwartz*, 1876.) Raised from *Comtesse de Labarthe*. Bronzed rose, with a carmine tint; flowers of medium size, moderately full, highly perfumed. One of the best under glass. A shy bloomer when bedded out. 50c.
- Coquette de Lyon**, *free or vig*. (*Ducher*, 1870.) Pale yellow, medium or small size; the most productive and one of the most valuable bedding sorts of all the Teas. 50c.
- Duchesse de Brabant**, *vig*. (*Bernede*, 1857.) Syn. **Comtesse de Labarthe**. Light carmine, tinged with violet. 50c.
- Empress (Kaiserin) Augusta Victoria**, *vig*. (*Lambert and Reiter*, 1891.) An extra fine white variety faintly blended with cream color; very large, full and double, almost perfect in form and it continues beautiful even when fully expanded. Its fragrance is a combination of tea and magnolia, and is very delightful and distinct from that of any other variety. Beautiful glossy foliage; a vigorous grower and very free flowering, blooming at every shoot. Will undoubtedly prove very valuable for forcing. 50c.
- Etoile de Lyon**, *free*. (*Guillot*, 1881.) Of the same form, size and fulness as *Perle des Jardins*, but is of a lighter yellow, without salmon—more the shade of *Coquette de Lyon*, and is of better habit. 50c.
- Francisca Kruger**, *vig*. (*Nabonnand*, 1879.) Coppery yellow; shaded with peach, large and full. 50c.
- Gloire de Dijon**, *vig*. (*Jacotot*, 1853.) Color a combination of salmon, orange and buff; flowers very large, and of good globular form; hardy. 50c.
- Golden Gate**, *vig*. (*Dingee & Conard Co.*, 1891.) The flowers are extra large, full, nicely formed, of excellent substance and fragrance. The buds are long and most admirably formed. The color is creamy white tinged with flesh. Petals are large and broad, and the flower when in a half open condition, or when fully developed, is most beautiful in every respect. Another important qualification is the length of time that it continues in perfection—it is quite remarkable in this respect. The plant is vigorous and a profuse bloomer, and taken all in all we consider it a most promising new variety. 50c.
- Homer**, *vig*. (*Robert*, 1839.) Salmon rose, often richly mottled; a free bloomer; moderately hardy; beautiful buds, varying in color, but always good; best in the open air. A charming sort. 50c.
- Isabella Sprunt**, *free*. (*Rev. James M. Sprunt*, 1865.) Sulphur yellow; very beautiful in the bud. A sport from *Safrano*, which variety it greatly resembles in every particular save the color of the flower. 50c.
- La Princesse Vera**, *free or vig*. (*Nabonnand*, 1878.) Flesh, bordered with coppery rose; large, full; very handsome in bud as well as when fully developed; not much scent. 50c.
- Letty Coles**, *free*. (*Keynes*, 1875.) Rose-colored, large, full, globular. A fine variety. 50c.
- Ma Capucine**, *mod*. (*Levet*, 1871.) Copper color; pretty and distinct. Valuable for forcing. 50c.
- Madame Bravy**, *mod*. (*Guillot of Pont Cherin*, 1848: sent out by *Guillot pere, of Lyons*.) Syn. *Alba rosea*. *Mme. Sertat*. Creamy-white, large, full, of very symmetrical form and delicate fragrance. 50c.
- Madame Cusin**, *vig*. (*Guillot-fils*, 1881.) Violet rose, tinged with yellow, fine form. A favorite Rose in the New York market. 50c.
- MADAME DE WATTEVILLE**, *vig*. (*Guillot-fils*, 1884.) Salmon white, each petal bordered with bright rose like a tulip; buds long, fragrant. 50c.
- MADAME HOSTE**, *vig*. (*Guillot*, 1887.) Large, finely formed flowers on stout stems; color varies from straw white to canary yellow; vigorous and most abundant bloomer; forces well. Already has taken a prominent place among first-class varieties. 50c.
- Madame Lambard**, *free*. (*Lacharme*, 1877.) Rosy salmon, but somewhat variable in color; large, full, very distinct and beautiful. 50c.
- Marie Guillot**, *mod*. (*Guillot-fils*, 1874.) White, tinted with pale yellow; large, full and of fine shape. A most beautiful Rose, but not fragrant. 50c.
- Marie Van Houtte**, *free*. (*Ducher*, 1871.) From *Madame de Tartas* and *Madame Falcot*. White, slightly tinged with yellow; edge of petals often lined with rose; flowers large and full: in every way a most charming sort. Highly commended. 50c.
- NIPHETOS**, *dnf*. (*Bougere*, 1844.) White, sometimes faintly tinged with pale yellow; long pointed buds; the petals thick and durable. A very beautiful variety under glass; it is not suited for growing in open air. 50c.
- PAPA GONTIER**, *vig*. (*Nabonnand*, 1883.) Rose shaded yellow, reverse of petals crimson; large, semi-double, fragrant, free growing, profuse flowering; very popular for winter forcing. 50c.
- PERLE DES JARDINS**, *free*. (*Levet*, 1874.) A beautiful straw-color, sometimes deep canary; very large, full, and of fine form; stiff shoots or stems, and very free flowering. The most popular yellow Rose for forcing. 50c.
- Queen**, *vig*. (*Dingee & Conard Co.*, 1890.) Medium size, pure white and fragrant. Flowers freely and abundantly; a vigorous, healthy grower. 50c.

- Reine Marie Henriette**, *vig.* (*A. Levet*, 1878.) A seedling from *Mme. Berard*, fertilized by *Gen. Jacqueminot*. Flowers large, full; color beautiful cherry-red, a pure shade; flowers somewhat scented. An extra fine climbing variety. 50c.
- SAFRANO**, *free.* (*Beauregard*, 1849.) Saffron and apricot, a free bloomer. One of the oldest varieties, and in the bud state scarcely to be surpassed. 50c.
- Sombreuil**, *vig.* (*Robert & Moreau*, 1851.) Creamy white, tinted with rose; very large; quite free from mildew and one of the hardiest. A splendid sort for growing out of doors. 50c.
- SUNSET**, *mod.* (*P. Henderson*, 1884.) A sport from *Perte des Jardins*. Identical in every respect with that variety except that its color, instead of being a canary yellow, is of a rich tawny shade of saffron and orange, similar but deeper than *Safrano* or *Mme. Falcot*. In size, vigor and productiveness it is in all respects the same as the variety from which it sprung. 50c.
- Suzanne Blanchet**, *vig.* (*Nabonnand*, 1886.) Rose tinted with flesh color; large and of fine form; very fragrant. 50c.

CLASS V.—HYBRID TEA ROSES.

(*Rosa Indica odorata hybrida.*)

MOSTLY GROWN IN POTS.

- This is a group, flowering as profusely as the Monthly Roses, produced from crossing Teas with Hybrid Perpetuals. La France, the oldest variety of the class, is probably more highly prized by connoisseurs than any other Rose, and though none of the new varieties in this division have proved her equal, there will yet be found, we hope, some worthy companions among them.
- Augustine Guinoiseau**, *vig.* (*Guinoiseau*, 1889.) Flowers white, slightly tinted with flesh. Sometimes called *White La France*. Valuable for forcing. On own roots. 50c.
- DUCHESS OF ALBANY**, *vig.* (*W. Paul & Son*, 1883.) A sport from the well known and popular *La France*. While it resembles its parent in several respects, it is quite distinct in color, being of a rich, deep, even pink tint, and the shape is more finished; it is equally vigorous, free blooming and fragrant. One of the most important of recent acquisitions for growing in the open air or for forcing. Budded and on own roots. 50c.
- LA FRANCE**, *mod. or free.* (*Guillot-fils*, 1867.) Raised from seed of a Tea Rose. Delicate silvery rose, changing to silvery pink; very large, full, of fine globular form; a most constant bloomer. The sweetest and most useful of all Roses; none can surpass the delicacy of its coloring. Budded and on own roots. 50c.
- Madame Caroline Testout**, *vig.* (*Pernet Ducher*, 1890.) A beautiful bright, yet clear pink rose, and very much resembles *La France*, from which it undoubtedly originated. It is of more sturdy habit, however, and exceedingly floriferous, and the individual blooms are often much larger than those of *La France*. It maintains its beautiful color at all seasons; handsome foliage: stem stout, fragrance very delicate. On own roots. 50c.
- METEOR**, *vig.* (*Bennett*, 1887.) Rich, dark, velvety crimson, retaining its color well; a constant bloomer; healthy, with no tendency to mildew; admirable for forcing. On own roots. 50c.
- Pink Rover**, *vig.* (*W. Paul & Son*, 1890.) Flowers very pale pink, deeper in the center, large, full and expanded; exceedingly sweet; buds long, clean and handsome. Of semi-climbing habit. Budded and on own roots. 50c.
- Souvenir of Wootton**, *vig.* (*Cook*, 1888.) A red Hybrid Tea from seed of *Bon Silene* fertilized with *Louis Van Houtte*; plant vigorous with fine foliage; free blooming; buds of good size, on strong shoots; of a rich red color and extremely fragrant. If the buds were longer, this would be a very valuable variety for forcing. On own roots. 50c.

CLASS VI.—POLYANTHA ROSES.

(*Rosa Polyantha.*)

ALL ON OWN ROOTS AND GROWN IN POTS.

This is an interesting group from Japan. The foliage and flowers are both very small, the latter being produced in panicles. The original varieties are non-remontant, but what we offer are crosses or hybrids, natural or artificial, between the single flowered Polyantha and varieties of other classes, Teas, etc. They are ever blooming, of slender growth, produce extremely beautiful little flowers and are quite as hardy as the Hybrid Noisettes and Hybrid Teas. Their character of blossoming in panicked clusters, gives them a distinctive interest, and they are much esteemed. As an edging for a bed of monthly roses they are very effective and useful. We are greatly pleased with them, and strongly recommend them to all devotees of the Rose.

- CECILE BRUNNER**, *mod.* (*Mme. Ducher*, 1880.) A hybrid from *Polyantha simplex* fertilized by a Tea. Salmon pink, with deep salmon center; very small, full, delicately scented; admirable in bud and open flower. An exquisite miniature rose for floral work. Highly commended. 50c.
- CLOTHILDE SOUPERT**, *vig.* (*Souper & Notting*, 1890.) Medium size; very double and beautifully imbricated like an aster; produced in clusters; pearly white, with rosy lake centers, liable to vary, producing often red and white flowers on same plant. Valuable for florists for designs, or as a market pot plant, being a remarkably free and constant bloomer, and of easy culture. One of the most valuable roses of recent introduction. (See cut.) 25c.
- Etoile d'Or**, *dwarf.* (*Dubreuil*, 1889.) Flowers medium size; citron yellow in the center, shading to pale chrome yellow; very free flowering and pretty. An acquisition. 50c.
- Little Pet**, *vig.* Small white flowers; very free flowering. 50c.
- PAQUERETE**, *free.* (*Guillot*, 1875.) This is the oldest of the white varieties. Pure white, about one inch in diameter, flowering in panicles of from five to forty blooms, full, prettily formed, recalling blossoms of the double flowering cherry. In flower continuously from June to November. A rose for the million. 50c.



POLYANTHA ROSE.—CLOTHILDE SOUPERT (Natural Size.)

CLASS VII.—HYBRID CLIMBING ROSES.

(*Rosa hybrida scandens.*)

These are of modern origin, coming from various sources; many of them are sports from varieties of Remontant Roses. It promises to be a valuable and interesting group. None of them make growth enough to cover large buildings, but for trellis or pillar work they are very desirable.

Climbing Bessie Johnson, *vig.* (*G. Paul*, 1878.) Of the *Jules Margottin* type. Blush, highly scented. A very excellent Pillar Rose. Budded plants. 50c.

CLIMBING JULES MARGOTTIN, *vig.* (*Cranston*, 1875.) Carmine rose, fine in open flower and in bud; the best of all the climbing sports. It may be grown either as a Pillar Rose, or by pruning, kept in bush form; it should be in every collection. Budded and on own roots. 50c.

CLIMBING VICTOR VERDIER, *free.* (*G. Paul*, 1871.) Carmine rose. Budded plants. 50c.

Princess Louise Victoria, *vig.* (*Knight*, 1872.) Soft salmon pink; of medium size, of good semi-globular form, not fragrant. Wood rather smooth, foliage dark and handsome. A very beautiful rose. Budded plants. 50c.

CLASS VIII.—PERPETUAL MOSS ROSES.

(*Rosa centifolia muscosa*)

These have the same characteristics as the other Moss Roses, except that they flower in Autumn. A great many so-called Perpetual Roses have been sent out, but those which we offer are the only ones, in our opinion, that are worth growing. None of these give buds that are equal in quality to some of the Summer varieties, but they come at a time of the year when the others are not to be had, and are therefore useful.

BLANCHE MOREAU, *vig.* (*Moreau-Robert*, 1880.) Pure white, large, full, and of perfect form; the buds and flowers produced in clusters, and freely furnished with a deep green moss. A valuable variety. Budded and on own roots. 50c.

Madame Edward Ory, *mod.* (*Moreau-Robert*, 1854.) Carmine red. Budded plants. 50c.

Salet, *free or vig.* (*Lacharme*, 1854.) Light rose, large, full; pretty in bud. Budded plants. 50c.

CLASS IX.—HYBRID NOISSETTE ROSES.

(*Rosa Noisettiana hybrida.*)

This is a modern group of considerable importance, obtained chiefly from crosses between Remontant, Bourbon and Noisette Roses. They generally flower in small clusters, and bloom freely throughout the year. The flowers are mostly white, and though small are generally of good form. They are of about the same hardiness as the Bourbons and Hybrid Teas, requiring a little more care in their protection than the Hybrid Perpetuals. *Eliza Boelle* and *Mme. Noman* are the most beautiful, but are also the poorest growers. It is a class quite subject to mildew.

COQUETTE DES ALPES, *vig. or free.* (*Lacharme*, 1867.) White, slightly shaded with carmine; medium size; form semi-cupped; wood long-jointed; larger flowers than the others. The strongest grower of the entire class. Budded and on own roots. 50c.

Coquettes des Blanches, *vig. or free.* (*Lacharme*, 1872.) Pure white, sometimes faintly tinged with pink; flowers of medium size, somewhat flat, but full and very pretty; growth more bushy and symmetrical than any of the others. One of the hardiest. Later than the rest in coming into flower. Budded and on own roots. 50c.

ELIZA BOELLE, *mod.* (*Guillot*, 1869.) White, delicately tinged with pink; medium size; full, beautiful circular form. An exquisite rose. Budded plants. 50c.

Madame Noman, *dwf.* (*Guillot-pere*, 1867.) White, sometimes with shaded center; medium size; full, globular. A rose of exquisite beauty. Budded plants. 50c.

CLASS X.—HYBRID REMONTANT OR HYBRID PERPETUAL ROSES.

(*Rosa damascena hybrida.*)

This class thrives the best in a rich soil. The pruning should be regulated by the habit of growth, the weak shoots closely cut in, those which are vigorous left longer. Most of the varieties are fragrant: some of them, like *Alfred Colomb*, *Louis Van Houtte*, *Mme. Victor Verdier*, etc., are most deliciously perfumed.

Although they are styled *perpetual* bloomers, none of them are such in reality. However, many of them yield a fair second crop of flowers in the autumn, which is very acceptable. Aside from this, there is no class, take it all in all, so popular and which gives such general satisfaction.

Abel Carriere, *mod.* (*E. Verdier*, 1875.) Velvety crimson, with fiery center. Of better form and finish than most of the dark sorts. Shy in autumn. Budded plants. 50c.

Abel Grand, *free.* (*Damazin*, 1865.) Silvery pink, sometimes glossy rose; large, full, fragrant; valuable in the autumn. Budded plants. 50c.

ALFRED COLOMB, *free.* (*Lacharme*, 1865.) Raised from *Jacqueminot*. Brilliant carmine crimson; very large, full, and of fine globular form; extremely fragrant, and in every respect a superb sort. Green wood with occasional pale greenish thorns; foliage large and handsome. One of the most useful of all sorts for general cultivation. Budded and on own roots. 50c.

Alphonse Soupert, *vig.* (*Lacharme*, 1883.) Large, very handsome and showy; bright rose color. A fine rose. Budded plants. 50c.

American Beauty, *vig.* (*Honorable G. Bancroft*; sent out by *Geo. Field & Bro.*, 1885.) Large, globular; deep pink, shaded with carmine; delicious odor; has proved to be a most desirable variety for forcing. Budded and grafted plants. 50c.

ANNE DE DIESBACH, *vig.* (*Lacharme*, 1858.) Syn. **Glory of France**. Raised from *La Reine*. Carmine, a beautiful shade; very large. A superior garden sort; fragrant; one of the hardiest. Valuable for forcing. Budded and on own roots. 50c.

Annie Wood, *mod. or free.* (*E. Verdier*, 1866.) Vermilion, very fragrant; fine in autumn; of splendid finish. Budded plants. 50c.

BARON DE BONSTETTEN, *vig.* (*Liabaud*, 1871.) Rich velvety maroon; large, full. A splendid sort. Budded and on own roots. 50c.

BARONESS ROTHSCHILD, *mod. or dwf.* (*Pernet*, 1867.) Light pink; cupped form; very symmetrical; without fragrance. Very distinct and beautiful; one of the finest exhibition varieties. The wood is short jointed; very hardy and a late bloomer. Budded plants. 50c.

Baronne Prevost, *vig.* (*Deprez*; sent out by *Cochet* in 1842.) Pure rose color; very large, very full, flat form; a free bloomer, fragrant; very hardy. Budded and on own roots. 50c.

Boieldieu, *vig.* (*Garcon*, 1887.) Cherry red, very large, very full; flat form. Budded plants. 50c.

Bruce Findlay, *vig.* (*Paul & Son*, 1891.) Large, beautifully shaped, bright crimson. Budded plants. 75c.

Caroline d'Arden, *vig.* (*A. Dickson & Sons*, 1888.) Very large, full; pure soft rose color; of delightful fragrance; petals of great substance. A variety of merit. Budded plants. 50c.

CAROLINE DE SANSAL, *vig.* (*Raised by Deprez*, sent out by *Hippolyte Jamain*, 1849.) Pale flesh color deepening toward the center; large, full, flat, often irregular in form. Rather subject to mildew, but a lovely rose when perfect, and one of the hardiest. Generally the best in autumn. Budded and on own roots. 50c.

CHARLES LEFEBVRE, *free or mod.* (*Lacharme*, 1861.) From *Gen. Jacqueminot* and *Victor Verdier*. Reddish crimson, very velvety and rich, but fading quickly; large, full and beautifully formed. Foliage and wood light reddish green; few thorns of light red. A splendid rose. Budded and on own roots. 50c.

- Charles Margottin, mod.** (*Margottin*, 1855.) A seedling from *Jules Margottin*. Reddish crimson; form semi-cupped; very large, full and sweet; retains the color well, and is a very fine bloomer; foliage slightly crimped; smooth; reddish wood with occasional red spines; an excellent, distinct sort. Budded plants. 50c.
- Clara Cochet, vig.** (*Lacharme*, 1886.) Clear satiny rose, with brighter center; large and full. Budded plants. 50c.
- Comte de Mortemart, vig.** (*Margottin fils*, 1879.) Clear rose, large, full, fragrant; handsome, distinct foliage. Budded plants. 50c.
- Comtesse Cecile de Chabillant, mod.** (*Marest*, 1859.) Deep pink, of moderate size; full, fragrant, and of perfect globular form. A lovely rose, very hardy. Budded plants. 50c.
- Comtesse de Serenye, mod.** (*Lacharme*, 1874.) Silvery pink, often mottled; a full, finely shaped, globular flower of medium size, slightly fragrant; not reliable about opening, but a very free bloomer. The blooms are not good in wet weather. Appears in perfection late in the season, after most of the hybrids have passed out of bloom. Requires and merits extra care. Budded plants. 50c.
- COUNTESS OF OXFORD, mod.** (*Guillot-pere*, 1869.) A seedling from *Victor Verdier*. Bright carmine, fading in the sun; very large and full; not fragrant. Wood almost thornless; foliage very handsome, large and distinct. Fine in the bud; valuable for forcing. Budded and on own roots. 50c.
- Crimson Queen, vig.** (*W. Paul & Son*, 1890.) Very large, full; of beautiful globular form; velvety crimson, shaded with fiery red in the center and with maroon on the outer petals. Budded plants. 75c.
- Dinsmore, vig.** (*Peter Henderson*, 1887.) Scarlet crimson, large, double, very fragrant, free bloomer. Budded plants. 50c.
- Duc de Montpensier, free.** (*Leveque*, 1876.) Red, shaded with crimson; a good sort. Budded plants. 50c.
- Duke of Albany, vig.** (*W. Paul & Son*, 1882.) Vivid crimson when first opening, becoming darker as the flowers expand, and developing a beautiful shading of velvety black; very large and full; a free autumnal bloomer. Budded plants. 50c.
- Duke of Teck, free or vig.** (*G. Paul*, 1880.) Very bright crimson; full, medium size; particularly fine early in the season. Much the best of its type; commended. Budded plants. 50c.



EARL OF DUFFERIN.

formed; exquisite buds; large lustrous foliage; forces well. One of the most beautiful roses of the *Victor Verdier* type. Budded plants. 50c.

- E. Y. Teas, mod. or dwarf.** (*E. Verdier*, 1874.) Carmine-crimson, highly scented. Budded plants. 50c.
- FISHER HOLMES, free or vig.** (*E. Verdier*, 1865.) Deep glowing crimson; large, moderately full, and of fine imbricated form. A superb rose. Budded and on own roots. 50c.

EARL OF DUFFERIN, vig. (*A. Dickson & Sons*, 1887.) One of the finest roses of recent years. Rich brilliant velvety crimson, shaded with dark maroon; large, full, finely formed; delightful fragrance. A vigorous grower. One of the finest dark roses. It should be in every collection. Budded plants. (See cut.) 50c.

Earl of Pembroke, vig. (*Bennett*, 1882.) Bright crimson, a beautiful clear shade. Very fragrant. Budded plants. 50c.

Eclair, vig. (*Lacharme*, 1883.) Fiery red, large, handsome, in the way of *Charles Lefebvre*. Budded plants. 50c.

Edward Morren, vig. (*Granger*, 1868.) Cherry-rose; large, flat flower, very full, often imperfect. A splendid exhibition sort when well grown. Budded plants. 50c.

Emily Laxton, free or vig. (*Laxton*, 1877.) Cherry rose; good in the bud. Budded plants. 50c.

Etienne Levet, mod. (*Levet*, 1871) Raised from *Victor Verdier*. Carmine-red; one of the finest of the type. Budded plants. 50c.

EUGENIE VERDIER, dwarf. (*Guillot-fils*, 1869.) Raised from *Victor Verdier*. Beautiful silvery pink, tinged with fawn; large, full, finely

FRANCOIS LEVET, *vig.* (*A. Levet*, 1880.) Cherry-red; medium size; well-formed; of the *Paul Verdier* style; very free bloomer. Valuable on account of its vigorous habit. On own roots. (See cut.) 50c.

FRANCOIS MICHELON, *free.* (*Levet*, 1871.) A seedling from *La Reine*. Deep carmine rose; very large, full and of fine globular form; fragrant and a free bloomer. Habit very erect. A distinct, choice sort; excellent late in June and July, when other varieties are gone, and also in the autumn. Budded plants. 50c.

Gabriel Tournier, *free or vig.* (*Levet*, 1876.) Rosy-red; large, globular flowers, particularly free in autumn. Budded plants. 50c.

GENERAL JACQUEMINOT, *vig.* (*Rouselet*, 1853.) A probable seedling from the Hybrid China, *Gloire des Rosamines*. Brilliant crimson; not full, but large and extremely effective; fragrant, and of excellent hardy habit; forces well. Budded and on own roots. 50c.

General Washington, *mod.* (*Granger*, 1861.) A seedling from *Triomphe de l'Exposition*. Bright red, with crimson shade; large, flat form, often indented or imperfect; very full, and a very free bloomer. Budded plants. 50c.



FRANCOIS LEVET.

George Prince, *free or vig.* (*E. Verdier*, 1864.) Rosy crimson; a free blooming, excellent rose. Budded and on own roots. 50c.

Gloire Lyonnaise, *vig.* (*Guillot-fils*, 1885.) White, tinted yellow; large, moderately full; resembles a Tea Rose in form and fragrance. Budded plants. 50c.

Gloire de Margottin, *vig.* (*Margottin*, 1887.) Brilliant scarlet; large, semi-double, globular, of good shape, elongated bud; fragrant; vigorous and free-flowering. Probably the brightest rose yet raised. Will undoubtedly prove valuable for forcing, and for culture out of doors. Budded and on own roots. 50c.

Glory of Cheshunt, *vig.* (*G. Paul*, 1880.) Rich crimson, double; effective; shy in the autumn. Budded plants. 50c.

Gustave Piganeau, *vig.* (*Pernet-fils, Ducher*, 1890.) Large, equalling *Paul Neyron* in size; full and cupped; brilliant carmine lake; buds long. Very free blooming. Budded plants. 75c.

Heinrich Schultheis, *vig.* (*Bennett*, 1882.) From *Mabel Morrison*, and *E. Y. Teas*. Large good form, and very full; color pinkish-rose; sweet scented. Free blooming. Budded plants. 50c.

Hippolyte Jamain, *mod.* (*Lacharme*, 1874.) A probable seedling from *Victor Verdier*. Carmine red; large, full and fine; semi-globular form. The foliage when young has a deeper shade of red than is seen in any other sort. The hardiest of the *Victor Verdier* type. Budded plants. 50c.

Horace Vernet, *dwf. or mod.* (*Guillot*, 1866.) Crimson illumined with scarlet; large, double, of beautiful wavy outline; in constitution delicate. Budded plants. 50c.

JEAN LIABAUD, *free.* (*Liabaud*, 1875.) Crimson maroon, illumined with scarlet; large, full, fragrant. A very beautiful dark rose. Budded and on own roots. 50c.

Jeannie Dickson, *vig.* (*A. Dickson & Sons*, 1890.) Color rosy pink, entire margin of petals edged with silvery pink, base of petals having a paler yellow zone. A new shade of color. Flowers large, full, with a very high center which stands up prominently. Budded plants. 50c.

JOHN HOPPER, *free.* (*Ward*, 1862.) A seedling from *Jules Margottin*, fertilized by *Mme. Vidot*. Bright rose with carmine center; large and full. A profuse bloomer and standard sort. Budded and on own roots. 50c.

Lady Arthur Hill, *vig.* (*A. Dickson & Sons*, 1890.) Large, full symmetrical; lilac rose; distinct and fine. An abundant bloomer. Budded plants. 50c.

Lady Helen Stewart, *vig.* (*A. Dickson & Sons*, 1887.) Bright crimson scarlet; large, full, and of perfect form, produced on long stiff stems, highly perfumed; distinct and fine. A beautiful and valuable variety. Budded and on own roots. 50c.

LA REINE, *free or vig.* (*Laffay*, 1844.) Glossy rose, large, moderately full; very free flowering, and one of the most hardy. A useful rose, though no longer Queen. Budded and on own roots. 50c.

- La Rosiere, free.** (*Damaizin*, 1874.) Belonging to the *Prince Camille* type. Velvety-crimson. A fine rose excelling *Prince Camille*; petals with good substance. Budded and on own roots. 50c.
- Louis Van Houtte, dwf. or mod.** (*Lacharme*, 1869.) Crimson-maroon; medium size; sometimes large, full. A tender sort, but very free blooming, and one of the best crimson roses we have. Budded plants. 50c.
- MABEL MORRISON, mod.** (*Broughton*, 1878.) White, sometimes tinged with blush; in the autumn the edges of the petals are often pink. In all, save color and substance of petals, this variety is identical with *Baroness Rothschild*. A very valuable white rose. Budded plants. 50c.
- Madame Ducher, vig.** (*Levet*, 1879) Flowers large; cherry red, shaded purple; full and finely shaped; fragrant, vigorous and free blooming. Budded and on own roots. 50c.
- MADAME GABRIEL LUIZET, vig. or free.** (*Liabaud*, 1878.) Pink, distinct, very large, cupped shape; somewhat fragrant. As an exhibition rose, will rank with its rival, *Baroness Rothschild*. Budded plants. 50c.
- Madame Joly, free.** Rose color, medium size; fragrant and of good shape. Budded and on own roots. 50c.
- Madame Joseph Desbois, vig.** (*Guillot*, 1886.) Flesh white, shaded with salmon rose; very large, well-formed; very vigorous. A superb rose. Budded plants. 75c.
- MADAME VICTOR VERDIER, mod.** (*E. Verdier*, 1863.) Carmine-crimson; large, full, very fragrant; excellent. Budded and on own roots. 50c.
- Marchioness of Dufferin.** (*A. Dickson & Sons*, 1891.) Large, beautiful rosy pink, suffused with yellow at base of petals. \$1.00.
- Marchioness of Lorne, vig.** (*W. Paul & Son*, 1889.) Large, full, cupped shape; buds long and handsome, rich and fulgent rose-color, shaded with vivid carmine, remarkable for its perpetual habit. Budded and on own roots. 50c.
- Margaret Dickson, vig.** (*A. Dickson & Son*, 1891.) Of magnificent form; white, with pale flesh center; petals very large, shell shaped, and of great substance; fragrant, a very promising variety; foliage very large, dark green. Budded and on own roots. 50c.
- MARGUERITE DE ST. AMANDE, free.** (*Sansal*, 1864.) Bright rose, very beautiful in the bud state; this variety will give more fine blooms in the autumn than almost any other in the class. One of the most valuable roses. Budded plants. 50c.
- MARIE BAUMANN, mod.** (*Baumann*, 1863.) Brilliant carmine crimson; large, full, of exquisite color and form; very fragrant. Extra fine. Budded plants. 50c.
- MARIE RADY, free.** (*Fontaine*, 1865.) Vermilion, shaded with crimson; large, very full, of fine globular form. A fragrant superb sort, but a shy bloomer in autumn. Budded and on own roots. 50c.

Marquise de Castellane, mod. (*Perret*, 1869.) Carmine rose, a bright and permanent shade; very large; very full, not fragrant, but a very effective exhibition variety. Budded plants. 50c.

MARSHALL P. WILDER, vig. (*E. & B.*, 1884.) Raised from the seed of *Gen. Jacqueminot*. It is of vigorous growth, with healthy foliage; flowers large, semi-globular, full, well formed; color, cherry-carmine, much like a light colored *Marie Baumann*, or a shade deeper than *Marie Rady*, and very fragrant. In wood, foliage, and form of flower, it resembles *Alfred Colomb*, but the seedling excels that famous variety in vigor, hardness and freedom of bloom. It continues to bloom profusely long after the other Remontants are out of flower. In brief, it may be described as an improved *Alfred Colomb*, and as good a rose as has been raised by anyone. It is undoubtedly the finest of its color. Budded and on own roots (See cut.) 50c.

MAURICE BERNARDIN, vig. or free. (*Granger*, 1861.) Syn. Ferdinand de Lesseps, Exposition de Brie. A seedling from *Gen. Jacqueminot*. Bright crimson; large, moderately full; a good free blooming sort, generally coming in clusters. Perhaps the most prolific of all crimson roses in the spring. Budded and on own roots. 50c.

Maurice L. de Vilmorin, vig. (*Leveque*, 1891.) Large, double, fine form; clear bright red, shaded velvety brown. Budded plants. 50c.



MARSHALL P. WILDER.

- MERVEILLE DE LYON**, *mod.* (*Pernet*, 1882.) Pure white, shaded and marked with satiny-rose; flowers very large, double, and of a beautiful cup shape. A seedling from *Baroness Rothschild*, with the same habit, but larger. A superb variety. Budded plants. 50c.
- MRS. JOHN LAING**, *vig.* (*Bennett*, 1887.) A seedling from *Francois Michelin*; soft pink; large and of fine form, produced on strong stems; exceedingly fragrant; one of the most valuable varieties for forcing, and flowers continuously in the open ground. The most beautiful rose of recent introduction. Budded and own roots. (See cut.) 50c.
- Oakmont**. Deep bright rose color, in the way of *Paul Neyron*, but blooms much more freely; delightfully scented; continues in bloom all summer, and is one of the best varieties for very early winter forcing. Budded plants. 50c.
- PAUL NEYRON**, *vig.* (*Levet*, 1869.) A seedling from *Victor Verdier*, fertilized by *Anne de Diesbach*. Deep rose color; good tough foliage, wood rather smooth; by far the largest variety in cultivation. A free bloomer; very desirable as a garden rose; valuable for forcing. Budded and on own roots. (See cut.) 50c.



PAUL NEYRON.

- Paul Jamain**, *free.* (*Jamain*, 1878.) Crimson, slightly tinged with violet-red; similar to *Charles Lefebvre*. Budded plants. 50c.
- PIERRE NOTING**, *free.* (*Portemer*, 1863.) Deep maroon, illumined with bright crimson, often suffused with velvet; large or very large; globular form, pointed buds; highly scented. A superb dark rose, often at its best in the autumn; should be in every collection. Budded and on own roots. 50c.
- Pride of Waltham**, *vig.* (*W. Paul & Son*, 1882.) Delicate flesh color, richly shaded with bright rose; flowers large and full. One of the finest of its color. Budded plants. 50c.
- PRINCE CAMILLE DE ROHAN**, *free.* (*E. Verdier*, 1861.) Deep velvety crimson; large, moderately full. A splendid rose. Budded and on own roots. 50c.
- Prince de Portia**, *free.* (*E. Verdier*, 1865.) Vermilion; medium size; moderately full, well formed, one of the most fragrant; a splendid variety. Budded plants. 50c.
- Queen of Queens**, *vig.* (*W. Paul*, 1882.) Flowers pink, with blush edges; large and full; of perfect form. Budded plants. 50c.
- Queen of Waltham**, *mod. or free.* (*W. Paul & Son*, 1845.) Cherry crimson, flowers of good size and form; a late blooming variety; quite fragrant. Budded plants. 50c.
- Red Gauntlet**, *vig.* (*W. Paul & Son*, 1881.) Bright scarlet crimson, shaded with deep rose; very large and full. Budded plants. 50c.
- REV. J. B. M. CAMM**, *mod.* (*Turner*, 1875.) Carmine rose; a fine enduring shade; medium size, semi-globular form; one of the most fragrant and free-blooming sorts; superb. Budded plants. 50c.



MRS. JOHN LAING.

VICTOR VERDIER, mod. (*Lacharme*, 1859.) Bright rose, with carmine center, a very fresh shade of color; not fragrant; free bloomer; wood nearly smooth. This variety, with its numerous progeny, is more tender than any of the other types in the class. A beautiful rose. Budded and on own roots. 50c.

White Baroness, mod. (*G. Paul*, 1882.) A sport from *Baroness Rothschild*. Pure white, the same shape and flowers as the parent. Budded plants. 50c.

Xavier Olibo, mod. or duf. (*Lacharme*, 1864.) Very dark, rich crimson, large size; a magnificent velvety rose. Budded plants. 50c.

CLASS XI.—RUGOSA ROSES AND THEIR HYBRIDS.

(*Rosa rugosa*.)

This is a very interesting group, of Japanese origin. The flowers are mostly single. The plant is highly ornamental on account of its good habit and beautiful glossy foliage. Of the hybrids, *Mme. G. Bruant* is the only one we have to offer at present.

Madame G. Bruant, vig. (*Bruant*, 1888.) One of the first of a new race of hybrids. In the bud state the flowers are long and pointed, when open, semi-double; pure white and fragrant, and produced freely in clusters at intervals throughout the summer; exceptionally hardy and vigorous; forms a handsome bush. Budded plants. (See cut.) 50c.

Rugosa alba, mod. A species from Japan. Single, pure white flowers of five petals; highly scented; a splendid shrub. Budded plants 50c.

Rugosa rubra, vig. Another Japan variety. Flowers single, of a most beautiful bright rosy crimson, succeeded by large berries of a rich rosy red color, and are a great addition to the ornamental character of the plant. Budded plants. 50c.

Rosieriste Jacobs, vig. (*Ducher*, 1880.) Bright velvety red, shaded with blackish crimson; large, full; of fine globular form. Budded plants. 50c.

Salamander, vig. (*W. Paul & Son*, 1891.) Large and full; bright scarlet crimson, free flowering. Budded plants. 50c.

Souvenir du Rosieriste Gonod, vig. (*Jean Ducher*, 1890.) Very large, full, and well formed; cerise, veined with bright rose; fragrant. Forces well. Budded plants. 50c.

T. W. Girdlestone, vig. (*A. Dickson & Sons*, 1890.) Large, symmetrical in form; brilliant carmine, base of petals shaded with lake; very fragrant; promising. Budded plants. 50c.

Ulrich Brunner, vig. (*Levet*, 1881.) Raised from *Paul Neyron*. Brilliant cherry red, a very effective color; flowers of fine form and finish, carried well upon the plant; petals of great substance; plant vigorous, hardy, and resists mildew. One of the best varieties for forcing and open air culture. Budded and on own roots. 50c.

Vick's Caprice, vig. (*James Vick*, 1889.) A sport from *Archduchesse d'Autriche*. Large, pink, striped and dashed with white and carmine; vigorous and free-blooming. Budded plants. 50c.



MME. G. BRUANT.

ROSES FOR SPECIAL PURPOSES.

ROSES MOST SUITABLE FOR FORCING.

Those which excel for the various qualities considered are marked *

SUMMER VARIETIES.—*Blanchefleur, Common Moss, Crested Moss, Gracilis (Moss), Mme. Hardy, Mme. Zoetman, *Mme. Plantier, *Magna Charta.

BENGAL AND BOURBON.—Agrippina, Hermosa, Souvenir de la Malmaison.

TEA SCENTED.—*Bon Silene, *Bride, Bridesmaid, *Catharine Mermet, Comtesse Riza du Parc, Empress Augusta Victoria, Etoile de Lyon, Homer, Mme. Cusin, Mme. de Watteville, *Mme. Hoste, Mme. Lambard, Marie Guillot *Marie Van Houtte, *Niphotos, *Papa Gontier, *Perle des Jardins, *Safrano, and some others.

POLYANTHA.— Clothilde Soupert.

HYBRID TEA.—La France, Mme. C. Testout, Meteor, Sou. de Wootton.

HYBRID NOISETTE.—Coquette des Alpes, Coquette des Blanches, Madame Noman, and others.

HYBRID PERPETUAL.—*American Beauty, *Anne de Diesbach, *Baroness Rothschild, Boieldieu, Charles Margottin, *Countess of Oxford, *Comtesse de Serenye, Francois Michelin, *Hippolyte Jamain, John Hopper, La Reine, Mabel Morrison, *Madame G. Luizet, *Marguerite de St. Amande, Marquise de Castellane, *Mrs. John Laing, Paul Neyron, *Ulrich Brunner, Victor Verdier.

Charles Margottin is the only crimson one named in the list, the dark varieties being much inferior to the light ones for this purpose. Among the best are Alfred Colomb, Charles Lefebvre, *Fisher Holmes, *General Jacqueminot, *Gloire de Margottin, Louis Van Houtte, Marie Baumann, Pierre Notting, Marshall P. Wilder.

CLIMBING ROSES FOR CONSERVATORY.

NOISETTE.—Lamarque, Marechal Niel.

TEA SCENTED.—All the climbing varieties.

FREE BLOOMING AUTUMNAL ROSES.

HYBRID PERPETUAL.—Abel Grand, *Alfred Colomb, Anne de Diesbach, Annie Wood, Baronne Prevost, Baroness Rothschild, *Boieldieu, *Comtesse de Serenye, Countess of Oxford, Eugenie Verdier, *Francois Michelin, General Washington, Hippolyte Jamain, Horace Vernet, John Hopper, La Reine, Louis Van Houtte, Mabel Morrison, **Marguerite de St. Amande, Marie Baumann, **Marshall P. Wilder, Mrs. John Laing, Paul Neyron, *Rev. J. B. M. Camm, Victor Verdier.

Besides these varieties of Hybrid Perpetuals, all other classes of Perpetual Roses, with the exception of a few sorts, produce flowers freely in the Autumn.

HIGHLY SCENTED ROSES.

SUMMER ROSES.—Banksia, Common Moss, Crested Moss, Gracilis (Moss), Blanchefleur, Centifolia, Madame Hardy.

NOISETTE.—Cloth of Gold, Marechal Niel.

TEA.—*Bon Silene, Catharine Mermet, Comtesse Riza du Parc, Marie Van Houtte, Reine Marie Henriette.

HYBRID TEA.—*Duchess of Albany, *La France, **Sou. of Wootton.

HYBRID PERPETUAL.—*American Beauty, Alfred Colomb, Baronne Prevost, *Earl of Dufferin, General Jacqueminot, Horace Vernet, Lady Helen Stewart, **Louis Van Houtte, *Mme. Victor Verdier, Marie Rady, Marie Baumann, *Marshall P. Wilder, Maurice Bernardin, Pierre Notting, Rev. J. B. M. Camm, Xavier Olibo.

THE MOST HARDY ROSES.

BOURBON.—Apolline, Hermosa.

HYBRID PERPETUAL.—Abel Grand, Anne de Diesbach, Baron de Bonstetten, *Baronne Prevost, *Baroness Rothschild, Caroline de Sansal, Charles Margottin, Comtesse de Serenye, Edward Morren, Francois Michelin, General Jacqueminot, *La Reine, *Mabel Morrison, Mme. Joly, Marguerite de St. Amande, Marquise de Castellane, Marshall P. Wilder, Maurice Bernardin.

SUMMER ROSES.—All of these are very hardy, with scarce any exception.

HYBRID RUGOSA.—Mme. G. Bruant.

COLOR DIVISION.

SELECT HYBRID REMONTANT ROSES.

This arrangement will be an aid to those desirous of planting in masses or beds, enabling them to select, at a glance, varieties for different lines of color, etc. For planting in beds of more than one variety the habit of growth should be carefully noted, selecting for the center of the bed those sorts marked *vig.*; next in order those sorts marked *free, mod., dwarf.*

DEEP CRIMSON AND MAROON.—A. Carriere, *mod. or free.* Baron de Bonstetten, *vig.* Earl of Dufferin, *vig.* Jean Liabaud, *free.* Lady Helen Stewart, *vig.* Louis Van Houtte, *free.* Pierre Notting, *free or vig.* Prince Camille, *free.*

BRIGHT CRIMSON.—Chas. Lefebvre, *free.* Fisher Holmes, *free.* Gen. Jacqueminot, *vig.* Horace Vernet, *mod.* Lady Helen Stewart, *vig.*

CARMINE-CRIMSON AND VERMILION.—A. Colomb, *free.* Charles Margottin, *mod.* General Washington, *mod.* Gloire de Margottin, *vig.* Mme. V. Verdier, *mod.* Marie Rady, *free.* Marie Baumann, *mod.* Marshall P. Wilder, *vig.* Maurice Bernardin, *vig or free.*

CARMINE OR DEEP ROSE.—A. de Diesbach, *vig.* Baronne Prevost, *vig.* Boieldieu, *vig.* Countess of Oxford, *mod.* or *free.* Edward Morren, *vig.* Francois Levet, *vig.* Francois Michelon, *free.* Hippolyte Jamain, *mod.* John Hopper, *free.* La Reine, *free* or *vig.* Marquise de Castellane, *mod.* Paul Neyron, *vig.* Rev. J. B. M. Camm, *mod.* Ulrich Brunner, *vig.* Victor Verdier, *mod.*

BRIGHT ROSE WITH DEEP PINK.—Abel Grand, *free* or *mod.* Comtesse C. de Chabillant, *mod.* Mme. Joly, *free.* E. Verdier, *dwf.* Marguerite de St. Amande, *free.*

PALE PINK OR FLESH COLOR.—Baroness Rothschild, *mod.* Caroline de Sansal, *vig.* Comtesse de Serenye, *mod.* or *free.* Mme. Gabriel Luizet, *vig.* or *free.* Mrs. John Laing, *vig.*

WHITE.—Mabel Morrison, *mod.* Margaret Dickson, *vig.* Merveille de Lyon, *mod.* White Baroness, *mod.*

ALPHABETICAL LIST OF ROSES.

For convenience in referring to the varieties in the different classes, we have placed all the varieties in alphabetical order with the name of the class to which they belong opposite each.

The varieties of the Damask, French, Hybrid China, Provence and Scotch classes are all grouped under one head, viz., Div. 1. Class IV. Miscellaneous Roses.

ABBREVIATIONS, describing the classes to which the varieties belong.

- | | | |
|--|---|---|
| <p>A.—Austrian.
 Ay.—Ayrshire.
 Bk.—Banksia.
 Beng.—Bengal.
 B.—Bourbon.
 Dam.—Damask.
 Fr.—French.</p> | <p>H. Ch.—Hybrid China.
 H. Cl.—Hybrid Climbing.
 H. N.—Hybrid Noisette.
 H. R.—Hybrid Remontant.
 H. T.—Hybrid Tea.
 M.—Moss.
 N.—Noisette.</p> | <p>P. M.—Perpetual Moss.
 Pol.—Polyantha.
 P.—Prairie.
 Prov.—Provence.
 Rug.—Rugosa.
 S.—Scotch.
 T.—Tea.</p> |
|--|---|---|

	CLASS.		CLASS.
Abel Carriere, - - - - -	H. R.	Cloth of Gold, - - - - -	N.
Abel Grand, - - - - -	H. R.	Common Moss, - - - - -	M.
Agrippina, - - - - -	Beng.	Common Provence (Centifolia), - - - - -	Prov.
Alfred Colomb, - - - - -	H. R.	Comte de Mortemart, - - - - -	H. R.
Alphonse Soupert, - - - - -	H. R.	Comtesse Cecile de Chabillant, - - - - -	H. R.
American Beauty, - - - - -	H. R.	Comtesse de Labarthe (Duchesse de Brabant), - - - - -	T.
Anna Maria, - - - - -	P.	Comtesse de Murinais, - - - - -	M.
Anne de Diesbach, - - - - -	H. R.	Comtesse de Serenye, - - - - -	H. R.
Annie Wood, - - - - -	H. R.	Comtesse Riza du Parc, - - - - -	T.
Apolline, - - - - -	B.	Coquette des Alpes, - - - - -	H. N.
Augusta (Solfaterre), - - - - -	N.	Coquette des Blanches, - - - - -	H. N.
Augustine Guinoiseau, - - - - -	H. T.	Coquette de Lyon, - - - - -	T.
Baltimore Belle, - - - - -	P.	Countess of Oxford, - - - - -	H. R.
Baron de Bonstetten, - - - - -	H. R.	Coupe d'Hebe, - - - - -	H. Ch.
Baroness Rothschild, - - - - -	H. R.	Cramoisi-Superieur (Agrippina), - - - - -	Beng.
Baronne Prevost, - - - - -	H. R.	Crested Moss, - - - - -	M.
Bennett's Seedling, - - - - -	Ay.	Crimson Queen, - - - - -	H. R.
Blanchefleur, - - - - -	Fr.		H. R.
Blanche Moreau, - - - - -	P. M.	Dawson (new), - - - - -	
Boieldieu, - - - - -	H. R.	Dinsnore, - - - - -	H. R.
Bon Silene, - - - - -	T.	Duc de Montpensier, - - - - -	H. R.
Bride, - - - - -	T.	Duchesse de Brabant (C. de Labarthe), - - - - -	T.
Bridesmaid, - - - - -	T.	Duchess of Albany, - - - - -	H. T.
Bruce Findlay, - - - - -	H. R.	Duke of Albany, - - - - -	H. R.
Cabbage (Centifolia) - - - - -	Prov.	Duke of Teck, - - - - -	H. R.
Captain John Ingram, - - - - -	M.	Earl of Dufferin, - - - - -	H. R.
Caroline d'A den, - - - - -	H. R.	Eclair, - - - - -	H. R.
Caroline de Sansal, - - - - -	H. R.	Edward Morren, - - - - -	H. R.
Catharine Mermet, - - - - -	T.	Eliza Boelle, - - - - -	H. N.
Cecile Brunner, - - - - -	Pol.	Emily Laxton, - - - - -	H. R.
Centifolia, - - - - -	Prov.	Etienne Levet, - - - - -	H. R.
Charles Lawson, - - - - -	H. Ch.	Etoile d'Or, - - - - -	Pol.
Charles Lefebvre, - - - - -	H. R.	Etoile de Lyon, - - - - -	T.
Charles Margottin, - - - - -	H. R.	Eugenie Verdier, - - - - -	H. R.
Chenedolle, - - - - -	H. Ch.	Exposition de Brie (M. Bernardin), - - - - -	H. R.
Chromatella (Cloth of Gold), - - - - -	N.	E. Y. Teas, - - - - -	H. R.
Clara Cochet, - - - - -	H. R.	Ferdinand de Lesseps (M. Bernardin), - - - - -	H. R.
Climbing Bessie Johnson, - - - - -	H. Cl.	Fisher Holmes, - - - - -	H. R.
Climbing Jules Margottin, - - - - -	H. Cl.	Francisca Kruger, - - - - -	T.
Climbing Perle des Jardins, - - - - -	T.	Francois Levet, - - - - -	H. R.
Climbing Victor Verdier, - - - - -	H. Cl.	Francois Michelon, - - - - -	H. R.
Clothilde Soupert, - - - - -	Pol.	Gabriel Tournier, - - - - -	H. R.

	CLASS.		CLASS.
Gem of the Prairies, - - - - -	P.	Marie Van Houtte, - - - - -	T.
General Jacqueminot, - - - - -	H. R.	Marquise de Castellane, - - - - -	H. R.
General Washington, - - - - -	H. R.	Marshall P. Wilder, - - - - -	H. R.
George Prince, - - - - -	H. R.	Maurice L. de Vilmorin, - - - - -	H. R.
Gloire de Dijon, - - - - -	T.	Maurice Bernardin, - - - - -	H. R.
Gloire de Margottin, - - - - -	H. R.	Merveille de Lyon, - - - - -	H. R.
Gloire Lyonnaise, - - - - -	H. R.	Meteor, - - - - -	H. T.
Glory of Chesbunt, - - - - -	H. R.	Mrs. Desgraw, - - - - -	B.
Glory of France (A. de Diesbach), - - - - -	H. R.	Mrs. Hovey, - - - - -	P.
Golden Gate, - - - - -	T.	Mrs. John Laing, - - - - -	H. R.
Gracilis, - - - - -	M.	Mrs. Paul, - - - - -	B.
Gustave Piganeau, - - - - -	H. R.	Niphetos, - - - - -	T.
Harrison's Yellow, - - - - -	A.	Oakmont, - - - - -	H. R.
Heinrich Schultheis, - - - - -	H. R.	Éillet Flammande, - - - - -	Fr.
Hermosa, - - - - -	B.	Papa Gontier, - - - - -	T.
Hippolyte Jamain, - - - - -	H. R.	Paquerette, - - - - -	Pol.
Homer, - - - - -	T.	Paul Neyron, - - - - -	H. R.
Horace Vernet, - - - - -	H. R.	Paul Jamain, - - - - -	H. R.
Isabella Sprunt, - - - - -	T.	Paul Verdier, - - - - -	H. Ch.
Jean Liabaud, - - - - -	H. R.	Perle des Jardins, - - - - -	T.
Jeannie Dickson, - - - - -	H. R.	Persian Yellow, - - - - -	A.
John Hopper, - - - - -	H. R.	Pierre Notting, - - - - -	H. R.
Lady Arthur Hill, - - - - -	H. R.	Pink Rover, - - - - -	H. T.
Lady Helen Stewart, - - - - -	H. R.	Pride of Waltham, - - - - -	H. R.
La France, - - - - -	H. T.	Prince Camille de Rohan, - - - - -	H. R.
Laneii, - - - - -	M.	Prince de Portia, - - - - -	H. R.
La Princesse Vera, - - - - -	T.	Princess Adelaide, - - - - -	M.
La Reine, - - - - -	H. R.	Princess Louise Victoria, - - - - -	H. Cl.
La Rosiere, - - - - -	H. R.	Queen, - - - - -	T.
Lamarque, - - - - -	N.	Queen of the Prairies, - - - - -	P.
Letty Coles, - - - - -	T.	Queen of Queens, - - - - -	H. R.
Little Gem, - - - - -	M.	Queen of Waltham, - - - - -	H. R.
Little Pet, - - - - -	Pol.	Red Gauntlet, - - - - -	H. R.
Louis Van Houtte, - - - - -	H. R.	Red Pet, - - - - -	Beng.
Louise Odier, - - - - -	B.	Reine Marie Henriette, - - - - -	T.
Mabel Morrison, - - - - -	H. R.	Rev. J. B. M. Camm, - - - - -	H. R.
Ma Capucine, - - - - -	T.	Rosieriste Jacobs, - - - - -	H. R.
Mme. Bravy, - - - - -	T.	Rugosa alba, - - - - -	Rug.
Mme. Caroline Testout, - - - - -	H. T.	Rugosa rubra, - - - - -	Rug.
Mme. Cusin, - - - - -	T.	Safrano, - - - - -	T.
Mme. de Watteville, - - - - -	T.	Salamander, - - - - -	H. R.
Mme. Ducher, - - - - -	H. R.	Salet, - - - - -	P. M.
Mme. Edward Ory, - - - - -	P. M.	Silene (Bon Silene), - - - - -	T.
Mme. Gabriel Luizet, - - - - -	H. R.	Solfaterre, - - - - -	N.
Mme. G. Bruant, - - - - -	Rug.	Sombreuil, - - - - -	T.
Mme. Hardy, - - - - -	Dam.	Souvenir de la Malmaison, - - - - -	B.
Mme. Hoste, - - - - -	T.	Souvenir du Rosieriste Gonod, - - - - -	H. R.
Mme. Joly, - - - - -	H. R.	Souvenir of Wootton, - - - - -	H. T.
Mme. Lacharme, - - - - -	H. Ch.	Stanwell Perpetual, - - - - -	S.
Mme. Lambard, - - - - -	T.	Sunset, - - - - -	T.
Mme. Noman, - - - - -	H. N.	Suzanne Blanchet, - - - - -	T.
Mme. Plantier, - - - - -	H. Ch.	Triumphant, - - - - -	P.
Mme. Victor Verdier, - - - - -	H. R.	T. W. Girdle-tone, - - - - -	H. R.
Mme. Zoetman, - - - - -	Dam.	Ulrich Brunner, - - - - -	H. R.
Magna Charta, - - - - -	H. Ch.	Vick's Caprice, - - - - -	H. R.
Marchioness of Dufferin, - - - - -	H. R.	Victor Verdier, - - - - -	H. R.
Marchioness of Lorne, - - - - -	H. R.	White Banksia, - - - - -	Bk.
Marechal Niel, - - - - -	N.	White Baroness, - - - - -	H. R.
Margaret Dickson, - - - - -	H. R.	White Bath, - - - - -	M.
Marguerite de St. Amande, - - - - -	H. R.	Wichuriana, - - - - -	Jap.
Marie Baumann, - - - - -	H. R.		
Marie Guillot, - - - - -	T.	Xavier Olibo, - - - - -	H. R.
Marie Rady, - - - - -	H. R.	Yellow Banksia, - - - - -	Bk.

INDEX

TO

New and Rare Fruits, Ornamental Trees and Shrubs.

SEE ALSO LIST OF NOVELTIES ON TINTED PAGES.

FRUITS.

	PAGE.		PAGE.
Apple, Arabskoe.....	11	Pear, Wilder Early.....	20
" Belle de Boskoop.....	13	Cherry, Windsor.....	22
" Red Bietigheimer.....	12	Plum, Grand Duke.....	23
" Sutton Beauty.....	14	Grape, Colerain.....	32
" Titovka.....	12	" Eaton.....	32
" Yellow Transparent.....	11	" Golden Drop.....	32
" Crab, Paul's Imperial.....	15	" Jefferson.....	32
" Crab, Queen's Choice.....	15	" Mills.....	30
Pear, Andre Desportes.....	16	" Moore's Diamond.....	32
" Ansault.....	16	" Winchell.....	32
" B. S. Fox.....	19	" Woodruff Red.....	32
" Col. Wilder.....	19	Blackberry, Minnewaski.....	34
" Directeur Alphande.....	19	Gooseberry, Columbus.....	37
" Frederick Clapp.....	17	" Industry.....	36
" Hoosic.....	17	" Triumph.....	37
" Idaho.....	19	Raspberry, Champlain.....	38
" Lucy Duke.....	20	" Golden Queen.....	40
" Margaret.....	16	" Superlative.....	39
" P. Barry.....	20	" Thompson's Early Prolife.....	40
" President Mas.....	20	Strawberries (New).....	42, 44
" Souvenir du Congres.....	16		

DECIDUOUS TREES.

	PAGE.		PAGE.
Acer dasycarpum var. crispum.....	49	Cornus florida var. flore rubro.....	58
" " " heterophyllum laciniatum.....	49	Crataegus oxyacantha var. apiifolia.....	58
" " " lutescens.....	49	" Azarolus var. Carrierei.....	58
" " " tripartitum.....	49	Fraxinus alba argentea marginata.....	61
" Japonicum.....	50	" aucubæfolia.....	61
" " var. aureum.....	50	" excelsior var. concavæfolia fol. var.....	61
" Monspensulanum.....	50	" longicuspis.....	61
" platanoides var. cucullatum.....	50	" Ornus var. rotundifolia.....	61
" " " digitatum foliis aureo margi- natis.....	50	Gleditschia Bujoti pendula.....	61
" " " dissectum.....	50	Juglans regia var. rupestris.....	62
" " " Lorbergii.....	50	Liriodendron tulipifera var. panache.....	62
" " " Reitenbachi.....	50	Mulberry, Weeping Russian.....	63
" " " Schwedlerii.....	50	Phellodendron.....	64
" polymorphum var. atropurpureum.....	50	Populus alba var. Bolleana.....	65
" " " dissectum atropurpureum.....	50	" " " nigra aureo intertexta.....	65
" " " palmatum.....	50	" Canadensis var. aurea Van Geertii.....	65
" " " sanguineum.....	50	Prunus domestica fol. var.....	65
" pseudo platanus var. Worleii.....	51	" myrobolana flore roseo pleno.....	65
" rubrum var. globosum.....	51	" Padus marmorata.....	65
" spicatum.....	51	" spinosa pendula.....	65
" truncatum.....	51	Pyrus malus floribunda.....	66
" velutinum.....	51	" " " atrosanguinea.....	66
Æsculus Hippocastanum var. Memmingerii.....	51	" " " Halleana.....	66
Amygdalus, Davidiana.....	53	" " " Kaido.....	66
Betula populifolia var. purpurea.....	53	Quercus cerris var. conferte.....	68
Catalpa syringæfolia aurea variegata.....	54	" palustris.....	68
" " var. purpurea.....	54	" phellos.....	68
Castanea Japonica.....	54	" Prinus var. monticola.....	68
Cerasus caproniana ranunculiflora.....	55	" repanda.....	69
" Japonica pendula.....	55	" Robur var. alba variegata.....	68
" " rosea pendula.....	56	" " " cupressoides.....	68
" Rhexii.....	56	" " " fast. aureo punctatis.....	68
Cornus florida var. pendula.....	58	" " " atropurpurea.....	38

	PAGE.
Quercus Robur var. concordia	68
“ “ “ laciniata	68
“ “ “ pulverulenta	69
Salix rigida pendula	69
“ Sieboldii	70
“ “ var. pendula	70
“ vitellina Britzensis	69
“ “ variety from Russia	69
Tilia alba spectabile	70

	PAGE.
Tilia dasystyla	70
Ulmus campestris var. Dampierreii aurea	71
“ “ “ Louis Van Houtte	71
“ “ “ Wheatleyi	71
“ montana var. Wredei aurea	72
“ racemosa	72
“ Vegeta	72
Zanthoxylum	72

SHRUBS.

	PAGE.
Berberis ilicifolia	81
“ Thunbergii	81
Cornus alternifolia	82
“ mascula var. elegantissima variegata	82
“ sanguinea var. elegantissima variegata	82
“ Siberica fol. albo marginatis	82
“ Spæthii	82
Cydonia Japonica var. atrosanguinea fl. pl.	83
“ “ “ grandiflora	83
“ “ “ Mallardii	83
“ “ “ Maulei	83
“ “ “ rosea pleno	83
“ “ “ semi alba pleno	83
Deutzia Pride of Rochester	83
“ gracilis var. aureo variegata	83
“ scabra (true)	83
“ Watererii	83
Diervilla Chameleon	84
“ hortensis var. venosa variegata	84
“ hybrida Othello	84
“ “ Congo	84
“ “ Gavarni	84
“ “ Tenier	84
“ “ Voltaire	84
“ rosea var. incarnata	85
“ “ “ nova	85
“ “ “ Sieboldii alba marginata	85
Elæagnus longipes	85
Enonymus Europæus erectus	85
“ elatus	85
Forsythia intermedia	86
Hydrangea, Red Branched	87
“ Japonica var. rosea	87
“ “ “	87
“ “ “ stellata fimbriata	87
Ligustrum var. glaucum marginatum	89
Lonicera Alberti	89

	PAGE.
Philadelphus coronarius var. foliis argentea marginata	89
“ foliis aureis	89
“ grandiflorus var. speciosissimus	90
“ microphyllus	90
“ Pekinensis	90
Prunus Pissardi	90
Ptelea trifoliata var. aurea	90
Rhodotypos kerrioides	91
Rhus aromatica	91
Ribes alpina	91
Sambucus nigra var. aurea	93
“ “ “ laciniata	93
“ “ “ pulverulenta	93
“ “ “ pyramidalis	93
“ racemosa var. plumosa	93
Spiræa arguta	93
“ Bumalda (Sp. Japonica)	94
“ callosa var. atrosanguinea	93
“ “ “ superba	93
“ conspicua	94
“ Fontenaysii var. rosea	94
“ Foxii	94
“ hypericifolia	94
“ paniculata rosea	94
“ rotundifolia alba	94
“ rupestris	94
“ tennissima	94
“ Van Houtteii	95
Staphylea Bumalda	96
Syringa (New Varieties)	100
Viburnum dentatum	100
“ Lentago	100
“ macrocephalum	100
“ plicatum	102
“ Sieboldii	102
Xanthoceras	102

CLIMBING SHRUBS.

	PAGE.
Ampelopsis dissecta	106
“ quinquefolia var. aconitifolia	106
“ “ “ Engelmanni	106

	PAGE.
Ampelopsis quinquefolia var. muralis	106
Clematis Hybrida Sieboldii	107
Lonicera Heckrottii	107

MISCELLANEOUS.

	PAGE.
Herbaceous plants. Old and new varieties	114

	PAGE.
Pæonias, new varieties	112
Phlox, new varieties	113

GENERAL INDEX.

PAGE.	PAGE.	PAGE.	PAGE.
Abies..... 76	Bitter Vetch..... 124	Cypress, Deciduous..... 70	Heartsease..... 128
Acacia..... 69	Blackberry..... 34	" Japan..... 79	Hedge Plants..... 109
Acer..... 49	Bladder Senna..... 82	Cytisus..... 59	Hedgehog Cone-flower..... 120
Achillea..... 114	" Nut..... 96	Dactylis..... 119	Helenium..... 121
Aconitum..... 114	Blazing Star..... 123	Daffodil..... 130	Helianthus..... 121
Acorus..... 114	Bleeding Heart..... 119	Dahlias..... 130	Helleborus..... 121
Actinidia..... 106	Blood Root..... 125	Daisy..... 117	Hemerocallis..... 121
Adonis..... 114	Bocconia..... 117	Daphne..... 83, 119	Hemlock..... 76
Æsculus..... 51	Boitonia..... 117	Day Lily..... 121	Hepatica..... 122
Ailanthus..... 52	Boston Ivy..... 106	Dead Nettle..... 123	Herbaceous Plants..... 114
Aira..... 115	Box..... 105, 109	Delphinium..... 119	Herniaria..... 122
Ajuga..... 115	" Dwarf..... 105	Deutzia..... 83	Hesperis..... 122
Akebia..... 106	" Elder..... 64	Dewberry..... 35	Hibiscus..... 87, 122
Alder..... 52	Bramble..... 92	Dianthus..... 119	Hickory..... 54
Alkanet..... 115	Buckeye..... 51, 64	Dicentra..... 119	Hieracium..... 122
Almond..... 45	Buckthorn..... 91, 109	Dictamnus..... 119	Hollyhock..... 114
" Dwarf Double..... 90	Bugle..... 115	Dielytra..... 119	Honey Locust..... 61, 109
" Flowering..... 90	Bulbs..... 128, 129	Diervilla..... 83	Honeysuckle (climbing)..... 107
" Large double..... 53	Buphthalmum..... 117	Dogwood..... 82	" (upright)..... 89
" flowering..... 53	Buttercup..... 125	" Flowering..... 57	Hop Tree..... 90
Alnus..... 52	Butternut..... 62	Doronicum..... 120	Hornbeam..... 53
Alstroemeria..... 115	Button Snake root..... 123	Dropwort..... 126	Horse Chestnut..... 51
Althæa..... 87	Buttonwood..... 64	Dutchman's Pipe..... 106	" " (dwarf)..... 89
" rosea..... 114	Buxus..... 105	Echinacea..... 120	" " (smooth-fruited)..... 64, 89
Amaryllis..... 128	Calico Bush..... 105	Elder..... 93	Horse Mint..... 124
Amelanchier..... 52	Caltha..... 118	Elæagnus..... 85	House Leek..... 126
American Ivy..... 106	Calycanthus..... 82	Elm..... 70	Hyacinthus..... 130
Amorpha..... 81	Campanula..... 117, 125	Elymus..... 120	Hyacinth..... 130
Ampelopsis..... 106	Carolina Allspice..... 82	Epimedium..... 120	Hydrangea..... 87
Amsonia..... 115	Candytuft..... 123	Erianthus..... 120	Hypericum..... 87, 122
Amygdalus..... 53	Cannas..... 130	Eryngium..... 120	Hyssop..... 122
Anchusa..... 115	Carpinus..... 53	Erigeron..... 120	Hyssopus..... 122
Andromeda..... 105	Carya..... 54	Eulalia..... 120	Iberis..... 123
Anemone..... 115	Castanea..... 54	Euonymus..... 85	Indian Currant..... 96
Angelica Tree..... 81	Cassia..... 118	Eupatorium..... 120	Indian Physic..... 121
Antennaria..... 115	Cat's-Ear..... 115	Evergreens..... 75	Iris..... 123
Anthemium..... 115	Catalpa..... 54	Evochorda..... 85	Ivy..... 107
Anthericum..... 115	Catch-fly..... 126	Fagus..... 59	Japan Creeper..... 106
Apple..... 10	Celastrus..... 106	False Chamomile..... 117	" Quince..... 83, 109
" Flowering..... 63	Celtis..... 55	False Indigo..... 117	" Spiræa..... 117
Apricot..... 27	Centauria..... 118	Fig..... 45	" Chestnut..... 54
Aquilegia..... 115	Centranthus..... 118	Filbert..... 45, 82	Jonquils..... 130
Arabis..... 116	Cerastium..... 118	Fir..... 76	Judas Tree..... 56
Aralia..... 81	Cerasus..... 55	Flax..... 124	Juglans..... 62
Arbor Vitæ, Oriental,..... 79	Cercis..... 56	Flame-flower..... 127	June Berry..... 52
" Eastern..... 79	Chalk Plant..... 121	Flea Bane..... 120	Juniper..... 77
" Dwarf..... 80, 109	Chamomile..... 115	Fleur de Lis..... 123	Juniperus..... 77
" Siberian..... 80, 109	Cherry..... 20	Forsythia..... 85	Kalmia..... 105
" Western..... 80, 109	" flowering..... 55	Fraxinella..... 119	Kentucky Coffee Tree..... 62
Arenaria..... 116	Chestnut..... 45, 54	Fraxinus..... 61	Kerria..... 88
Aristolochia..... 106	Chickweed..... 118	Fringe Tree..... 57	Knappa..... 118
Armeria..... 116	Chinese Cork Tree..... 64	Fritillaria..... 129	Kniphofia..... 127
Arrow Root..... 100	Chionanthus..... 57	Funkia..... 120	Kœlreuteria..... 62
Artemisia..... 116	Christmas Rose..... 121	Galanthus..... 130	Laburnum..... 59
Articles by Mail..... 6	Cinquefoil..... 125	Garland Flower..... 119	Lamium..... 123
Arum..... 116	Cissus..... 106	Gas Plant..... 119	Lamp Flower..... 124
Arundinaria..... 116	Cladrastis..... 57	Genista..... 121	Larch..... 62
Arundo..... 116	Clematis..... 106, 118	Geranium..... 121	Larkspur..... 119
Asclepias..... 116	Clethra..... 82	Giant Hyssop..... 124	Larix..... 62
Ash..... 61	Cocksfoot..... 119	Gillenia..... 121	Lathyrus..... 123
" Flowering..... 61	Columbine..... 115	Gingko..... 69	Leopard's Bane..... 120
" Mountain..... 66	Colutea..... 82	Gladioli..... 128	Liatris..... 123
Ash-leaved Maple..... 64	Comfrey..... 127	Gleditschia..... 61	Ligustrum..... 89
Ashberry..... 105	Cone-flower..... 125	Globe Flower..... 127	Lilac..... 96
Asparagus..... 45	Coniferæ..... 75	Glyptostrobus..... 62	Lilium..... 129
Asperula..... 116	Convallaria..... 118	Goat's Beard..... 123	Lily..... 129
Aster..... 116	Corchorus..... 88	Golden Bell..... 85	" Peruvian..... 115
Astilbe..... 117	Coreopsis..... 118	" Chain..... 59	" St. Bruno's..... 115
Aubretia..... 117	Cornus..... 57, 82	Goldilocks..... 124	" of the Valley..... 118
Azalea..... 81	Coronilla..... 119	Gooseberry..... 36	Lime..... 70
Balm..... 124	Corylus..... 82	Grape, Native..... 29	Linden..... 70
Baptisia..... 117	Cotoneaster..... 83	Greek Valerian..... 125	Linosyris..... 124
Barberry..... 81	Crab Apple..... 14	Guelder Rose..... 102	Linum..... 124
Barren-Wort..... 120	Crab, Flowering..... 65	Gymnocladus..... 62	Liquidambar..... 62
Bastard Indigo..... 81	Cranberry, High Bush..... 102	" "..... 62	Liriodendron..... 62
Bee-Balm..... 124	Crane's-bill..... 121	" "..... 62	Liver Leaf..... 122
Beech..... 59	Cratægus..... 58	" "..... 62	Locust..... 69
Bellflower..... 117	Crocus..... 129	" "..... 62	Lonicera..... 89, 107
Bellis..... 117	Crown Imperial..... 129	" "..... 62	Loosestrife..... 124
Bellwort..... 127	Cuckoo Plant..... 116	Gypsophila..... 121	Lophanthus..... 124
Berberis..... 81	Cup Plant..... 53	Hair Grass..... 115	Lotus..... 124
Betula..... 53	Cupressus..... 117	Halesia..... 86	Lychnis..... 124
Betonica..... 117	Curant..... 35	Hardy Herbaceous..... 114	Lyme Grass..... 120
Betony..... 117	Curant, Flowering..... 91	Harebell..... 117	Lysimachia..... 124
Biota..... 77	Cydonia..... 83	Harpalum..... 121	Lythrum..... 124
Birch..... 53	Cypress..... 77	Hawkweed..... 122	
Bird-Cherry..... 65	" Chinese Weep-..... 62	Hedera..... 107	
Bird's foot Trefoil..... 124	" ing Deciduous..... 62		
Birthwort..... 106			

PAGE.		PAGE.		PAGE.		PAGE.	
Lungwort	125	Poplar	65	Saint Peter's Wort	96	Thorn	58
Maclura	62	Poppy	124	Salisburya	69	Thrift	116, 127
Madeira Nut	62	Populus	65	Salix	69	Thuja	80
Magnolia, American species and varieties	63	Potentilla	125	Salvia	125	Thujopsis	77
Magnolia, Chinese species and their hybrids	63	Prairie Sunflower	121	Sambucus	93	Thyme	127
Mahonia	105, 109	Prickly Ash	72	Sandwort	116	Thymus	127
Maiden Hair Tree	69	Primrose	125	Sanguinaria	125	Tickseed	118
Mallow	124	Primula	125	Saponaria	125	Tilia	70
Malva	124	Privet	89, 109	Saxifraga	126	Torch Lily	127
Maple	49	Prunus	65, 90	Saxifrage	126	Tradescantia	127
Meadow Sweet	93, 126	Ptelea	90	Scabiosa	126	Tree Box	105, 109
Menispermum	108	Pulmonaria	125	Scabious	126	Tree of Heaven	52
Mespilus	52	Purple Fringe	91	Scilla	83	Trees, Cut-leaved	73
Mezereon	83	" Loosestripe	124	Scions	45	" Deciduous	49
Milfoil	114	" Rock Cress	117	Sea Holly	120	" Evergreen	75
Milkweed	116	Pyrethrum	125	Sea Lavender	127	" Flowering	74
Mock Orange	89	Pyrus	65	Sea Pink	116, 127	" Select assortments	74
Monarda	124	" malus	65	Sedum	126	" Variegated leaved	73
Moneywort	124	" sorbus	66	Sempervivum	126	" Weeping or Drooping	72
Monkshood	114	Quercus	68	Senna	118	" which produce ornamental fruit	74
Moonsseed	108	Quince	29	Shad Blow	52	" with bright colored bark in winter	74
Morus	63	" Japan	83, 109	Shrubs, Climbing and		" with colored foliage	73
Moss Pink	1-4	Ranunculus	125	" Trailing	106	Trefoil, Shrubby	90
Mountain Ash	66	Raspberry	38	" Deciduous	81	Tricyrtis	127
" Laurel	105	Ravenna Grass	120	" Evergreen	105	Trillium	127
Mulberry	45, 63	Reed	116	" Flowering	103	Tritoma	127
Myrtle	128	Red Bud	56	" Select assortments	103	Trollius	127
Narcissus	130	Red Cedar	78	" which produce ornamental fruit	103	Trumpet Flower	108
Nectarine	28	Retinispora	79	" with variegated foliage	102	Tsuga	76
Negundo	64	Rhamnus	92	Silene	126	Tuberose, Double	128
" Maple	64	Rheum	125	Silk Vine	108	Tulip	130
Nettle Tree	55	Rhododendron	106	Silphium	126	Tulipa	130
Norway Spruce	71, 109	Rhodotyphus	91	Silver Bell	86	Tulip Tree	62
Oak	68	Rhubarb	45, 91	Silver Fir	77	Tunica	127
Oleaster	85	Ribbon Grass	116	Sloe, Double flowering	65	Ulmus	70
Ornamental Department	47	Ribes	91	Smoke Tree	91	Uvularia	127
Orobous	124	Robinia	69	Snake Root	120	Valeriana	127
Oswego Tea	124	Rock Broom	120	Sneezewort	114, 121	Valerian	118, 127
Osage Orange	62, 109	Rocket	122	Snowberry	96	Veratrum	127
Ox-eye	117	Rock Cress	116	Snowball Tree	102	Veronica	127
Paeonia officinalis	111	Rosebay	106	Snowdrop	130	Viburnum	100
" paradoxa	111	Rose Department	131	" Tree	86	Vinca	128
" Chinese	111	Roses, Austrian, or Yel-		Soapwort	125	Viola odorata	128
" Tree	110	" low	133	Spanish Bayonet	128	Viola tricolor	128
" Herbaceous	110	" Ayrshire	133	" Chestnut	54	Violet	128
Pansy	128	" Banksia	133	Speedwell	127	Virgilia	57
Papaver	124	" Bengal	135	Spiderwort	127	Virginian Creeper	106
Paulownia	64	" Bourbon	135	Spindle Tree	85	Virgin's Bower	106
Pavia	64, 89	" China	135	Spiræa	93, 109, 126	Wake Robin	127
Peach	26	" Climbing	133	" Japan	117	Walnut	45, 62
" Flowering	64	" Hybrid Climbing	138	Spruce	76	Waxberry	96
Pear	15	" " Noisette	139	Stachys	126	Weigela	83
Pentstemon	124	" " Perpet'al	139	Staff Tree	106	White Fringe	57
Perennial Pea	123	" " Remontant	139	Staphylea	96	" Wood	62
Periploca	108	" " Tea	137	Starwort	116	Wild Pea	119
Perisica	64	" Miscellaneous	134	Statice	127	Wild Senna	118
Periwinkle	128	" Moss	133	Stone-crop	126	Willow	69
Phellodendron	64	" Noisette	135	Strawberry	40	Wind-flower	115
Philadelphia	89	" Perpetual Moss	138	" Tree	85	Wistaria	108
Phlox	113, 124	" Polyantha	137	Sumach	91	Wolfsbane	114
Picea	77	" Prairie	133	Sun-flower	121	Woodbine	107
Pine	78, 109	" Rugosa	144	Sweet Gum	62	Woodruff	116
Pink	119	" Tea	135	" Pepper Bush	82	Wormwood	116
Pinus	78	" for special purposes	145	" Scented Shrub	82	Woundwort	126
Plane Tree	64	" Alphabetical List of	146	" Violet	128	Xanthoceras	102
Plantain Lily	120	Rose-Marrow	129	Sword Grass	114	Yarrow	114
Platanus	64	Rose of Sharon	87	Symphytum	127	Yellow Wood	57
Platycodon	125	Rosin Plant	126	Symphoricarpus	96	Yew	79
Plum	22	Rubus	92	Syringa	89, 96	Yucca	128
" Flowering	65, 90	Rudbeckia	125	Tamarisk	100	Zanthoxylum	72
Plume Poppy	117	Sage	125	Tamarix	100, 109		
Podocarpus	79	Saint John's Wort	87, 122	Tanacetum	127		
Polemonium	125			Tansy	127		
Polianthes	128			Taxodium	70		
Polyanthus Narcissus	130			Taxus	79		
				Tecoma	108		

CATALOGUES.

A GENERAL CATALOGUE of Fruit and Ornamental Trees, Shrubs, Evergreens, Small Fruits, Clematis, Hardy Herbaceous Plants, Roses, Etc., containing brief hints on transplanting, distances for planting the various trees, and other useful information, with numerous illustrations of the most popular trees, shrubs, etc., sent as soon as issued, to all customers of three years standing whose names are on our books, to others on receipt of 10 cents. A WHOLESALE CATALOGUE, OR TRADE LIST, issued semi-annually, free on request.

N. B.—Correspondents and patrons desiring to visit our grounds are informed that the business office and home grounds are situated in the South part of the City of Rochester, about one mile from the center of the city, on Mount Hope Avenue, and may be reached by electric cars from any of the railroads entering here.



electro-rite co. n. y.

WIER'S CUT-LEAVED MAPLE.

BARRY'S FRUIT GARDEN.

BY THE LATE P. BARRY.

A treatise intended to illustrate and explain the Physiology of Fruit Trees; the Theory and Practice of all operations connected with the Propagation, Transplanting, Pruning and Training of Orchard and Garden Trees, as Standards, Dwarfs, Pyramids, Espaliers, &c.; the laying out and arranging different kinds of Orchards and Gardens; the selection of suitable varieties for different purposes and localities; Gathering and Preserving Fruits; Treatment of Diseases and Destruction of Insects; Description and Use of Implements, &c., illustrated with numerous wood-cuts, representing different parts of trees, practical operations, forms of trees, designs for plantations, implements, &c. Price, post-paid, \$2.00.

A NEW EDITION OF THE ROSE.

BY THE LATE HENRY B. ELLWANGER, WITH INTRODUCTION BY GEORGE H. ELLWANGER.

NEW AND REVISED EDITION.

With the list of varieties carried out to date, and an essay on "Old and New Roses."

\$1.25 by mail, postpaid.

PRESS OPINIONS.

"A writer who has a thorough knowledge of his subject and knows how to convey it to others."—*New York Evening Post*.

"It contains most useful information, the results of the experiences and observation of many years of an enthusiastic and most successful cultivator."—*Canadian Horticulturist*.

"Ce livre nous paraît être un des meilleurs qui aient été publiés jusqu'à ce jour; écrit par un rosieriste éminent, toutes les questions y sont traitées à fond et en véritable connoisseur."—*Journal des Roses—France*.

"Chapters packed with practical directions and information to the amateur."—*New York Examiner*.

THE GARDEN'S STORY,

—OR—

Pleasures and Trials of an Amateur Gardener.

BY GEORGE H. ELLWANGER.

Author of "The Story of My House." "In Gold and Silver."

FIFTH EDITION.

16mo., Cloth, Gilt Top. Price, postpaid, \$1.50. With Head and Tail Pieces by Rhead.

NOTICES OF THE PRESS.

"A dainty, learned, charming, and delightful book."—*New York Sun*.

"A little classic, *en masquerade*, that will be read again and again with ever-renewed delight, is "The Garden's Story."—*New Orleans Times-Democrat*.

"The author's pleasant and scholarly style clothes the bare facts of garden culture in a new manner of literary interest. . . . We heartily commend it to every lover of nature, whether he have a garden to cultivate in reality or only in imagination."—*Country Gentleman*.

ELÆAGNUS LONGIPES.



ENTRANCE TO MOUNT HOPE NURSERIES.